



BLUM

LEGRABOX DRAWERS

Component Drawer Kits	03
Backs and Bases	04
Component TIP-ON BLUMOTION	05
Component Internal Front	06
Component Drawer Packs	07
Pre-assembled Drawer Packs	09
Pre-assembled Drawers	11
Pre-assembled Internal Drawers	12
Pre-assembled TIP-ON BLUMOTION	13

LEGRABOX IN-FRAME

Backs and Bases	14
Pre-assembled Drawers	14

LEGRABOX ACCESSORIES

Ambia Line	15
Gollinucci Drawer Inserts	16
Drawer Liners	16

TANDEMBOX DRAWERS

Components Drawer Kits	17
Backs and Bases	18
Component TIP-ON BLUMOTION	19
Component Internal Front	20
Component Drawer Packs	21
Pre-assembled Drawer Packs	23
Pre-assembled Drawers	25
Pre-assembled Internal Drawers	26

SPACETOWER

Component LEGRABOX SPACETOWER	27
Pre-assembled LEGRABOX SPACETOWER	28
Component TANDEMBOX SPACETOWER	29
Pre-assembled TANDEMBOX SPACETOWER	30

SERVO-DRIVE FLEX 31

RUNNERS
FOR DOVETAIL 32

Movento	33
Tandem	34

HINGES 35

LIFT SYSTEM 54

JIGS AND TEMPLATES 55

EASY ASSEMBLY APP 61

For Technical support please call the Blum
Technical Support Hotline on **0800 230 0898**





DRAWER BOXES

YOUR CHOICE OF DRAWER BOXES:

LEGRABOX



High load bearing capacity

LEGRABOX is defined by straight lines that create an elegant look. It also benefits from a high load capacity of 40kg or 70kg.

TANDEMBOX antaro



Clear, rectangular design

TANDEMBOX antaro is characterised by its clear design and rectangular gallery. Load bearing capacity of 30kg, 50kg or 65kg.

MOTION TECHNOLOGY



Blum's box systems offer a wide range of possibilities and meet different design demands placed on furniture. They boast a feather-light glide, enhanced ease of use, top quality and beautiful design.

LEGRABOX and TANDEMBOX can be combined with:

- **BLUMOTION** (SOFT CLOSE)
Silent and effortless closing action
- **TIP-ON BLUMOTION** (PUSH TO OPEN)
Mechanical opening support, combined with BLUMOTION
- **SERVO-DRIVE**
Electronic opening system


LEGRABOX | MOVENTO BLUMOTION S

Most LEGRABOX and MOVENTO runners have now been replaced by the new BLUMOTION S runner which can be used for standard BLUMOTION drawers and TIP-ON BLUMOTION.

COMPONENT DRAWER KITS

LEGRABOX


N HEIGHT
66.5mm



66.5mm




M HEIGHT
90.5mm



90.5mm




C HEIGHT
177mm



177mm




F HEIGHT
241mm



241mm



SIDE STABILISATION



- Additional stabilisation for extra wide high fronted pull-outs
- Recommended cabinet width: 900-1400mm

Order code
ZS7M650LU


Depth
450-650mm

SINK DRAWER

C Height

- BLUMOTION
- Orion grey

Order code	Drawer	Depth	Weight
LBC/450/40OGSK	Sink	450mm	40kg



All kits comprise of a pair of runners, a pair of sides, back and front brackets. *Bases and backs not included.*

DRAWER KITS

LEGRABOX LAY ON (ORION GREY)

PRE-
ASSEMBLED
DRAWERS
& PACKS
PAGE 5.09

Guideline weight capacity
of runner system
40kg - up to 600mm width
70kg - up to 1400mm width

COMPONENTS

40kg and 70kg kits comprise of a pair of BLUMOTION runners, a pair of ORION GREY sides, front and back brackets and cover caps.

SINGLE BOX

1 component kit packed in 1 box (comprised of a pair of BLUMOTION runners, a pair of ORION GREY sides, front and back brackets).

Depth	Carrying Capacity	Components/ Single Box	N Height Order code	M Height Order code	C Height Order code	F Height Order code
270	40kg	Components		LBM/270/40OG		
400	40kg	Components		LBM/400/40OG		
450	40kg	Components	LBN/450/40OG	LBM/450/40OG*	LBC/450/40OG*	LBF/450/40OG
		Single Box		SLBM/450/40OG	SLBC/450/40OG	
	70kg	Components		LBM/450/70OG*	LBC/450/70OG*	
		Single Box		SLBM/450/70OG	SLBC/450/70OG	
500	40kg	Components		LBM/500/40OG	LBC/500/40OG	
	70kg	Components		LBM/500/70OG	LBC/500/70OG	LBF/500/70OG

i *Available in multiples of 12 only.

BACKS AND BASES

FOR 450MM DEPTH

STEEL BACKS

Cabinet width	M Height Order code	C Height Order code
300mm	ZB7M232S.6	ZB7C232S.6
400mm	ZB7M332S.6	ZB7C332S.6
450mm	ZB7M382S.6	ZB7C382S.6
500mm	ZB7M432S.6	ZB7C432S.6
600mm	ZB7M532S.6	ZB7C532S.6
800mm	ZB7M732S.6	ZB7C732S.6
900mm	ZB7M832S.6	ZB7C832S.6
1000mm	ZB7M932S.6	ZB7C932S.6
1200mm	ZB7M1132.6	ZB7C1132.6

MFC BASES For use with steel back

Cabinet width	Order code
300mm	LBS450/300SG
400mm	LBS450/400SG
450mm	LBS450/450SG
500mm	LBS450/500SG
600mm	LBS450/600SG
800mm	LBS450/800SG
900mm	LBS450/900SG
1000mm	LBS450/1000SG
1200mm	LBS450/1200SG

MFC BACKS AND BASES

Cabinet width	M Height Order code	C Height Order code
300mm	LBBBM450/300OG	LBBBC450/300OG
400mm	LBBBM450/400OG	LBBBC450/400OG
450mm	LBBBM450/450OG	LBBBC450/450OG
500mm	LBBBM450/500OG	LBBBC450/500OG
600mm	LBBBM450/600OG	LBBBC450/600OG
800mm	LBBBM450/800OG	LBBBC450/800OG
900mm	LBBBM450/900OG	LBBBC450/900OG
1000mm	LBBBM450/1000OG	LBBBC450/1000OG
1200mm	LBBBM450/1200OG	LBBBC450/1200OG

FOR 270MM DEPTH

MFC BACKS AND BASES

Cabinet width	M Height Order code
500mm	LBBBM270/500OG
600mm	LBBBM270/600OG

Back & Base dimensions consider 18mm End Panels on Cabinets

LEGRABOX DRAWER HEIGHT KEY:

N:66.5mm | M:90.5mm | C:177mm | F:241mm

Blum Technical Hotline: 0800 230 0898

5.04

COMPONENT TIP-ON BLUMOTION

LEGRABOX

LAY ON DRAWER (ORION GREY)

TIP-ON BLUMOTION combines the advantages of the TIP-ON mechanical opening support system with the reliable BLUMOTION dampening, for silent and effortless closing.

All kits comprise of a pair of BLUMOTION runners, a pair of ORION GREY sides, back and front brackets and TIP-ON mechanism.
Bases and backs not included.

Guideline maximum weight capacity of runner system

40kg - up to 600mm width

70kg - up to 1400mm width

N Height - 66.5mm

Order code	Drawer	Depth	Weight
LBTN/450/40OG	Lay on	450mm	40kg

M Height - 90.5mm

Order code	Drawer	Depth	Weight
LBTM/270/40OG	Lay on	270mm	40kg
LBTM/400/40OG	Lay on	400mm	40kg
LBTM/450/40OG	Lay on	450mm	40kg
LBTM/500/40OG	Lay on	500mm	40kg
LBTM/450/70OG	Lay on	450mm	70kg
LBTM/500/70OG	Lay on	500mm	70kg

C Height - 177mm

Order code	Drawer	Depth	Weight
LBTC/450/40OG	Lay on	450mm	40kg
LBTC/500/40OG	Lay on	500mm	40kg
LBTC/450/70OG	Lay on	450mm	70kg
LBTC/500/70OG	Lay on	500mm	70kg

F Height - 241mm

Order code	Drawer	Depth	Weight
LBTF/450/40OG	Lay on	450mm	40kg
LBTF/500/70OG	Lay on	500mm	70kg

ACCESSORIES

Order code	Description
T60.1125W	TIP-ON BLUMOTION synchronisation linkage for cutting to size
T60.000D	TIP-ON BLUMOTION synchronisation adapter for linkage (2 per kit)
65.5631	Front gap template for drawer profiles
T60.300D	TIP-ON BLUMOTION synchronisation linkage 300mm wide units



COMPONENT INTERNAL FRONT

LEGRABOX

BACKS
& BASES
PAGE 5.04

INTERNAL DRAWER FRONT

M Height - 90.5mm




- Orion grey
- Fascia only

Order code	Drawer	Cabinet width
ZW7.250M	Inner drawer front	300mm
ZW7.350M	Inner drawer front	400mm
ZW7.400M	Inner drawer front	450mm
ZW7.450M	Inner drawer front	500mm
ZW7.550M	Inner drawer front	600mm
ZW7.750M	Inner drawer front	800mm
ZW7.850M	Inner drawer front	900mm
ZW7.950M	Inner drawer front	1000mm
ZW7.1150M	Inner drawer front	1200mm

LEGRABOX LATCH

For Internal Drawers



Order code	Description
ZI7.0M07MI/MG	LEGRABOX latch for inner drawers

Please note: all fronts are made for units with 18mm side panels

INTERNAL DRAWER FRONT WITH GALLERY

C Height - 177mm



- Orion grey
- Fascia only

Order code	Drawer	Cabinet width
ZW7.250CR	Inner pull out front, with gallery	300mm
ZW7.350CR	Inner pull out front, with gallery	400mm
ZW7.400CR	Inner pull out front, with gallery	450mm
ZW7.450CR	Inner pull out front, with gallery	500mm
ZW7.550CR	Inner pull out front, with gallery	600mm
ZW7.750CR	Inner pull out front, with gallery	800mm
ZW7.850CR	Inner pull out front, with gallery	900mm
ZW7.950CR	Inner pull out front, with gallery	1000mm
ZW7.1150CR	Inner pull out front, with gallery	1200mm

INTERNAL DRAWER FRONT WITH GLASS FRONTS

C Height - 177mm



- Orion grey
- Fascia only

Order code	Drawer	Cabinet width
LBC/IDG600	Inner drawer front	600mm
LBC/IDG800	Inner drawer front	800mm
LBC/IDG900	Inner drawer front	900mm

LEGRABOX DRAWER HEIGHT KEY:

N:66.5mm | M:90.5mm | C:177mm | F:241mm

Blum Technical Hotline: 0800 230 0898

5.06

COMPONENT DRAWER PACKS

LEGRABOX

CABINETS
& DRAWER
FRONTS NOT
INCLUDED


WITH BACKS AND BASES - 450MM DEEP DRAWERS

To help you specify Blum more efficiently please see below a list of product codes that make up drawer packs in component form (MFC Back and Base).




Includes single box kits, not single components. If single components are required remove the "S" e.g. LBM/450/400G instead of SLBM/450/400G

2 X M HEIGHT
AND 1 X C HEIGHT



- 2x cutlery (M Height) drawer
- 1x pan (C Height) drawer
- Includes soft-close BLUMOTION runners, front fixing brackets
- Includes backs and bases
- Suggested drawer front heights: 2x 175mm & 1x 355mm

1 X M HEIGHT
AND 2 X C HEIGHT



- 1x cutlery (M Height) drawer
- 2x pan (C Height) drawer
- Includes soft-close BLUMOTION runners, front fixing brackets
- Includes backs and bases
- Suggested drawer front heights: 1x 139mm & 2x 283mm

2 X C HEIGHT



- 2x pan (C Height) drawer
- Includes soft-close BLUMOTION runners, front fixing brackets
- Includes backs and bases
- Suggested drawer front heights: 2x 355mm

Width	Order Code		Order Code		Order Code	
300mm	2X	SLBM/450/400G	1X	SLBM/450/400G	2X	SLBC/450/400G
	1X	SLBC/450/400G	2X	SLBC/450/400G	2X	LBBBC450/300OG
	2X	LBBBM450/300OG	1X	LBBBM450/300OG		
	1X	LBBBC450/300OG	2X	LBBBC450/300OG		
400mm	2X	SLBM/450/400G	1X	SLBM/450/400G	2X	SLBC/450/400G
	1X	SLBC/450/400G	2X	SLBC/450/400G	2X	LBBBC450/400OG
	2X	LBBBM450/400OG	1X	LBBBM450/400OG		
	1X	LBBBC450/400OG	2X	LBBBC450/400OG		
450mm	2X	SLBM/450/400G	1X	SLBM/450/400G	2X	SLBC/450/400G
	1X	SLBC/450/400G	2X	SLBC/450/400G	2X	LBBBC450/450OG
	2X	LBBBM450/450OG	1X	LBBBM450/450OG		
	1X	LBBBC450/450OG	2X	LBBBC450/450OG		
500mm	2X	SLBM/450/400G	1X	SLBM/450/400G	2X	SLBC/450/400G
	1X	SLBC/450/400G	2X	SLBC/450/400G	2X	LBBBC450/500OG
	2X	LBBBM450/500OG	1X	LBBBM450/500OG		
	1X	LBBBC450/500OG	2X	LBBBC450/500OG		
600mm	2X	SLBM/450/400G	1X	SLBM/450/400G	2X	SLBC/450/400G
	1X	SLBC/450/400G	2X	SLBC/450/400G	2X	LBBBC450/600OG
	2X	LBBBM450/600OG	1X	LBBBM450/600OG		
	1X	LBBBC450/600OG	2X	LBBBC450/600OG		
800mm	2X	SLBM/450/700G	1X	SLBM/450/700G	2X	SLBC/450/700G
	1X	SLBC/450/700G	2X	SLBC/450/700G	2X	LBBBC450/800OG
	2X	LBBBM450/800OG	1X	LBBBM450/800OG		
	1X	LBBBC450/800OG	2X	LBBBC450/800OG		
900mm	2X	SLBM/450/700G	1X	SLBM/450/700G	2X	SLBC/450/700G
	1X	SLBC/450/700G	2X	SLBC/450/700G	2X	LBBBC450/900OG
	2X	LBBBM450/900OG	1X	LBBBM450/900OG		
	1X	LBBBC450/900OG	2X	LBBBC450/900OG		
1000mm	2X	SLBM/450/700G	1X	SLBM/450/700G	2X	SLBC/450/700G
	1X	SLBC/450/700G	2X	SLBC/450/700G	2X	LBBBC450/1000OG
	2X	LBBBM450/1000OG	1X	LBBBM450/1000OG		
	1X	LBBBC450/1000OG	2X	LBBBC450/1000OG		
1200mm	1X	SLBM/450/700G	2X	SLBM/450/700G	2X	SLBC/450/700G
	2X	SLBC/450/700G	1X	SLBC/450/700G	2X	LBBBC450/1200OG
	1X	LBBBM450/1200OG	2X	LBBBM450/1200OG		
	2X	LBBBC450/1200OG	1X	LBBBC450/1200OG		

5.07


Your one-stop-shop - www.pws.co.uk

T: 01325 505599 | E: sales-support@pws.co.uk

COMPONENT DRAWER PACKS -LEGRABOX


For frontal sizes please refer to the PWS lay-on Matrix. Pre-assembled drawers are also compatible with In-frame and Handleless Matrices. See pws.co.uk for frontal sizes.

1 X C HEIGHT AND 1 X M HEIGHT
+ INTERNAL DRAWER




- 1x pan (C Height) drawer
- 1x (M Height) drawer
- 1x (M Height) internal drawer
- Includes soft-close BLUMOTION runners, front fixing brackets
- **Includes backs and bases**
- Suggested drawer front heights: 2x 355mm

3 X M HEIGHT
AND 1 X C HEIGHT



- 3x cutlery (M Height) drawer
- 1x pan (C Height) drawer
- Includes soft-close BLUMOTION runners, front fixing brackets
- **Includes backs and bases**
- Suggested drawer front heights: 3x 139mm & 1x 283mm

4 X M HEIGHT



- 4x cutlery (M Height) drawer
- Includes soft-close BLUMOTION runners, front fixing brackets
- **Includes backs and bases**
- Suggested drawer front heights: 4x 175mm

Width	Order Code		Order Code		Order Code	
300mm	2X	SLBM/450/40OG	3X	SLBM/450/40OG	4X	SLBM/450/40OG
	1X	SLBC/450/40OG	1X	SLBC/450/40OG	4X	LBBBM450/300OG
	1X	ZW7.250M	3X	LBBBM450/300OG		
	2X	LBBBM450/300OG	1X	LBBBC450/300OG		
	1X	LBBBC450/300OG				
400mm	2X	SLBM/450/40OG	3X	SLBM/450/40OG	4X	SLBM/450/40OG
	1X	SLBC/450/40OG	1X	SLBC/450/40OG	4X	LBBBM450/400OG
	1X	ZW7.350M	3X	LBBBM450/400OG		
	2X	LBBBM450/400OG	1X	LBBBC450/400OG		
	1X	LBBBC450/400OG				
450mm	2X	SLBM/450/40OG	3X	SLBM/450/40OG	4X	SLBM/450/40OG
	1X	SLBC/450/40OG	1X	SLBC/450/40OG	4X	LBBBM450/450OG
	1X	ZW7.400M	3X	LBBBM450/450OG		
	2X	LBBBM450/450OG	1X	LBBBC450/450OG		
	1X	LBBBC450/450OG				
500mm	2X	SLBM/450/40OG	3X	SLBM/450/40OG	4X	SLBM/450/40OG
	1X	SLBC/450/40OG	1X	SLBC/450/40OG	4X	LBBBM450/500OG
	1X	ZW7.450M	3X	LBBBM450/500OG		
	2X	LBBBM450/500OG	1X	LBBBC450/500OG		
	1X	LBBBC450/500OG				
600mm	2X	SLBM/450/40OG	3X	SLBM/450/40OG	4X	SLBM/450/40OG
	1X	SLBC/450/40OG	1X	SLBC/450/40OG	4X	LBBBM450/600OG
	1X	ZW7.550M	3X	LBBBM450/600OG		
	2X	LBBBM450/600OG	1X	LBBBC450/600OG		
	1X	LBBBC450/600OG				
800mm	2X	SLBM/450/70OG	3X	SLBM/450/70OG	4X	SLBM/450/70OG
	1X	SLBC/450/70OG	1X	SLBC/450/70OG	4X	LBBBM450/800OG
	1X	ZW7.750M	3X	LBBBM450/800OG		
	2X	LBBBM450/800OG	1X	LBBBC450/800OG		
	1X	LBBBC450/800OG				
900mm	2X	SLBM/450/70OG	3X	SLBM/450/70OG	4X	SLBM/450/70OG
	1X	SLBC/450/70OG	1X	SLBC/450/70OG	4X	LBBBM450/900OG
	1X	ZW7.850M	3X	LBBBM450/900OG		
	2X	LBBBM450/900OG	1X	LBBBC450/900OG		
	1X	LBBBC450/900OG				
1000mm	2X	SLBM/450/70OG	3X	SLBM/450/70OG	4X	SLBM/450/70OG
	1X	SLBC/450/70OG	1X	SLBC/450/70OG	4X	LBBBM450/1000OG
	1X	ZW7.950M	3X	LBBBM450/1000OG		
	2X	LBBBM450/1000OG	1X	LBBBC450/1000OG		
	1X	LBBBC450/1000OG				
1200mm	2X	SLBM/450/70OG	3X	SLBM/450/70OG	4X	SLBM/450/70OG
	1X	SLBC/450/70OG	1X	SLBC/450/70OG	4X	LBBBM450/1200OG
	1X	ZN7.1150M	3X	LBBBM450/1200OG		
	2X	LBBBM450/1200OG	1X	LBBBC450/1200OG		
	1X	LBBBC450/1200OG				

LEGRABOX DRAWER HEIGHT KEY:

N:66.5mm | **M:**90.5mm | **C:**177mm | **F:**241mm

Blum Technical Hotline: 0800 230 0898

5.08

PRE-ASSEMBLED DRAWER PACKS


LEGRABOX

CABINETS
NOT
INCLUDED

FOR 450MM DEEP DRAWERS

To help you work more efficiently we now offer pre-assembled drawer packs. All the components required for the drawer packs can be ordered using one product code.


- Choice of Steel or MFC back
- Options for all standard cabinet widths and drawer configurations
- Drawers come pre-assembled for quick and easy installation
- **Cabinets are not included and must be purchased separately**



EACH DRAWER COMES WITH:

MFC base with either MFC or Steel back fixed together with back brackets and fitted with drawer sides - Suitable for 18mm cabinets	✓
A pair of LEGRABOX BLUMOTION runners - 40kg runners up to 600mm width / 70kg runners 800mm and over	✓
2x Drawer front fixing brackets	✓
4x Drawer cover caps	✓
8x Euroscrews and 8x Woodscrews to attach runner to cabinet	✓
Orion grey pre-cut drawer liner	✓


2 x M height and 1 x C height



- 2x pre-assembled cutlery (M Height) drawer
- 1x pre-assembled pan (C Height) drawer
- Includes soft-close BLUMOTION runners, front fixing brackets, screws for runners and drawer fronts
- Suggested drawer front heights:
2x 175mm & 1x 355mm

Cabinet width	STEEL BACK Order code	MFC BACK Order code
300mm	L3DH450/300STL	L3DH450/300MFC
400mm	L3DH450/400STL	L3DH450/400MFC
450mm	L3DH450/450STL	L3DH450/450MFC
500mm	L3DH450/500STL	L3DH450/500MFC
600mm	L3DH450/600STL	L3DH450/600MFC
800mm	L3DH450/800STL	L3DH450/800MFC
900mm	L3DH450/900STL	L3DH450/900MFC
1000mm	L3DH450/1000STL	L3DH450/1000MFC
1200mm	L3DH450/1200STL	L3DH450/1200MFC

1 x M height and 2 x C height



- 1x pre-assembled cutlery (M Height) drawer
- 2x pre-assembled pan (C Height) drawer
- Includes soft-close BLUMOTION runners, front fixing brackets, screws for runners and drawer fronts
- Suggested drawer front heights:
1x 139mm & 2x 283mm

Cabinet width	STEEL BACK Order code	MFC BACK Order code
300mm	L3DD450/300STL	L3DD450/300MFC
400mm	L3DD450/400STL	L3DD450/400MFC
450mm	L3DD450/450STL	L3DD450/450MFC
500mm	L3DD450/500STL	L3DD450/500MFC
600mm	L3DD450/600STL	L3DD450/600MFC
800mm	L3DD450/800STL	L3DD450/800MFC
900mm	L3DD450/900STL	L3DD450/900MFC
1000mm	L3DD450/1000STL	L3DD450/1000MFC
1200mm	L3DD450/1200STL	L3DD450/1200MFC

For frontal sizes please refer to the PWS lay-on Matrix.
Pre-assembled drawers are also compatible with In-frame
and Handleless Matrices. See pws.co.uk for frontal sizes.

PRE-ASSEMBLED DRAWER PACKS - LEGRABOX

2 x C height



- 2x pre-assembled pan (C Height) drawer
- Includes soft-close BLUMOTION runners, front fixing brackets, screws for runners and door fronts
- Suggested drawer front height: 2x 355mm

Cabinet width

300mm
400mm
450mm
500mm
600mm
800mm
900mm
1000mm
1200mm

STEEL BACK Order code

L2D450/300STL
L2D450/400STL
L2D450/450STL
L2D450/500STL
L2D450/600STL
L2D450/800STL
L2D450/900STL
L2D450/1000STL
L2D450/1200STL

MFC BACK Order code

L2D450/300MFC
L2D450/400MFC
L2D450/450MFC
L2D450/500MFC
L2D450/600MFC
L2D450/800MFC
L2D450/900MFC
L2D450/1000MFC
L2D450/1200MFC

1 x C height and 1 x M height + internal drawer



- 1x pre-assembled pan (C Height) drawer
- 1x pre-assembled (M Height) drawer
- 1x pre-assembled (M Height) internal drawer
- Includes soft-close BLUMOTION runners, front fixing brackets, screws for runners and drawer fronts
- Suggested drawer front height: 2x 355mm

Cabinet width

300mm
400mm
450mm
500mm
600mm
800mm
900mm
1000mm
1200mm


STEEL BACK Order code

L2DI450/300STL
L2DI450/400STL
L2DI450/450STL
L2DI450/500STL
L2DI450/600STL
L2DI450/800STL
L2DI450/900STL
L2DI450/1000STL
L2DI450/1200STL

MFC BACK Order code

L2DI450/300MFC
L2DI450/400MFC
L2DI450/450MFC
L2DI450/500MFC
L2DI450/600MFC
L2DI450/800MFC
L2DI450/900MFC
L2DI450/1000MFC
L2DI450/1200MFC

3 x M height and 1 x C height



- 3x pre-assembled cutlery (M Height) drawer
- 1x pre-assembled pan (C Height) drawer
- Includes soft-close BLUMOTION runners, front fixing brackets, screws for runners and drawer fronts
- Suggested drawer front height: 3x 139mm & 1x 283mm

Cabinet width

300mm
400mm
450mm
500mm
600mm
800mm
900mm
1000mm
1200mm


STEEL BACK Order code

L4DD450/300STL
L4DD450/400STL
L4DD450/450STL
L4DD450/500STL
L4DD450/600STL
L4DD450/800STL
L4DD450/900STL
L4DD450/1000STL
L4DD450/1200STL

MFC BACK Order code

L4DD450/300MFC
L4DD450/400MFC
L4DD450/450MFC
L4DD450/500MFC
L4DD450/600MFC
L4DD450/800MFC
L4DD450/900MFC
L4DD450/1000MFC
L4DD450/1200MFC

4 x M height



- 4x pre-assembled cutlery (M Height) drawer
- Includes soft-close BLUMOTION runners, front fixing brackets, screws for runners and drawer fronts
- Suggested drawer front height: 4x 175mm

Cabinet width

300mm
400mm
450mm
500mm
600mm
800mm
900mm
1000mm
1200mm

STEEL BACK Order code

L4DH450/300STL
L4DH450/400STL
L4DH450/450STL
L4DH450/500STL
L4DH450/600STL
L4DH450/800STL
L4DH450/900STL
L4DH450/1000STL
L4DH450/1200STL

MFC BACK Order code

L4DH450/300MFC
L4DH450/400MFC
L4DH450/450MFC
L4DH450/500MFC
L4DH450/600MFC
L4DH450/800MFC
L4DH450/900MFC
L4DH450/1000MFC
L4DH450/1200MFC



- Additional 3-day lead time applies to whole order unless placed separately
- Orders cannot be cancelled once placed
- Goods can not be returned if ordered incorrectly or if surplus stock is ordered

LEGRABOX DRAWER HEIGHT KEY:

N:66.5mm | M:90.5mm | C:177mm | F:241mm

Blum Technical Hotline: 0800 230 0898

5.10

PRE-ASSEMBLED DRAWERS

LEGRABOX

ORION GREY - 450MM DEEP DRAWERS

To help you work more efficiently we offer pre-assembled drawers with a choice of Steel or MFC back to our Blum collection. Available in M and C heights and 300-1200mm widths, we assemble drawers to order so they are delivered ready to fit.



- Additional 3-day lead time applies to whole order unless placed separately
- Orders cannot be cancelled once placed
- Goods can not be returned if ordered incorrectly or if surplus stock is ordered

STEEL BACKS

Cabinet width	M Height Order code	C Height Order code
300mm	PL450/300MSTL	PL450/300CSTL
400mm	PL450/400MSTL	PL450/400CSTL
450mm	PL450/450MSTL	PL450/450CSTL
500mm	PL450/500MSTL	PL450/500CSTL
600mm	PL450/600MSTL	PL450/600CSTL
800mm	PL450/800MSTL	PL450/800CSTL
900mm	PL450/900MSTL	PL450/900CSTL
1000mm	PL450/1000MSTL	PL450/1000CSTL
1200mm	PL450/1200MSTL	PL450/1200CSTL



EACH DRAWER COMES WITH:

MFC base with either MFC or Steel back fixed together with back brackets and fitted with drawer sides	✓
A pair of LEGRABOX BLUMOTION runners - 40kg runners up to 600mm width / 70kg runners 800mm and over	✓
2x Drawer front fixing brackets	✓
4x Drawer cover caps	✓
8x Euroscrews and 8x Woodscrews to attach runner to cabinet	✓
Orion grey pre-cut drawer liner	✓

MFC BACKS

Cabinet width	M Height Order code	C Height Order code
300mm	PL450/300MMFC	PL450/300CMFC
400mm	PL450/400MMFC	PL450/400CMFC
450mm	PL450/450MMFC	PL450/450CMFC
500mm	PL450/500MMFC	PL450/500CMFC
600mm	PL450/600MMFC	PL450/600CMFC
800mm	PL450/800MMFC	PL450/800CMFC
900mm	PL450/900MMFC	PL450/900CMFC
1000mm	PL450/1000MMFC	PL450/1000CMFC
1200mm	PL450/1200MMFC	PL450/1200CMFC






PRE-ASSEMBLED INTERNAL DRAWERS

LEGRABOX

ORION GREY - 450MM DEEP DRAWERS



- Additional 3-day lead time applies to whole order unless placed separately
- Orders cannot be cancelled once placed
- Goods can not be returned if ordered incorrectly or if surplus stock is ordered



STEEL BACKS

Cabinet width	M HEIGHT Order code	C HEIGHT Order code
300mm	IPL450/300MSTL	IPL450/300CSTL
400mm	IPL450/400MSTL	IPL450/400CSTL
450mm	IPL450/450MSTL	IPL450/450CSTL
500mm	IPL450/500MSTL	IPL450/500CSTL
600mm	IPL450/600MSTL	IPL450/600CSTL
800mm	IPL450/800MSTL	IPL450/800CSTL
900mm	IPL450/900MSTL	IPL450/900CSTL
1000mm	IPL450/1000MSTL	IPL450/1000CSTL
1200mm	IPL450/1200MSTL	IPL450/1200CSTL

MFC BACKS

Cabinet width	M HEIGHT Order code	C HEIGHT Order code
300mm	IPL450/300MMFC	IPL450/300CMFC
400mm	IPL450/400MMFC	IPL450/400CMFC
450mm	IPL450/450MMFC	IPL450/450CMFC
500mm	IPL450/500MMFC	IPL450/500CMFC
600mm	IPL450/600MMFC	IPL450/600CMFC
800mm	IPL450/800MMFC	IPL450/800CMFC
900mm	IPL450/900MMFC	IPL450/900CMFC
1000mm	IPL450/1000MMFC	IPL450/1000CMFC
1200mm	IPL450/1200MMFC	IPL450/1200CMFC

EACH INTERNAL DRAWER COMES WITH:

1x Pre-assembled drawer - contents (see page 5.11)	✓
1x Drawer front (assembled to the drawer)	✓
Latch not included (see page 5.06)	✗

LEGRABOX DRAWER HEIGHT KEY:

N:66.5mm | M:90.5mm | C:177mm | F:241mm

Blum Technical Hotline: 0800 230 0898

5.12

PRE-ASSEMBLED TIP-ON BLUMOTION

LEGRABOX

ORION GREY - 450MM DEEP DRAWERS

TIP-ON BLUMOTION combines the advantages of the TIP-ON mechanical opening support system with the reliable BLUMOTION dampening, for silent and effortless closing.



STEEL BACKS

Cabinet width	M Height Order code	C Height Order code
300mm	TPL450/300MSTL	TPL450/300CSTL
400mm	TPL450/400MSTL	TPL450/400CSTL
450mm	TPL450/450MSTL	TPL450/450CSTL
500mm	TPL450/500MSTL	TPL450/500CSTL
600mm	TPL450/600MSTL	TPL450/600CSTL
800mm	TPL450/800MSTL	TPL450/800CSTL
900mm	TPL450/900MSTL	TPL450/900CSTL
1000mm	TPL450/1000MSTL	TPL450/1000CSTL
1200mm	TPL450/1200MSTL	TPL450/1200CSTL

MFC BACKS

Cabinet width	M Height Order code	C Height Order code
300mm	TPL450/300MMFC	TPL450/300CMFC
400mm	TPL450/400MMFC	TPL450/400CMFC
450mm	TPL450/450MMFC	TPL450/450CMFC
500mm	TPL450/500MMFC	TPL450/500CMFC
600mm	TPL450/600MMFC	TPL450/600CMFC
800mm	TPL450/800MMFC	TPL450/800CMFC
900mm	TPL450/900MMFC	TPL450/900CMFC
1000mm	TPL450/1000MMFC	TPL450/1000CMFC
1200mm	TPL450/1200MMFC	TPL450/1200CMFC

EACH DRAWER COMES WITH:

1x Pre-assembled drawer - contents (see page 5.11)	✓
1x TIP-ON BLUMOTION Kit (TIP-ON BLUMOTION, Tip-On BLUMOTION Adapter, TIP-ON BLUMOTION Linkage) assembled with the drawer	✓

- Additional 3-day lead time applies to whole order unless placed separately
- Orders cannot be cancelled once placed
- Goods can not be returned if ordered incorrectly or if surplus stock is ordered



LEGRABOX IN-FRAME



Include single box kits not single components. If single components are required remove the "S" e.g. LBM/450/400G instead of SLBM/450/400G

COMPONENT KIT & BACKS AND BASES



Kits compromise of a pair of BLUMOTION runners, a pair of ORION GREY sides and back and front brackets. Backs and bases must be ordered separately. 25mm packer for in-frame page 5.51

COMPONENT KIT

Cabinet width	Depth	M Height (runners) Order code	C Height (runners) Order code
500mm	270mm	LBM/270/400G	
600mm	270mm	LBM/270/400G	
300mm	450mm	SLBM/450/400G	
400mm	450mm	SLBM/450/400G	
450mm	450mm	SLBM/450/400G	
500mm	450mm	SLBM/450/400G	SLBC/450/400G
600mm	450mm	SLBM/450/400G	SLBC/450/400G
800mm	450mm	SLBM/450/700G	SLBC/450/700G
900mm	450mm	SLBM/450/700G	SLBC/450/700G
1000mm	450mm	SLBM/450/700G	SLBC/450/700G
1200mm	450mm	SLBM/450/700G	SLBC/450/700G

BACKS AND BASES MFC


M Height Order code	C Height Order code
IFLBM270/500OG	
IFLBM270/600OG	
IFLBM450/300OG	
IFLBM450/400OG	
IFLBM450/450OG	
IFLBM450/500OG	IFLBC450/500OG
IFLBM450/600OG	IFLBC450/600OG
IFLBM450/800OG	IFLBC450/800OG
IFLBM450/900OG	IFLBC450/900OG
IFLBM450/1000OG	IFLBC450/1000OG
IFLBM450/1200OG	IFLBC450/1200OG

In-frame Spacer: IFSLEGRABOX
Please refer to page 5.51 for in-frame accessories

PRE-ASSEMBLED IN-FRAME DRAWERS MFC BACK AND BASE

EACH DRAWER COMES WITH:

- 1x Pre-assembled drawer with in-frame backs and bases (see page 5.11)
- 4x LegraBox In-frame Spacer



Cabinet Width	Depth	M Height Order Code	C Height Order Code
500	270	PIFLM270/500OG	
600		PIFLM270/600OG	
300		PIFLM450/300OG	
400	450	PIFLM450/400OG	
450		PIFLM450/450OG	
500		PIFLM450/500OG	PIFLC450/500OG
600		PIFLM450/600OG	PIFLC450/600OG
800		PIFLM450/800OG	PIFLC450/800OG
900		PIFLM450/900OG	PIFLC450/900OG
1000		PIFLM450/1000OG	PIFLC450/1000OG
1200		PIFLM450/1200OG	PIFLC450/1200OG

LEGRABOX DRAWER HEIGHT KEY:

N:66.5mm | M:90.5mm | C:177mm | F:241mm

Blum Technical Hotline: 0800 230 0898

5.14

AMBIA-LINE

LEGRABOX ACCESSORIES

Cutlery Divider

- Orion grey



Please note: NL500 shown, NL450 layout details available on request

Order code	Description
ZC7S450BS3	3 Tier cutlery divider, 300mm wide for NL450 LEGRABOX drawer
ZC7S500BS3	3 Tier cutlery divider, 300mm wide for NL500 LEGRABOX drawer

Knife Block

- Orion grey



Order code	Description
ZC7M0200	Knife block for 9 knives

Foil & Film Holder

- Orion grey
- Can be used with:
ZC7S450RS2 | ZC7S500RS2



Order code	Description
ZC7C0000	Foil & film holder

Spice Holder

- Orion grey
- Must be used with:
ZC7F400RSP



Order code	Description
ZC7G0P0I	Spice holder for C&F height pull-outs

Plate Holder

- Orion grey




Order code	Description
ZC7T0350	Plate holder for up to 12 plates, 188mm - 322mm plate diameter

STEEL FRAMES

- Orion grey

M HEIGHT | Shallow drawers

Order code	Description
ZC7S300RSU	Steel frame, 50mm high, 242mm wide for NL270 & above
ZC7S450RS1	Steel frame, 50mm high, 100mm wide for NL450
ZC7S500RS1	Steel frame, 50mm high, 100mm wide for NL500
ZC7S450RS2	Steel frame, 50mm high, 200mm wide for NL450
ZC7S500RS2	Steel frame, 50mm high, 200mm wide for NL500
ZC7S450RSA	Steel filler frame, 50mm high, 118mm wide for NL450. (E.G. used to completely fill 600mm wide drawer unit with 18mm & 19mm end panels in conjunction with 1 x 300mm cutlery tray & 1 x 100mm frame).
ZC7S500RSA	Steel filler frame, 50mm high, 118mm wide for NL500. (E.G. used to completely fill 600mm wide drawer unit with 18mm & 19mm end panels in conjunction with 1 x 300mm cutlery tray & 1 x 100mm frame).



C HEIGHT | Deep drawers

Order code	Description
ZC7F300RSU	Steel frame, 110mm high, 242mm wide for NL270 & above
ZC7F400RSP	Steel frame, 110mm high, 218mm wide for NL400 & above



GOLLINUCCI DRAWER INSERTS

LEGRABOX ACCESSORIES

DISCOUNT
FROM
SECTION 6
APPLIES



Gollinucci creates items that make everyday life simpler. Available in a popular matt orion grey finish, its range of cutlery inserts come with modular accessories for personalised functionality.

- Orion grey
- Scratch resistant

Cut to fit 450 deep drawers:

Order code	Drawer size	Dimensions
OGCT400/450	400mm	320x422mm
OGCT500/450	500mm	420x422mm
OGCT600/450	600mm	520x422mm
OGCT800/450	800mm	720x422mm
OGCT900/450	900mm	820x422mm
OGCT1000/450	1000mm	920x422mm



For our full range of drawer accessories please see Section 6 - Drawer Organisation

Personalise your storage with additional complementary accessories.

Please note that all three accessories will only fit in 1000mm width drawers



Order code

OGCHOPB

- Wooden chopping board
- For use with 800, 900, 1000 wide drawers



Order code

OGKNIFEB

- Knife block
- For use with 500, 600, 800, 900 and 1000 wide drawers



Order code

OGFOILDISP

- Foil/film dispenser
- For use with 500, 600, 800, 900 and 1000 wide drawers

DRAWER LINERS

LEGRABOX ACCESSORIES

Orion Grey, anti-slip drawer liners provide a stunning and cost effective additional accessory to standard drawer bases. Offering a great solution to prevent movement of kitchen accessories within drawers. They can also be used as shelf liners to protect glassware and china.



Order code

DM1500X500AHT

- 1500x500mm
- anthracite *heavy* texture
- non slip mat
- cut to size



Order code

DM1500X500ALT

- 1500x500mm
- anthracite *light* texture
- non slip mat
- cut to size

LEGRABOX DRAWER HEIGHT KEY:

N:66.5mm | M:90.5mm | C:177mm | F:241mm

Blum Technical Hotline: 0800 230 0898

5.16



blum




COMPONENT DRAWER KITS

TANDEMBOX

N HEIGHT
68.5mm




SPACE
REQUIREMENT



M HEIGHT
83.6mm




SPACE
REQUIREMENT



B HEIGHT
135mm




SPACE
REQUIREMENT



D HEIGHT
200mm




SPACE
REQUIREMENT




D HEIGHT
200mm



SPACE
REQUIREMENT



SIDE STABILISATION FOR WIDER DRAWERS Top Mounted



- Additional stabilisation for extra wide high fronted pull-outs
- Recommended cabinet width: 900-1200mm
- Aluminium rod needs to be cut to size

Order code
ZST.450BA

Depth
450mm-600mm

Flexible design elements - Blum design elements made of glass or metal offer additional flexibility during the design process.



DRAWER KITS

TANDEMBOX LAY ON (GREY)

PRE-
ASSEMBLED
DRAWERS
& PACKS
PAGE 5.23

Guideline weight capacity of runner system

30kg - up to 600mm width
50kg - up to 900mm width
65kg - up to 1200mm width

COMPONENTS

30kg, 50kg and 65kg kits comprise of a pair of BLUMOTION runners, a pair of GREY sides, front and back brackets and cover caps

SINGLE BOX

1 component kit packed in 1 box (comprise of a pair of BLUMOTION runners, a pair of GREY sides, front and back brackets).

			N Height	M Height	B Height	D Height
Depth (mm)	Carrying Capacity	Components/ Single Box	Order Code	Order Code	Order Code	Order Code
270	30kg	Components		TBM/270/30		
400	30kg	Components		TBM/400/30		
450	30kg	Components	TBN/450/30	TBM/450/30*	TBB/450/30	TBD/450/30*
		Single Box		STBM/450/30		TBD/450/30GLASS
	50kg	Components		TBM/450/50*		TBD/450/50*
		Single Box		STBM/450/50		TBD/450/50GLASS
	65kg	Components		TBM/450/65*		TBD/450/65*
		Single Box		STBM/450/65		TBD/450/65GLASS
	500	30kg				TBD/500/30
						TBD/500/30GLASS
		50kg				TBD/500/50
						TBD/500/50GLASS
	65kg	Components				TBD/500/65
						TBD/500/65GLASS



*Available in multiples of 20 only.

BACKS AND BASES

STEEL BACKS - GREY

Cabinet width	M Height Order code	D Height Order code
300mm	Z30M235S.6	Z30D235S.6
400mm	Z30M335S.6	Z30D335S.6
450mm	Z30M385S.6	Z30D385S.6
500mm	Z30M435S.6	Z30D435S.6
600mm	Z30M535S.6	Z30D535S.6
800mm	Z30M735S.6	Z30D735S.6
900mm	Z30M835S.6	Z30D835S.6
1000mm	Z30M935S.6	Z30D935S.6
1200mm	Z30M1135.6	Z30D1135.6

MFC BACKS AND BASES - 450mm depth

Cabinet width	M Height Order code	D Height Order code
300mm	TBBBM450/300G	TBBBD450/300G
400mm	TBBBM450/400G	TBBBD450/400G
450mm	TBBBM450/450G	TBBBD450/450G
500mm	TBBBM450/500G	TBBBD450/500G
600mm	TBBBM450/600G	TBBBD450/600G
800mm	TBBBM450/800G	TBBBD450/800G
900mm	TBBBM450/900G	TBBBD450/900G
1000mm	TBBBM450/1000G	TBBBD450/1000G
1200mm	TBBBM450/1200G	TBBBD450/1200G

MFC BASES

For use with steel back
450mm depth

Cabinet width	Order code
300mm	TBS450/300SG
400mm	TBS450/400SG
450mm	TBS450/450SG
500mm	TBS450/500SG
600mm	TBS450/600SG
800mm	TBS450/800SG
900mm	TBS450/900SG
1000mm	TBS450/1000SG
1200mm	TBS450/1200SG

MFC BACKS AND BASES - 270mm depth

Cabinet width	M Height Order code
500mm	TBBBM270/500G
600mm	TBBBM270/600G

Back & Base dimensions are based upon
18mm End Panels on Cabinets

TANDEMBOX DRAWER HEIGHT KEY:

N:68.5mm | M:83.6mm | B:135mm | D:200mm

Blum Technical Hotline: 0800 230 0898

5.18

COMPONENT TIP-ON BLUMOTION

TANDEMBOX



All kits comprise of a pair of BLUMOTION runners, a pair of GREY sides, back and front brackets, cover caps and TIP-ON mechanism. *Bases and backs not included.*

LAY ON DRAWER - GREY

Guideline weight capacity capacity of runner system

30kg - up to 600mm width

65kg - up to 1200mm width

N Height - 68.5mm

Order code	Drawer	Depth	Weight
TBTN/450/30	Lay on	450mm	30kg

B Height - 135mm

Order code	Drawer	Depth	Weight
TBTB/450/30	Lay on	450mm	30kg

M Height - 83.6mm

Order code	Drawer	Depth	Weight
TBTM/450/30	Lay on	450mm	30kg
TBTM/450/65	Lay on	450mm	65kg

D Height - 200mm

Order code	Drawer	Depth	Weight
TBTD/450/30	Lay on	450mm	30kg
TBTD/450/30GLAS	Lay on	450mm	30kg
TBTD/450/65	Lay on	450mm	65kg

ACCESSORIES

Order code	Description
T60.B00H	Tandembox TIP-ON BLUMOTION synchro shaft holder & base support bracket for units over 750mm wide
65.5627	Setup template for Tandembox TIP-ON BLUMOTION
T60.B3530	Tandembox TIP-ON BLUMOTION unit & latch for 350-600mm, 30kg
T60.B3560	Tandembox TIP-ON BLUMOTION unit & latch for 350-600mm, 65kg
T60.1125W	Tandembox TIP-ON BLUMOTION synchronisation linkage for cutting to size



COMPONENT INTERNAL DRAWER FRONT

TANDEMBOX

GREY - FASCIA ONLY

FRONT PIECE FOR
INTERNAL DRAWER


M Height - 83.6mm



Order code	Drawer	Cabinet width
ZIA.130M0.1	Front piece for inner drawer	300mm
ZIA.230M0.1	Front piece for inner drawer	400mm
ZIA.280M0.1	Front piece for inner drawer	450mm
ZIA.330M0.1	Front piece for inner drawer	500mm
ZIA.430M0.1	Front piece for inner drawer	600mm
ZIA.630M0.1	Front piece for inner drawer	800mm
ZIA.730M0.1	Front piece for inner drawer	900mm
ZIA.830M0.1	Front piece for inner drawer	1000mm
ZIA.1030M0.1	Front piece for inner drawer	1200mm

FRONT PIECE FOR
INTERNAL DRAWER

D Height - 200mm




Order code	Drawer	Cabinet width
ZIA.130D2.A	Front piece for inner pull-out	300mm
ZIA.230D2.A	Front piece for inner pull-out	400mm
ZIA.280D2.A	Front piece for inner pull-out	450mm
ZIA.330D2.A	Front piece for inner pull-out	500mm
ZIA.430D2.A	Front piece for inner pull-out	600mm
ZIA.630D2.A	Front piece for inner pull-out	800mm
ZIA.730D2.A	Front piece for inner pull-out	900mm
ZIA.830D2.A	Front piece for inner pull-out	1000mm
ZIA.1030D21	Front piece for inner pull-out	1200mm

BACKS
& BASES
PAGE 5.18

Handle

- Grey


Order code	Product	Material
ZIF.80M5GRIF	Handle	Nylon



Handle And Latch

- Grey

Order code	Product	Material
ZIF.80M7GRI/MIT	Handle and latch	Nylon



TANDEMBOX DRAWER HEIGHT KEY:

N:68.5mm | M:83.6mm | B:135mm | D:200mm

Blum Technical Hotline: 0800 230 0898

5.20

COMPONENT DRAWER PACKS

TANDEMBOX

CABINETS
& DRAWER
FRONTS NOT
INCLUDED


WITH BACKS AND BASES - 450MM DEEP DRAWERS

To help you specify Blum more efficiently please refer to the component product codes below that make up drawer packs (MFC Back and Base).




Include single box kits not single components. If single components are required remove the "S" e.g. TBM/450/400G instead of STBM/450/400G

2 X M HEIGHT
AND 1 X D HEIGHT



- 2x cutlery (M Height) drawer
- 1x gallery rail pan (D Height) drawer
- Includes soft-close Blumotion runners, front fixing brackets
- Includes backs and bases

1 X M HEIGHT
AND 2 X D HEIGHT



- 1x cutlery (M Height) drawer
- 2x gallery rail pan (D Height) drawer
- Includes soft-close Blumotion runners, front fixing brackets
- Includes backs and bases

2 X D HEIGHT




- 2x gallery rail pan (D Height) drawer
- Includes soft-close Blumotion runners, front fixing brackets
- Includes backs and bases

Width	Order Code		Order Code		Order Code	
300mm	2X	STBM/450/30	1X	STBM/450/30	2X	STBD/450/30
	1X	STBD/450/30	2X	STBD/450/30	2X	TBBBD450/300G
	2X	TBBBM450/300G	1X	TBBBM450/300G		
	1X	TBBBD450/300G	2X	TBBBD450/300G		
400mm	2X	STBM/450/30	1X	STBM/450/30	2X	STBD/450/30
	1X	STBD/450/30	2X	STBD/450/30	2X	LBBBC450/400G
	2X	TBBBM450/400G	1X	TBBBM450/400G		
	1X	TBBBD450/400G	2X	TBBBD450/400G		
450mm	2X	STBM/450/30	1X	STBM/450/30	2X	STBD/450/30
	1X	STBD/450/30	2X	STBD/450/30	2X	LBBBC450/450G
	2X	TBBBM450/450G	1X	TBBBM450/450G		
	1X	TBBBD450/450G	2X	TBBBD450/450G		
500mm	2X	STBM/450/30	1X	STBM/450/30	2X	STBD/450/30
	1X	STBD/450/30	2X	STBD/450/30	2X	TBBBD450/500G
	2X	TBBBM450/500G	1X	TBBBM450/500G		
	1X	TBBBD450/500G	2X	TBBBD450/500G		
600mm	2X	STBM/450/30	1X	STBM/450/30	2X	STBD/450/30
	1X	STBD/450/30	2X	STBD/450/30	2X	TBBBD450/600G
	2X	TBBBM450/600G	1X	TBBBM450/600G		
	1X	TBBBD450/600G	2X	TBBBD450/600G		
800mm	2X	STBM/450/50	1X	STBM/450/50	2X	STBD/450/50
	1X	STBD/450/50	2X	STBD/450/50	2X	TBBBD450/800G
	2X	TBBBM450/800G	1X	TBBBM450/800G		
	1X	TBBBD450/800G	2X	TBBBD450/800G		
900mm	2X	STBM/450/50	1X	STBM/450/50	2X	STBD/450/50
	1X	STBD/450/50	2X	STBD/450/50	2X	TBBBD450/900G
	2X	TBBBM450/900G	1X	TBBBM450/900G		
	1X	TBBBD450/900G	2X	TBBBD450/900G		
1000mm	2X	STBM/450/65	1X	STBM/450/65	2X	STBD/450/65
	1X	STBD/450/65	2X	STBD/450/65	2X	TBBBD450/1000G
	2X	TBBBM450/1000G	1X	TBBBM450/1000G		
	1X	TBBBD450/1000G	2X	TBBBD450/1000G		
1200mm	2X	STBM/450/65	1X	STBM/450/65	2X	STBD/450/65
	1X	STBD/450/65	2X	STBD/450/65	2X	TBBBD450/1200G
	2X	TBBBM450/1200G	1X	TBBBM450/1200G		
	1X	TBBBD450/1200G	2X	TBBBD450/1200G		

COMPONENT DRAWER PACKS - TANDEMBOX


For frontal sizes please refer to the PWS lay-on Matrix. Pre-assembled drawers are also compatible with In-frame and Handleless Matrices. See pws.co.uk for frontal sizes.

1 X D HEIGHT AND 1 X M HEIGHT
+ INTERNAL DRAWER




- 1x gallery rail pan (D Height) drawer
- 1x (M height) drawer
- 1x (M height) internal drawer
- Includes soft-close Blumotion runners, front fixing brackets
- Includes backs and bases

3 X M HEIGHT
AND 1 X D HEIGHT



- 3x cutlery (M Height) drawer
- 1x gallery rail pan (D Height) drawer
- Includes soft-close Blumotion runners, front fixing brackets
- Includes backs and bases

4 X M HEIGHT



- 4x cutlery (M Height) drawer
- Includes soft-close Blumotion runners, front fixing brackets
- Includes backs and bases

Width	Order Code		Order Code		Order Code	
300mm	2X	STBM/450/30	3X	STBM/450/30	4X	STBM/450/30
	1X	STBD/450/30	1X	STBD/450/30	4X	TBBBM450/300G
	1X	ZIA.130MO.1	3X	TBBBM450/300G		
	2X	TBBBM450/300G	1X	TBBBD450/300G		
	1X	TBBBD450/300G				
400mm	2X	STBM/450/30	3X	STBM/450/30	4X	STBM/450/30
	1X	STBD/450/30	1X	STBD/450/30	4X	TBBBM450/400G
	1X	ZIA.230MO.1	3X	TBBBM450/400G		
	2X	TBBBM450/400G	1X	TBBBD450/400G		
	1X	TBBBD450/400G				
450mm	2X	STBM/450/400G	3X	STBM/450/30	4X	STBM/450/30
	1X	STBD/450/400G	1X	STBD/450/30	4X	TBBBM450/450G
	1X	ZIA.280MO.1	3X	TBBBM450/450G		
	2X	TBBBM450/450G	1X	TBBBD450/450G		
	1X	TBBBD450/450G				
500mm	2X	STBM/450/30	3X	STBM/450/30	4X	STBM/450/30
	1X	STBD/450/30	1X	STBD/450/30	4X	TBBBM450/500G
	1X	ZIA.330MO.1	3X	TBBBM450/500G		
	2X	TBBBM450/500G	1X	TBBBD450/500G		
	1X	TBBBD450/500G				
600mm	2X	STBM/450/30	3X	STBM/450/30	4X	STBM/450/30
	1X	STBD/450/30	1X	STBD/450/30	4X	TBBBM450/600G
	1X	ZIA.430MO.1	3X	TBBBM450/600G		
	2X	TBBBM450/600G	1X	TBBBD450/600G		
	1X	TBBBD450/600G				
800mm	2X	STBM/450/50	3X	STBM/450/50	4X	STBM/450/50
	1X	STBD/450/50	1X	STBD/450/50	4X	TBBBM450/800G
	1X	ZIA.630MO.1	3X	TBBBM450/800G		
	2X	TBBBM450/800G	1X	TBBBD450/800G		
	1X	TBBBD450/800G				
900mm	2X	STBM/450/50	3X	STBM/450/50	4X	STBM/450/50
	1X	STBD/450/50	1X	STBD/450/50	4X	TBBBM450/900G
	1X	ZIA.730MO.1	3X	TBBBM450/900G		
	2X	TBBBM450/900G	1X	TBBBD450/900G		
	1X	TBBBD450/900G				
1000mm	2X	STBM/450/65	3X	STBM/450/65	4X	STBM/450/65
	1X	STBD/450/65	1X	STBD/450/65	4X	TBBBM450/1000G
	1X	ZIA.830MO.1	3X	TBBBM450/1000G		
	2X	TBBBM450/1000G	1X	TBBBD450/1000G		
	1X	TBBBD450/1000G				
1200mm	2X	STBM/450/65	3X	STBM/450/65	4X	STBM/450/65
	1X	STBD/450/65	1X	STBD/450/65	4X	TBBBM450/1200G
	1X	ZIA.1030MO.1	3X	TBBBM450/1200G		
	2X	TBBBM450/1200G	1X	TBBBD450/1200G		
	1X	TBBBD450/1200G				

TANDEMBOX DRAWER HEIGHT KEY:

N:68.5mm | M:83.6mm | B:135mm | D:200mm

Blum Technical Hotline: 0800 230 0898

5.22

PRE-ASSEMBLED DRAWER PACKS


TANDEMBOX

CABINETS
NOT
INCLUDED

FOR 450MM DEEP DRAWERS

To help you work more efficiently we now offer pre-assembled drawer packs. All components required for drawer packs can be ordered by using one product code.

- Choice of Steel or MFC back
- Options for all standard cabinet widths and drawer configurations
- Drawers come pre-assembled for quick and easy installation
- D Height drawers come with gallery rails
- **Cabinets are not included and must be purchased separately**




EACH M HEIGHT DRAWER COMES WITH:

MFC base with either MFC or Steel back fixed together with back brackets and fitted with drawer sides	✓
A pair of Tandembox Blumotion runners - 30kg runners up to 600mm. 50kg runners 800/900mm. 65kg runners 1000/1200mm	✓
2x Drawer front fixing brackets	✓
2x Drawer cover caps	✓
8x Euroscrews and 8x Woodscrews to attach runner to cabinet	✓
Grey pre-cut drawer liner	✓

EACH D HEIGHT DRAWER COMES WITH:

MFC base with either MFC or Steel back fixed together with back brackets and fitted with drawer sides	✓
A pair of Tandembox Blumotion runners - 30kg runners up to 600mm. 50kg runners 800/900mm. 65kg runners 1000/1200mm	✓
A pair of long side gallery rails	✓
2x Drawer front fixing brackets	✓
2x Drawer cover caps	✓
8x Euroscrews and 8x Woodscrews to attach runner to cabinet	✓
Grey pre-cut drawer liner	✓

2 x M height and 1 x D height



- 2x pre-assembled cutlery (M Height) drawer
- 1x pre-assembled gallery rail pan (D Height) drawer
- Includes soft-close BLUMOTION runners, front fixing brackets, screws for runners and drawer fronts
- Suggested drawer front heights: 2x 175mm & 1x 355mm

Cabinet width

300mm
400mm
450mm
500mm
600mm
800mm
900mm
1000mm
1200mm


STEEL BACK Order code

T3DH450/300STL
T3DH450/400STL
T3DH450/450STL
T3DH450/500STL
T3DH450/600STL
T3DH450/800STL
T3DH450/900STL
T3DH450/1000STL
T3DH450/1200STL

MFC BACK Order code

T3DH450/300MFC
T3DH450/400MFC
T3DH450/450MFC
T3DH450/500MFC
T3DH450/600MFC
T3DH450/800MFC
T3DH450/900MFC
T3DH450/1000MFC
T3DH450/1200MFC

1 x M height and 2 x C height



- 1x pre-assembled cutlery (M Height) drawer
- 2x pre-assembled gallery rail pan (D Height) drawer
- Includes soft-close BLUMOTION runners, front fixing brackets, screws for runners and drawer fronts
- Suggested drawer front heights: 1x 139mm & 2x 283mm

Cabinet width

300mm
400mm
450mm
500mm
600mm
800mm
900mm
1000mm
1200mm

STEEL BACK Order code

T3DD450/300STL
T3DD450/400STL
T3DD450/450STL
T3DD450/500STL
T3DD450/600STL
T3DD450/800STL
T3DD450/900STL
T3DD450/1000STL
T3DD450/1200STL

MFC BACK Order code

T3DD450/300MFC
T3DD450/400MFC
T3DD450/450MFC
T3DD450/500MFC
T3DD450/600MFC
T3DD450/800MFC
T3DD450/900MFC
T3DD450/1000MFC
T3DD450/1200MFC

For frontal sizes please refer to the PWS lay-on Matrix. Pre-assembled drawers are also compatible with In-frame and Handleless Matrices. See pws.co.uk for frontal sizes.



blum



PRE-ASSEMBLED DRAWER PACKS - TANDEMBOX

2 x D height



- 2x pre-assembled gallery rail pan (D Height) drawer
- Includes soft-close BLUMOTION runners, front fixing brackets, screws for runners and drawer fronts
- Suggested drawer front height: 2x 355mm

Cabinet width

300mm
400mm
450mm
500mm
600mm
800mm
900mm
1000mm
1200mm


STEEL BACK Order code

T2D450/300STL
T2D450/400STL
T2D450/450STL
T2D450/500STL
T2D450/600STL
T2D450/800STL
T2D450/900STL
T2D450/1000STL
T2D450/1200STL

MFC BACK Order code

T2D450/300MFC
T2D450/400MFC
T2D450/450MFC
T2D450/500MFC
T2D450/600MFC
T2D450/800MFC
T2D450/900MFC
T2D450/1000MFC
T2D450/1200MFC

1 x D height and 1 x M height + internal drawer



- 1x pre-assembled gallery rail pan (D Height) drawer
- 1x pre-assembled (M height) drawer
- 1x pre-assembled (M height) internal drawer
- Includes soft-close BLUMOTION runners, front fixing brackets, screws for runners and drawer fronts
- Suggested drawer front height: 2x 355mm

Cabinet width

300mm
400mm
450mm
500mm
600mm
800mm
900mm
1000mm
1200mm


STEEL BACK Order code

T2DI450/300STL
T2DI450/400STL
T2DI450/450STL
T2DI450/500STL
T2DI450/600STL
T2DI450/800STL
T2DI450/900STL
T2DI450/1000STL
T2DI450/1200STL

MFC BACK Order code

T2DI450/300MFC
T2DI450/400MFC
T2DI450/450MFC
T2DI450/500MFC
T2DI450/600MFC
T2DI450/800MFC
T2DI450/900MFC
T2DI450/1000MFC
T2DI450/1200MFC

3 x M height and 1 x D height



- 3x pre-assembled cutlery (M Height) drawer
- 1x pre-assembled gallery rail pan (D Height) drawer
- Includes soft-close BLUMOTION runners, front fixing brackets, screws for runners and drawer fronts
- Suggested drawer front height: 3x 139mm & 1x 283mm

Cabinet width

300mm
400mm
450mm
500mm
600mm
800mm
900mm
1000mm
1200mm


STEEL BACK Order code

T4DD450/300STL
T4DD450/400STL
T4DD450/450STL
T4DD450/500STL
T4DD450/600STL
T4DD450/800STL
T4DD450/900STL
T4DD450/1000STL
T4DD450/1200STL

MFC BACK Order code

T4DD450/300MFC
T4DD450/400MFC
T4DD450/450MFC
T4DD450/500MFC
T4DD450/600MFC
T4DD450/800MFC
T4DD450/900MFC
T4DD450/1000MFC
T4DD450/1200MFC

4 x M height



- 4x pre-assembled cutlery (M Height) drawer
- Includes soft-close BLUMOTION runners, front fixing brackets, screws for runners and drawer fronts
- Suggested drawer front height: 4x 175mm

Cabinet width

300mm
400mm
450mm
500mm
600mm
800mm
900mm
1000mm
1200mm

STEEL BACK Order code

T4DH450/300STL
T4DH450/400STL
T4DH450/450STL
T4DH450/500STL
T4DH450/600STL
T4DH450/800STL
T4DH450/900STL
T4DH450/1000STL
T4DH450/1200STL

MFC BACK Order code

T4DH450/300MFC
T4DH450/400MFC
T4DH450/450MFC
T4DH450/500MFC
T4DH450/600MFC
T4DH450/800MFC
T4DH450/900MFC
T4DH450/1000MFC
T4DH450/1200MFC



- Additional 3-day lead time applies to whole order unless placed separately
- Orders cannot be cancelled once placed
- Goods can not be returned if ordered incorrectly or if surplus stock is ordered

TANDEMBOX DRAWER HEIGHT KEY:

N:68.5mm | M:83.6mm | B:135mm | D:200mm

Blum Technical Hotline: 0800 230 0898


5.24

PRE-ASSEMBLED DRAWERS

TANDEMBOX

GREY - 450MM DEEP DRAWERS

To help you work more efficiently we offer pre-assembled drawers with a choice of Steel or MFC back to our Blum collection. Available in M and D heights and 300-1200mm widths. We assemble drawers to order so they are delivered ready to fit.



- Additional 3-day lead time applies to whole order unless placed separately
- Orders cannot be cancelled once placed
- Goods can not be returned if ordered incorrectly or if surplus stock is ordered

STEEL BACKS

Cabinet width	M Height Order code	D Height Order code
300mm	PT450/300MSTL	PT450/300DSTL
400mm	PT450/400MSTL	PT450/400DSTL
450mm	PT450/450MSTL	PT450/450DSTL
500mm	PT450/500MSTL	PT450/500DSTL
600mm	PT450/600MSTL	PT450/600DSTL
800mm	PT450/800MSTL	PT450/800DSTL
900mm	PT450/900MSTL	PT450/900DSTL
1000mm	PT450/1000MSTL	PT450/1000DSTL



EACH M HEIGHT DRAWER COMES WITH:

MFC base with either MFC or Steel back fixed together with back brackets and fitted with drawer sides	✓
A pair of Tandembox Blumotion runners - 30kg runners up to 600mm. 50kg runners 800/900mm. 65kg runners 1000/1200mm	✓
2x Drawer front fixing brackets	✓
2x Drawer cover caps	✓
8x Euroscrews and 8x Woodscrews to attach runner to cabinet	✓
Grey pre-cut drawer liner	✓

MFC BACKS

Cabinet width	M Height Order code	D Height Order code
300mm	PT450/300MMFC	PT450/300DMFC
400mm	PT450/400MMFC	PT450/400DMFC
450mm	PT450/450MMFC	PT450/450DMFC
500mm	PT450/500MMFC	PT450/500DMFC
600mm	PT450/600MMFC	PT450/600DMFC
800mm	PT450/800MMFC	PT450/800DMFC
900mm	PT450/900MMFC	PT450/900DMFC
1000mm	PT450/1000MMFC	PT450/1000DMFC
1200mm	PT450/1200MMFC	PT450/1200DMFC



EACH D HEIGHT DRAWER COMES WITH:

MFC base with either MFC or Steel back fixed together with back brackets and fitted with drawer sides	✓
A pair of Tandembox Blumotion runners - 30kg runners up to 600mm. 50kg runners 800/900mm. 65kg runners 1000/1200mm	✓
A pair of long side gallery rails	✓
2x Drawer front fixing brackets	✓
2x Drawer cover caps	✓
8x Euroscrews and 8x Woodscrews to attach runner to cabinet	✓
Grey pre-cut drawer liner	✓


PRE-ASSEMBLED INTERNAL DRAWERS

TANDEMBOX

GREY - 450MM DEEP DRAWERS



- Additional 3-day lead time applies to whole order unless placed separately
- Orders cannot be cancelled once placed
- Goods can not be returned if ordered incorrectly or if surplus stock is ordered



For Drawer Accessories please go to Section 6

STEEL BACKS

Cabinet width	M HEIGHT Order code	D HEIGHT Order code
300mm	IPT450/300MSTL	IPT450/300DSTL
400mm	IPT450/400MSTL	IPT450/400DSTL
450mm	IPT450/450MSTL	IPT450/450DSTL
500mm	IPT450/500MSTL	IPT450/500DSTL
600mm	IPT450/600MSTL	IPT450/600DSTL
800mm	IPT450/800MSTL	IPT450/800DSTL
900mm	IPT450/900MSTL	IPT450/900DSTL
1000mm	IPT450/1000MSTL	IPT450/1000DSTL

MFC BACKS

Cabinet width	M HEIGHT Order code	D HEIGHT Order code
300mm	IPT450/300MMFC	IPT450/300DMFC
400mm	IPT450/400MMFC	IPT450/400DMFC
450mm	IPT450/450MMFC	IPT450/450DMFC
500mm	IPT450/500MMFC	IPT450/500DMFC
600mm	IPT450/600MMFC	IPT450/600DMFC
800mm	IPT450/800MMFC	IPT450/800DMFC
900mm	IPT450/900MMFC	IPT450/900DMFC
1000mm	IPT450/1000MMFC	IPT450/1000DMFC
1200mm	IPT450/1200MMFC	IPT450/1200DMFC

EACH INTERNAL DRAWER COMES WITH:

1x Pre-assembled drawer - contents (see page 5.25)	✓
1x Drawer front (assembled to the drawer)	✓
Latch not included (see page 5.20)	✗

TANDEMBOX DRAWER HEIGHT KEY:

N:68.5mm | M:83.6mm | B:135mm | D:200mm

Blum Technical Hotline: 0800 230 0898

5.26



LEGRABOX SPACE TOWER COMPONENTS



SPACE TOWER | **LEGRABOX** **Without BACKS & BASES**

- BLUMOTION
- Orion grey
- 5 x hinges and mounting plates for door
- 4 x deep drawers (C Height) + front
- 1 x shallow drawer (M Height) + front

Cabinet width	Depth	Order code
300mm	450mm	STLB450/300
400mm	450mm	STLB450/400
450mm	450mm	STLB450/450
500mm	450mm	STLB450/500
600mm	450mm	STLB450/600
300mm	500mm	STLB500/300
400mm	500mm	STLB500/400
450mm	500mm	STLB500/450
500mm	500mm	STLB500/500
600mm	500mm	STLB500/600

SPACE TOWER | **LEGRABOX** **TIP-ON BLUMOTION** **Without BACKS & BASES**

- TIP-ON BLUMOTION
- Orion grey
- 5 x hinges and mounting plates for door
- 4 x deep drawers (C Height) + front
- 1 x shallow drawer (M Height) + front

Cabinet width	Depth	Order code
300mm	450mm	STLBT450/300
400mm	450mm	STLBT450/400
450mm	450mm	STLBT450/450
500mm	450mm	STLBT450/500
600mm	450mm	STLBT450/600
300mm	500mm	STLBT500/300
400mm	500mm	STLBT500/400
450mm	500mm	STLBT500/450
500mm	500mm	STLBT500/500
600mm	500mm	STLBT500/600

SPACE TOWER | **LEGRABOX** **With BACKS & BASES (MFC only)**

- BLUMOTION
- Orion grey
- 5 x Hinges and mounting plates for door
- 4 x Deep drawers (C Height) + front
- 1 x Shallow drawer (M Height) + front

Cabinet width	Depth	Order code
300mm	450mm	STLB450/300KMFC
400mm	450mm	STLB450/400KMFC
450mm	450mm	STLB450/450KMFC
500mm	450mm	STLB450/500KMFC
600mm	450mm	STLB450/600KMFC

SPACE TOWER | **LEGRABOX** **TIP-ON BLUMOTION** **With BACKS & BASES (MFC only)**

- TIP-ON BLUMOTION
- Orion grey
- 5 x Hinges and mounting plates for door
- 4 x Deep drawers (C Height) + front
- 1 x Shallow drawer (M Height) + front


Cabinet width	Depth	Order code
300mm	450mm	STLBT450/300KMFC
400mm	450mm	STLBT450/400KMFC
450mm	450mm	STLBT450/450KMFC
500mm	450mm	STLBT450/500KMFC
600mm	450mm	STLBT450/600KMFC



LEGRABOX SPACE TOWER PRE-ASSEMBLED

PLANNING (components and pre-assembled)

Our SPACE TOWER kits include five hinges. The planning illustration below only shows four hinges. This is sufficient for most applications as it allows for a maximum door weight of 16kg. Five hinges allow a door weight of up to 22kg.



- Additional 3-day lead time applies to whole order unless placed separately
- Orders cannot be cancelled once placed
- Goods can not be returned if ordered incorrectly or if surplus stock is ordered

LEGRABOX DRAWER HEIGHT KEY:

N:66.5mm | M:90.5mm | C:177mm | F:241mm

To help you work more efficiently we now offer pre-assembled SPACE TOWER. All components required for the SPACE TOWER can be ordered by using one product code.

- Drawers come pre-assembled for quick and easy installation
- Available for the following cabinet widths: 300/400/450/500/600mm
- Available in a choice of Steel or MFC back
- **Cabinets are not included and must be purchased separately**

LEGRABOX

4 x C height, 1 x M height

- Orion grey
- 450mm depth
- Available with Steel or MFC back

Supplied with pre-cut anti-slip drawer liner



EACH D HEIGHT DRAWER COMES WITH:

4x C Height pre-assembled drawers + front	✓
1x M Height pre-assembled drawer + front	✓
Front fixing brackets	✓
Screws for runners and door fronts	✓
5x Pairs of Legrabox Blumotion runners - 40kg	✓
5x 155° nil protrusion hinges + mounting plates	✓
Orion grey pre-cut drawer liner	✓

Cabinet width	STEEL BACK Order code	MFC BACK Order code
300mm	PSTL450/300STL	PSTL450/300MFC
400mm	PSTL450/400STL	PSTL450/400MFC
450mm	PSTL450/450STL	PSTL450/450MFC
500mm	PSTL450/500STL	PSTL450/500MFC
600mm	PSTL450/600STL	PSTL450/600MFC



Blum Technical Hotline: 0800 230 0898

5.28

TANDEMBOX SPACE TOWER COMPONENTS



SPACE TOWER | TANDEMBOX ANTARO Without BACKS & BASES

- BLUMOTION
- Grey
- 5 x Hinges and mounting plates for door
- 4 x Deep drawers (D Height) + front
- Gallery rails where applicable
- 1 x Shallow drawer (M Height) + front

Cabinet width	Depth	Order code
300mm	450mm	STTB450/300
400mm	450mm	STTB450/400
450mm	450mm	STTB450/450
500mm	450mm	STTB450/500
600mm	450mm	STTB450/600

300mm	500mm	STTB500/300
400mm	500mm	STTB500/400
450mm	500mm	STTB500/450
500mm	500mm	STTB500/500
600mm	500mm	STTB500/600

SPACE TOWER | TANDEMBOX ANTARO including glass sides Without BACKS & BASES

- BLUMOTION
- Grey
- 5 x Hinges and mounting plates for door
- 4 x Deep drawers (D Height) + front
- Gallery rails and glass where applicable
- 1 x Shallow drawer (M Height) + front

Cabinet width	Depth	Order code
300mm	450mm	STTB450/300GL
400mm	450mm	STTB450/400GL
450mm	450mm	STTB450/450GL
500mm	450mm	STTB450/500GL
600mm	450mm	STTB450/600GL

300mm	500mm	STTB500/300GL
400mm	500mm	STTB500/400GL
450mm	500mm	STTB500/450GL
500mm	500mm	STTB500/500GL
600mm	500mm	STTB500/600GL

SPACE TOWER | TANDEMBOX ANTARO With BACKS & BASES (MFC only)

- BLUMOTION
- Grey
- 5 x Hinges and mounting plates for door
- 4 x Deep drawers (D Height) + front
- Gallery rails where applicable
- 1 x Shallow drawer (M Height) + front

Cabinet width	Depth	Order code
300mm	450mm	STTB450/300KMFC
400mm	450mm	STTB450/400KMFC
450mm	450mm	STTB450/450KMFC
500mm	450mm	STTB450/500KMFC
600mm	450mm	STTB450/600KMFC

SPACE TOWER | TANDEMBOX ANTARO including glass sides With BACKS & BASES (MFC only)

- BLUMOTION
- Grey
- 5 x Hinges and mounting plates for door
- 4 x Deep drawers (D Height) + front
- Gallery rails and glass where applicable
- 1 x Shallow drawer (M Height) + front

Cabinet width	Depth	Order code
300mm	450mm	STTB450/300GLK
400mm	450mm	STTB450/400GLK
450mm	450mm	STTB450/450GLK
500mm	450mm	STTB450/500GLK
600mm	450mm	STTB450/600GLK




blum



TANDEMBOX SPACE TOWER PRE-ASSEMBLED

PLANNING (components and pre-assembled)

Our SPACE TOWER kits include five hinges. The planning illustration below only shows four hinges. This is sufficient for most applications as it allows for a maximum door weight of 16kg. Five hinges allow a door weight of up to 22kg.



- Additional 3-day lead time applies to whole order unless placed separately
- Orders cannot be cancelled once placed
- Goods can not be returned if ordered incorrectly or if surplus stock is ordered

TANDEMBOX DRAWER HEIGHT KEY:

N:68.5mm | M:83.6mm | B:135mm | D:200mm

TANDEMBOX ANTARO

4 x D height, 1 x M height

Supplied with pre-cut anti-slip drawer liner



- Grey
- 450mm depth
- Available with Steel or MFC back

TANDEMBOX SPACE TOWER KIT COMES WITH:

4x D Height pre-assembled drawers	✓
1x M Height pre-assembled drawer	✓
Front fixing brackets	✓
Screws for runners and door fronts	✓
5x Pairs of Tandembox Blumotion runners - 30kg	✓
5x 155° nil protrusion hinges	✓
Grey pre-cut drawer liner	✓

	STEEL BACK	MFC BACK
Cabinet width	Order code	Order code
300mm	PSTT450/300STL	PSTT450/300MFC
400mm	PSTT450/400STL	PSTT450/400MFC
450mm	PSTT450/450STL	PSTT450/450MFC
500mm	PSTT450/500STL	PSTT450/500MFC
600mm	PSTT450/600STL	PSTT450/600MFC

SPACE TOWER | TANDEMBOX ANTARO including glass sides

	MFC BACK
Cabinet width	Order code
300mm	PSTTG450/300MFC
400mm	PSTTG450/400MFC
450mm	PSTTG450/450MFC
500mm	PSTTG450/500MFC
600mm	PSTTG450/600MFC



Blum Technical Hotline: 0800 230 0898

5.30

SERVO-DRIVE flex

For electrical opening of handleless built-in refrigerators.

SERVO-DRIVE flex can be used with any standard built-in refrigerators, combination fridge/freezers and freezers.



SERVO-DRIVE flex is a system which is specifically designed to suit the demands of everyday kitchen use.

SERVO-DRIVE FLEX DRIVE UNIT




Order code
SDRIVE/FLEX

SERVO-DRIVE flex

Drive unit for refrigerators, freezers and dishwashers, comes complete with combined plug/transformer, cabinet switch and wireless receiver.



RUNNERS FOR DOVETAIL



MOVENTO offers a synchronised, feather-light glide, 4-dimensional front adjustment, dynamic carrying capacities of 40 and 60kg, high stability and great rigidity.

TANDEM full extension provide full access to interiors. They open completely so you can get to the very back of drawers.

BLUMOTION

By Blum

MOVENTO



Load-bearing classes.

40kg and 60kg carrying capacity, excellent sag values and high stability.



Gap design.

New 4-dimensional easy-setting option for a precise gap design.

TANDEM



Gliding storage wonders.

TANDEM gives you extra-wide, high and deep pull-outs, providing extra storage space.



MOVENTO FOR DOVETAIL

The evolution of motion

MOVENTO offers a synchronised, feather-light glide, 4-dimensional front adjustment, dynamic carrying capacities of 40kg and 60kg, high stability and great rigidity.



MOTION


New quality of motion – from opening to closing.

MOVENTO FULL EXTENSION DRAWER RUNNER



Concealed 40kg OR 60kg




- Concealed MOVENTO full extension runners with 40kg or 60kg dynamic load bearing
- Synchronised, feather-light glide
- Tool-free side, height and tilt adjustment in locking device
- Blumatic self-closing feature
- Optional tool-free depth adjustment
- Built-in width and depth tolerance compensation



SPACE REQUIREMENT




DRAWER RUNNERS (Pairs)



- BLUMOTION
- Locking device included

Order code	MOVENTO	Length	Weight
MOV270/40	Concealed runners for wooden drawers	270mm	40kg
MOV450/40	Concealed runners for wooden drawers	450mm	40kg
MOV450/60	Concealed runners for wooden drawers	450mm	60kg
MOV500/40	Concealed runners for wooden drawers	500mm	40kg
MOV500/60	Concealed runners for wooden drawers	500mm	60kg
MOV550/60	Concealed runners for wooden drawers	550mm	60kg
MOV650/60	Concealed runners for wooden drawers	650mm	60kg
MOV750/60	Concealed runners for wooden drawers	750mm	60kg


SIDE STABILISATION SET FOR WIDER DRAWERS 800/900/1000/1200



Order code	MOVENTO side stabilisation	Length	Cabinet width
ZS7M750MU	Full extension, for cutting to size	750mm	1400mm

DEPTH ADJUSTER*

* The depth adjustment for MOVENTO can be implemented as an option for inset application setting range +/- 2mm



Order code	MOVENTO depth adjuster
298.7601TV-KL	Left hand, only recommended for inset/in-frame applications
298.7601TV-KR	Right hand, only recommended for inset/in-frame applications



TANDEM FOR DOVETAIL

TANDEM makes you feel good


A feather-light glide, soft-close **BLUMOTION** – that's what **TANDEM's** all about. It's the ease of use and quality of motion that inspire.




The Blum runner system has been designed to meet all the requirements of everyday use.

TANDEM FULL EXTENSION DRAWER RUNNER



Concealed 30KG




- Concealed TANDEM full-extension runners, with either 30kg or 50kg dynamic load bearing
- TANDEM inside for unparalleled running action for the lifetime of the furniture
- Tool-free height adjustment in locking device
- Built-in width and depth tolerance compensation
- Built-in BLUMOTION for silent and effortless, soft closing action



SPACE REQUIREMENT



DRAWER RUNNERS (Pairs)



- BLUMOTION
- Locking device included

Order code	TANDEM	Length	Weight
TR270/30	Full-extension runners	270mm	30kg
TR450/30	Full-extension runners	450mm	30kg



HINGE COMPONENTS

CABINET HINGES

Blum are the worlds leading brand in cabinet hinges. Quality materials, innovative designs and a wide product range, ensure cabinet hinges solutions for all furniture requirements. Our comprehensive range provide a wide choice.

2 DIFFERENT HINGE COMPONENTS



2 DIFFERENT HINGE SYSTEMS


You can tell it's a MODUL hinge by its combined slide-on and screw-fix feature. The functional hinge combines classic design and reliable functionality.



Page
5.38

- Long established Blum hinge
- For Appliances – 95 Degree
- Smaller than standard hinge
- Good choice for applications where you will not be removing the doors, or want to prevent doors from being removed without tools

An essential feature of CLIP, CLIP top and CLIP top BLUMOTION hinges is the proven CLIP mechanism. It makes door to cabinet assembly tool free, quick and easy and is greatly valued by installers. The CLIP top BLUMOTION hinge has soft-close BLUMOTION integrated in the boss.



Page
5.38

- First generation of clip hinge
- It allows doors to be removed without tools, and without loss of adjusted positions
- It has been replaced by the clip-top hinge in all but a few specialty applications
- Mounting plate and hinge held together by clip



Page
5.39

- Second generation of clip hinge
- It allows doors to be removed without tools, and without loss of adjusted positions
- Fully adjustable and easily removable hinges
- Can be adjusted in all 3 positions (horizontal, vertical and depth) after installation



Page
5.34

- Third generation of clip hinges with integrated soft-close (BLUMOTION)
- A switch on the hinge boss turns the soft-close damping feature on or off
- Same features as CLIP TOP hinge

HINGES

CHOOSING THE RIGHT HINGE

There are many reasons to choose hinges from Blum: high quality, durability, easy assembly, comprehensive product offer, variety of special solutions and an attractive design.



Blum's efforts are concentrated on perfect motion and are constantly searching for new ways to improve products and services. Discover these benefits for yourself.

3 QUESTIONS YOU NEED TO ASK YOURSELF BEFORE YOU CHOOSE A HINGE:

1. How do you want to fix it?
2. How far do you want it to open?
3. Do you want it to be soft-close?



3 DIFFERENT INSTALLATION SCENARIOS, 3 DIFFERENT HINGE SPECIFICATIONS

OVERLAY





STRAIGHT
OVERLAY HINGE

DUAL




HALF CRANKED
HALF OVERLAY (DUAL) HINGE

INSET




FULLY CRANKED
INSET HINGE

NUMBER OF HINGES



- The number of hinges depends on the door weight and front height
- To achieve good stability, distances between hinges should be as large as possible
- Information on weight and height apply to a standard door width of 600mm.

THE BOSS - 4 different fixing options



KNOCK-IN

Blum knock in hinges, designed for easy and quick installation in cabinets and cupboards.

- Designed for quick installation with MINIPRESS machine
- Press-in fixing
- Special press-in tool required
- Ribbed dowels are pre-attached to the hinge



EXPANDO

Thanks to the pre-mounted screws and dowels, assembly using EXPANDO is quick and easy. A few quick turns and the dowel locks securely into the drilling.

- Hinge is fixed to the door with dowels that expand into place with screws
- Works like a wall plug
- Expanding dowels are pre-attached to the hinge and screwed in manually



INSERTA

Blum Inserta hinges have been designed for tool-free installation.

- Premium hinge
- Tool free fixing
- Install without screws
- Cover of the hinge arm acts as lever, expanding the hinge dowels into pre-drilled recesses



SCREW-ON

Simple to install and with flexible adjustment system, Blum screw on hinges provide the option of manual installation.

- Manual install

MOUNTING PLATES - Many options to choose from

For Mounting Plate Options See page 5.49



CRUCIFORM

- Pressed steel cruciform mounting plates are compatible with all Blum clip-top hinges.
- Blum clip-top hinges simply clip to mounting plates; no tools required allowing speedy assembly.
- With the option to use a third fixing point for wide angled hinges or heavy doors.
- Single hand adjustment not possible



HORIZONTAL

- Horizontal hinge mounting plates are the latest innovation from Blum.
- This plate gives a sleeker look than traditional mounting plates.
- Built in clip top technology for easy attachment of cabinet doors.
- Door height can be precisely adjusted within the built in cam screw. So no need to hold the door while adjusting.
- Can't be used with Gola rail profile.



2 PART PRESSED CRUCIFORM

- Pressed steel cruciform mounting plates are compatible with all Blum clip-top hinges.
- Blum clip-top hinges simply clip to mounting plates; no tools required allowing speedy assembly.
- Single hand adjustment. So no need to hold the door while adjusting

COVER CAP

All of our Blum hinges can be bought with additional cover caps. They are an ideal finish touch, giving hinges a clean and sleek appearance, while practically keeping the workings out of sight.

- Printed with your logo for use with BLUM Clip, Clip-Top and Clip-Top BLUMOTION hinges
- Available in Nickel with standard printing colour black
- Contact your Area Sales Manager or Customer Service Representative today to order your unique cover cap
- MOQ 1000
- 12-15 weeks lead time





MODUL

SPECIAL APPLICATION HINGE SYSTEM

- Hinge
- Accessories
- Mounting Plate


BLUM MODUL 95° REFRIGERATOR/APPLIANCE HINGE




Modul refrigerator door hinge offers a wide range of application. This hinge can be used with cabinet doors up to a thickness of 30mm – due to its unique geometry.

The advantages at a glance

- 3-dimensional adjustment easily accessible when attached to the refrigerator.
- The front can be easily removed from the refrigerator.
- Front thicknesses of up to 30mm are possible.
- The refrigerator can be positioned inside the cabinet even when the front is attached.
- A special EXPANDO mounting plate is required for fixing the refrigerator door hinge 194K6100E.



Overlay



Order code Product

1	91K9550	MODUL appliance door hinge
1	91K9550/250	MODUL appliance door hinge, box quantity 250
2	70T3504	CLIP TOP BLUMOTION hinge boss cover cap
3	194K6100E	MODUL appliance door hinge mounting plate

PRODUCT KEY



1 Screw-on boss



2 Boss cover cap




3 Mounting plate

CLIP HINGES


BLUM CLIP 100° HINGE

For Mounting Plate
Options See page 5.49



- All-metal hinge, nickel plated
- 100° opening angle
- Three-dimensional adjustment with relevant mounting plate (ordered separately)
- Tool-free door to cabinet assembly and removal.

Overlay



Order code Product

1	71M2550	100 degree straight arm CLIP hinge with screw on boss
1	71M2550/250	100 degree straight arm CLIP hinge with screw on boss, box quantity 250
2	90M2503	Arm cover cap, plain, symmetrical
3	973A0500.01	BLUMOTION soft close mechanism for attachment to straight hinge arm for 100,107,110,120 degree hinges

PRODUCT KEY



1 Screw-on boss




2 Arm cover cap



3 BLUMOTION

SCREW-ON




CLIP TOP

For Mounting Plate
Options See page 5.49


- Hinge
- Accessories
- Mounting Plate

BLUM CLIP-TOP 110° HINGE



- All-metal hinge, nickel plated
- 110° opening angle
- Convenient spiral-tech depth adjustment
- Spring closing mechanism
- Tool-free door to cabinet assembly and removal.

Overlay



Order code Product

1	71T3550	110 degree straight arm CLIP Top hinge screw on boss
1	71T3550/250	110 degree straight arm CLIP Top hinge screw on boss, box quantity 250
1	70T3550.TL	CLIP top standard hinge 110°, overlay application, unsprung, boss: screw-on
2	70.1503	Plain arm cover cap for straight arm hinges 110,107,120
3	70T3504	CLIP TOP BLUMOTION hinge boss cover cap
4	70T3553	86 degree limiter clip for 110 degree hinge
5	973A0500.01	BLUMOTION soft close mechanism for attachment to straight hinge arm for 100,107,110,120 degree hinges

PRODUCT KEY



1 Screw-on boss



2 Arm cover cap



3 Boss cover cap




4 Restrictor 86°



5 BLUMOTION

SCREW-ON



1.5MM HINGE BOSS SPACER



- Suitable for 71T3550 | 71T3550/250 with screw-on boss
- 1.5mm thick spacer
- Finish: nylon, natural

Order code Product


70T3507.21	Boss distance for CLIP TOP BLUMOTION, screw on version, spacer thickness 1.5mm
------------	--

CLIP TOP

For Mounting Plate
Options See page 5.49


- Hinge
- Accessories
- Mounting Plate

BLUM CLIP-TOP 107° HINGE



- All-metal hinge, nickel plated
- 107° opening angle
- Three-dimensional adjustment with relevant mounting plate (ordered separately)
- Convenient spiral-tech depth adjustment
- With or without spring closing mechanism
- Tool-free door to cabinet assembly and removal.

Overlay



Order code Product

1	75T1550	CLIP top standard hinge 107°, overlay application, boss: screw-on
2	70.1503	Plain arm cover cap for straight arm hinges 110,107,120
3	70T1504	Boss cover cap for CLIP Top hinges
4	973A0500.01	BLUMOTION soft close mechanism for attachment to straight hinge arm for 100,107,110,120 degree hinges

PRODUCT KEY



1 Screw-on boss



2 Arm cover cap




3 Boss cover cap





4 BLUMOTION

SCREW-ON




BLUM CLIP-TOP 170° HINGE



- All-metal hinge, nickel plated
- 170° opening angle
- Convenient spiral-tech depth adjustment
- With or without spring closing mechanism
- Tool-free door to cabinet assembly and removal.
- 21mm maximum door thickness

Overlay



Order code Product

1	71T6550	170 degree half cranked arm CLIP Top hinge with screw on boss
1	71T6550/125	170 degree straight arm CLIP Top hinge with screw on boss, box quantity 125
1	70T6550.TL	CLIP top wide angle hinge 170°, overlay application, unsprung, boss: screw-on
2	80.6507	Arm cover cap, plain, symmetrical
3	973A6000	BLUMOTION soft close mechanism for attachment to 170 degree hinges

PRODUCT KEY



1 Screw-on boss




2 Arm cover cap



3 BLUMOTION

SCREW-ON




B CLIP-TOP BLUMOTION
T CLIP-TOP

Safety information

If young children have access to furniture, with wide angle hinges, then the 155° opening 0-protrusion hinges should be used.


BLUM CLIP-TOP 170° HINGE

Dual




	Order code	Product
1	71T6650	170 degree half cranked arm CLIP Top hinge with screw on boss
2	973A6000	BLUMOTION soft close mechanism for attachment to 170 degree hinges

PRODUCT KEY




1 Screw-on boss




2 BLUMOTION

SCREW-ON




B CLIP-TOP BLUMOTION
T CLIP-TOP

BLUM CLIP-TOP 60°
CORNER CABINET BI-FOLD HINGE


- All-metal hinge, nickel plated
- 60° opening angle
- Special hinge for corner cabinets with bi-fold doors
- For door thickness 15mm to 23mm
- Convenient spiral-tech depth adjustment
- With spring closing mechanism
- Tool-free door to cabinet assembly and removal.

Basic Application




	Order code	Product
1	79T8500	CLIP Top Bi-Fold hinge
1	79T8500/25	CLIP Top Bi Fold hinge, box quantity 25
2	70.1503	Plain arm cover cap for straight arm hinges 110,107,120

PRODUCT KEY




1 Screw-on boss



2 Arm cover cap

SCREW-ON



CLIP-TOP BLUMOTION

ONYX BLACK



- Hinge
- Accessories
- Mounting Plate

CLIP-TOP BLUMOTION: Everything inside

Slamming doors are a thing of the past. With CLIP-TOP BLUMOTION hinges, doors close silently because the BLUMOTION soft-close feature is built into the hinge cup. These hinges are also equipped with a deactivation switch, so even small and light-weight doors close effortlessly every time.




BLUM CLIP-TOP 110° INTEGRATED BLUMOTION HINGE



- With integrated BLUMOTION - deactivation option
- All-metal hinge
- 110° opening angle
- Convenient spiral-tech depth adjustment
- With spring closing mechanism
- Tool-free door to cabinet assembly and removal.

Overlay



PRODUCT KEY



1 Screw-on boss



2 Boss cover cap




3 Restrictor 86°



4 Arm cover cap



SCREW-ON



Order code Product

1	71B3550.ONS	110 degree straight arm CLIP Top BLUMOTION hinge with integrated soft close, screw on boss, Onyx Black
2	70T3504.ONS	CLIP TOP BLUMOTION hinge boss cover cap, Onyx Black
3	70T3553	86 degree limiter clip for 110 degree hinge
4	70.1503.ONS	CLIP TOP BLUMOTION plain arm cover cap for straight arm hinge 110°, Onyx Black
5	175H3100.ONS	CLIP In-line Omm mounting plate cam height adjustable for fixing with chipboard screws, Onyx Black


BLUM CLIP-TOP MOUNTING PLATE - HORIZONTAL CAM



- 2mm height adjustment
- Install with chipboard screws 3.5mm
- Drilling template available

See Pg 5.49 for more information

BLUM CLIP-TOP BLUMOTION 95° PROFILE/THICK DOOR HINGE




- Hinge for thick doors and doors with profile
- All-metal hinge
- 95° opening angle and integrated BLUMOTION - deactivation option
- Convenient spiral-tech depth adjustment
- With spring closing mechanism
- Tool-free door to cabinet assembly and removal.




Order code	Product
1 71B9550.ONS	Profile/Thick door 95 degree straight arm CLIP top BLUMOTION, screw on, Onyx Black
2 70T3504.ONS	CLIP top BLUMOTION hinge boss cover cap, Onyx Black
3 70.1553.ONS	CLIP top BLUMOTION plain arm cover cap for straight arm hinge 95°, Onyx Black
4 175H3100.ONS	CLIP In-line 0mm mounting plate cam height adjustable for fixing with chipboard screws, Onyx Black

PRODUCT KEY





SCREW-ON



Order code	Product
1 71B9650.ONS	Profile/Thick door 95 degree fully cranked arm CLIP top BLUMOTION hinge with integrated soft close, screw on boss, Onyx Black
2 70T3504.ONS	CLIP top BLUMOTION hinge boss cover cap, Onyx Black
3 70.1663.ONS	CLIP top BLUMOTION plain arm cover cap for 95° dual application hinge, Onyx Black
4 175H3100.ONS	CLIP In-line 0mm mounting plate cam height adjustable for fixing with chipboard screws, Onyx Black

BLUM CLIP-TOP MOUNTING PLATE - HORIZONTAL CAM



- 2mm height adjustment
- Install with chipboard screws 3.5mm
- Drilling template available

See Pg 5.49 for more information

CLIP-TOP BLUMOTION


NICKEL PLATED

For Mounting Plate
Options See page 5.49

■ Hinge
■ Accessories
■ Mounting Plate




BLUM CLIP-TOP 110° INTEGRATED BLUMOTION HINGE



- With integrated Blumotion - deactivation option
- All-metal hinge, nickel plated
- 110° opening angle
- Convenient spiral-tech depth adjustment
- Closing spring mechanism
- Tool-free door to cabinet assembly and removal.

Overlay



PRODUCT KEY



1 Screw-on boss



2 INSERTA boss/ EXPANDO



3 Arm cover cap




4 Boss cover cap




5 Restrictor 86°

SCREW-ON



INSERTA/EXPANDO



Order code Product

1	71B3550	110 degree straight arm CLIP top BLUMOTION hinge with integrated soft close, screw on boss
1	71B3550/250	110 degree straight arm CLIP top BLUMOTION hinge with integrated soft close, screw on boss, box quantity 250
2	71B3590	110 Degree straight arm CLIP top BLUMOTION hinge with integrated soft close, inserta boss
2	71B3590/250	110 Degree straight arm CLIP top BLUMOTION hinge with integrated soft close, INSERTA boss, box quantity 250
2	71B358E	110 degree straight arm CLIP top BLUMOTION hinge with integrated soft close, EXPANDO boss
3	70.1503	Plain arm cover cap for straight arm hinges 110,107,120
4	70T1504	Boss cover cap for CLIP top hinges
5	70T3553	86 degree limiter clip for 110 degree hinge



NEW CLIP-TOP

- Hinge
- Accessories
- Mounting Plate

QUICK ORDER BUNDLES

To save time we have set up some quick order bundles for the **71B3550 110 degree straight arm CLIP top hinge** screw on boss hinge. We have two types of bundle: **Fully Loaded kits** and **Partially Loaded kits**.

FULLY LOADED KITS

Hinge, Mounting plate, with arm and boss cover caps



CLIP top BLUMOTION 110 degree hinge (soft close, screw on boss, with Cruciform 2prt mounting plt)

Order code KTCC71B3550C2P

Contains:

71B3550	110 degree straight arm CLIP top BLUMOTION hinge with integrated soft close, screw on boss
175H7100	CLIP cruciform mounting plate, 2 part construction 0mm spacing for fixing with chipboard screws
70T3504	CLIP top BLUMOTION hinge boss cover cap
70.1503	Plain arm cover cap for straight arm hinges 110,107,120



CLIP top BLUMOTION 110 degree hinge (soft close, screw on boss, with Cruciform 2prt c/sk mounting plt)

Order code KTCC71B3550CK2P

Contains:

71B3550	110 degree straight arm CLIP top BLUMOTION hinge with integrated soft close, screw on boss
175H9100	CLIP cruciform mounting plate, 2 part construction 0mm spacing for fixing with c/sunk system screws
70T3504	CLIP top BLUMOTION hinge boss cover cap
70.1503	Plain arm cover cap for straight arm hinges 110,107,120



CLIP top BLUMOTION 110 degree hinge (soft close, screw on boss, with Cruciform mounting plt)

Order code KTCC71B3550C

Contains:

71B3550	110 degree straight arm CLIP top BLUMOTION hinge with integrated soft close, screw on boss
173L8100	CLIP cruciform mounting plate, with elongated hole height adjustment 0mm complete with system screws
70T3504	CLIP TOP BLUMOTION hinge boss cover cap
70.1503	Plain arm cover cap for straight arm hinges 110,107,120



CLIP top BLUMOTION 110 degree hinge (soft close, screw on boss, with Clip inline mounting plt)

Order code KTCC71B3550CPI

Contains:

71B3550	110 degree straight arm CLIP top BLUMOTION hinge with integrated soft close, screw on boss
175H3100	CLIP In-line 0mm mounting plate cam height adjustable for fixing with chipboard screws
70T3504	CLIP top BLUMOTION hinge boss cover cap
70.1503	Plain arm cover cap for straight arm hinges 110,107,120



CLIP top BLUMOTION 110 degree ONYX hinge (soft close, screw on boss, with Clip inline mounting plt)

Order code KTCC71B3550.ONS

Contains:

71B3550.ONS	110 degree straight arm CLIP top BLUMOTION hinge with integrated soft close, screw on boss, Onyx Black
70T3504.ONS	CLIP top BLUMOTION hinge boss cover cap, Onyx Black
70.1503.ONS	CLIP top BLUMOTION plain arm cover cap for straight arm hinge 110', Onyx Black
175H3100.ONS	CLIP In-line 0mm mounting plate cam height adjustable for fixing with chipboard screws

PARTIALLY LOADED KITS

Excludes cover caps



CLIP top BLUMOTION 110 degree hinge (soft close, screw on boss, with Cruciform mounting plt)

Order code KT71B3550C

Contains:

71B3550	110 degree straight arm CLIP top BLUMOTION hinge with integrated soft close, screw on boss
173L8100	CLIP cruciform mounting plate, with elongated hole height adjustment 0mm complete with system screws



CLIP top BLUMOTION 110 degree hinge (soft close, screw on boss, with Clip inline mounting plt)

Order code KT71B3550CPI

Contains:

71B3550	110 degree straight arm CLIP top BLUMOTION hinge with integrated soft close, screw on boss
175H3100	CLIP cruciform mounting plate, with elongated hole height adjustment 0mm complete with system screws



CLIP top BLUMOTION 110 degree ONYX hinge (soft close, screw on boss, with Clip inline mounting plt)

Order code KT71B3550.ONS

Contains:

71B3550.ONS	110 degree straight arm CLIP top BLUMOTION hinge with integrated soft close, screw on boss
175H3100.ONS	CLIP cruciform mounting plate, with elongated hole height adjustment 0mm complete with system screws



CLIP top BLUMOTION 110 degree hinge (soft close, screw on boss, with Cruciform 2prt mounting plt)

Order code KT71B3550C2P

Contains:

71B3550	110 degree straight arm CLIP top BLUMOTION hinge with integrated soft close, screw on boss
175H7100	CLIP cruciform mounting plate, 2 part construction 0mm spacing for fixing with chipboard screws



CLIP top BLUMOTION 110 degree hinge (soft close, screw on boss, with Cruciform 2prt c/sk mounting plt)

Order code KT71B3550CK2P

Contains:

71B3550	110 degree straight arm CLIP top BLUMOTION hinge with integrated soft close, screw on boss
175H9100	CLIP cruciform mounting plate, with elongated hole height adjustment 0mm complete with system screws

*Please note, none of the bundle options contain screws.

Your one-stop-shop: www.pws.co.uk
T: 01325 505599 | E: sales-support@pws.co.uk

BLUM CLIP-TOP 110° INTEGRATED BLUMOTION HINGE



Dual



Inset

PRODUCT KEY



1 Screw-on boss



2 Boss cover cap



3 Restrictor 86°




4 Arm cover cap

Order code	Product
1 71B3650	110 degree half cranked arm CLIP top BLUMOTION hinge with integrated soft close, screw on boss
2 70T3504	CLIP top BLUMOTION hinge boss cover cap
3 70T3553	86 degree limiter clip for 110 degree hinge
4 70.1663	Arm cover cap, plain

Order code	Product
1 71B3750	110 degree fully cranked arm CLIP top BLUMOTION hinge with integrated soft close, screw on boss
1 71B3750/250	110 degree fully cranked arm CLIP top BLUMOTION hinge with integrated soft close, screw on boss, box quantity 250
2 70T3504	CLIP top BLUMOTION hinge boss cover cap
3 70T7553	Restrictor for CLIP top BLUMOTION zero protrusion hinges, 125' or 155' hinge
4 70.1663	Arm cover cap, plain

BLUM CLIP-TOP BLUMOTION 95° PROFILE/THICK DOOR HINGE



- Hinge for thick doors and doors with profile
- All-metal hinge, nickel plated
- 95° opening angle and integrated Blumotion - deactivation option
- Convenient spiral-tech depth adjustment
- Closing spring mechanism
- Tool-free door to cabinet assembly and removal.



Overlay

PRODUCT KEY



1 Screw-on boss



2 Arm cover cap




3 Boss cover cap



4 Arm cover cap

SCREW-ON



Order code	Product
1 71B9550	Profile/Thick door 95 degree straight arm CLIP top hinge with integrated soft close, screw on boss
2 70.1503	Plain arm cover cap for straight arm hinges 110,107,120
3 70T3504	CLIP top BLUMOTION hinge boss cover cap



Inset

Order code	Product
1 71B9750	Profile/Thick door 95 degree fully cranked arm CLIP top hinge with integrated soft close, screw on boss
1 71B9750/50	Profile/Thick door 95 degree fully cranked arm CLIP top hinge with integrated soft close, screw on b, box quantity 250
3 70T3504	CLIP top BLUMOTION hinge boss cover cap
4 70.1663	Hinge arm cover cap, plain


CLIP-TOP BLUMOTION

NICKEL PLATED

For Mounting Plate
Options See page 5.49


- Hinge
- Accessories
- Mounting Plate

BLUM CLIP-TOP BLUMOTION 107° HINGE FOR 15 - 21mm DOORS



- All-metal hinge, nickel plated, with integrated Blumotion
- For door thicknesses starting from 15mm
- 107° opening angle
- Three-dimensional adjustment with relevant mounting plate (ordered separately)
- Convenient spiral-tech depth adjustment
- Closing spring mechanism
- Tool-free door to cabinet assembly and removal.

Overlay



Order code Product

1	75B1550	107 degree straight arm CLIP Top BLUMOTION hinge with integrated soft close, screw on boss
2	70.1503	Plain arm cover cap for straight arm hinges 110,107,120
3	70T3504	CLIP TOP BLUMOTION hinge boss cover cap

PRODUCT KEY



1 Screw-on boss




2 Arm cover cap





3 Boss cover cap

SCREW-ON



BLUM CLIP-TOP BLUMOTION +45° II ANGLED HINGES 110°



- With integrated Blumotion
- All-metal hinge, nickel plated
- +45° angled hinge
- 110° opening angle
- Three-dimensional front adjustment
- Convenient spiral-tech depth adjustment
- Tool-free door to cabinet assembly and removal
- Mounting plates to be ordered separately.

Overlay +45°



Order code Product

1	79B3558	CLIP TOP BLUMOTION +45 degree cross corner hinge, screw on boss
2	70.1503	Plain arm cover cap for straight arm hinges 110,107,120
3	70T3504	CLIP TOP BLUMOTION hinge boss cover cap

PRODUCT KEY



1 Screw-on boss




2 Arm cover cap




3 Boss cover cap

SCREW-ON





BLUM CLIP-TOP BLUMOTION BLIND CORNER HINGE, INSET APPLICATION



- With integrated Blumotion - deactivation option
- All-metal hinge, nickel plated
- 95° opening angle
- Three-dimensional front adjustment
- Convenient spiral-tech depth adjustment
- Tool-free door to cabinet assembly and removal
- Requires 3mm spaced mounting plate, to be ordered separately.

Inset

with BLUMOTION



Order code Product

1	79B9550	CLIP top BLUMOTION Blind corner hinge, screw on boss
2	70.1503	Plain arm cover cap for straight arm hinges 110,107,120
3	70T3504	CLIP top BLUMOTION hinge boss cover cap

PRODUCT KEY



1 Screw-on boss





2 Arm cover cap




3 Boss cover cap

SCREW-ON




BLUM CLIP-TOP BLUMOTION ZERO PROTRUSION HINGES - 125° OR 155°




- All-metal hinge, nickel plated
- 155° for doors up to 24mm. 125° for doors up to 35mm
- For cabinets with inner drawers or pull-outs
- Convenient spiral-tech depth adjustment
- With or without closing spring mechanism
- Tool-free door to cabinet assembly and removal.

SCREW-ON



Overlay 125°



Order code Product

1	71B7550D	CLIP top BLUMOTION hinge for zero protrusion 125°, overlay application, screw on boss
3	70T7553	Restrictor for CLIP top BLUMOTION zero protrusion hinges, 125° or 155° hinge

PRODUCT KEY



1 Screw-on boss



2 Arm cover cap




3 Restrictor

*Both hinges can be used in combination with each other.

Example:
Units requiring 5 hinges;
3 could be 71B7550
& 2 could be 71T7550

Overlay 155°



Order code Product







1	71T7550*	CLIP top wide angle hinge for zero protrusion 155°, overlay application, screw on boss
1	71B7550*	CLIP top BLUMOTION wide angle hinge for zero protrusion 155°, overlay application, screw on boss
1	71B7550/125	CLIP top BLUMOTION wide angle hinge for zero protrusion 155°, overlay application, screw on boss, box quantity 250
2	70.4503	Arm cover cap, plain
3	70T7553.09	Restrictor 92° for CLIP top BLUMOTION zero protrusion 155° hinge
3	70T7553	Restrictor for CLIP top BLUMOTION zero protrusion hinges, 125° or 155° hinge

1	70T7500NTL	CLIP top Wide angle hinge for zero protrusion 155°, overlay application, unsprung, boss: screw-on
3	70T7503N09	92° opening angle stop for 155° wide angle hinge











CLIP MOUNTING PLATES

Horizontal hinge mounting plates give a sleeker look than traditional mounting plates. Built in CLIP top technology provides easy attachment of cabinet doors. Door height can be precisely adjusted within the built in cam screw. Now available in Onyx black to complement the matching hinges.





BLUM CLIP MOUNTING PLATE - HORIZONTAL CAM

			
Order code	175H3100.ONS	175H3100 175H3100/500	177H3100E
Backplate Type	HORIZONTAL CAM	HORIZONTAL CAM	HORIZONTAL CAM
Adjustment	+/-2mm	+/-2mm	+/-2mm
Fixing Type	SCREW-ON (recommend chipboard screws 3.5mm)	SCREW-ON	EXPANDO (pre-mounted screws with split dowels)
Finish	Onyx	Nickle Plated	Nickle Plated
Spacing	0mm	0mm	0mm
Used wide angle hinges*	yes	yes	yes
Height	8.5	8.5	8.5
			







BLUM CLIP MOUNTING PLATE - PRESSED CRUCIFORM

					
Order code	173L6100	173L6130	173L8100 173L8100/500	173L8130	174E6100.01
Backplate Type	PRESSED CRUCIFORM	PRESSED CRUCIFORM	PRESSED CRUCIFORM	PRESSED CRUCIFORM	PRESSED CRUCIFORM
Adjustment	+/-3mm	+/-3mm	+/-3mm	+/-3mm	+/-2mm
Fixing Type	Fix with chipboard screws 3.5-4mm diameter (15mm length recommended)	Fix with chipboard screws 3.5-4mm diameter (15mm length recommended)	Pre-mounted Screws Included	Pre-mounted Screws	Pre-mounted Screws
Finish	Zinc Plated	Zinc Plated	Nickle Plated	Nickle Plated	Nickle Plated
Spacing	0mm	3mm	0mm	3mm	0mm
Used wide angle hinges*	yes	yes	yes	yes	yes
Height	8.5	11.5	8.5	11.5	8.5
					

BLUM CLIP MOUNTING PLATE - 2 PART PRESSED CRUCIFORM

		
Order code	173H7100 173H7100/500	174H7100E
Backplate Type	2 PART PRESSED CRUCIFORM	2 PART PRESSED CRUCIFORM
Adjustment	+/-2mm	+/-2mm
Fixing Type	Chipboard screws	Pre-mounted Screws
Finish	Nickle Plated	Nickle Plated
Spacing	0mm	0mm
Used wide angle hinges*	yes	yes
Height	8.5	8.5
		

BLUM CLIP MOUNTING PLATE - 2 PART CAST CRUCIFORM

			
Order code	175H9100	175H7100	175H7190
Backplate Type	2 PART CAST CRUCIFORM	2 PART CAST CRUCIFORM	2 PART CAST CRUCIFORM
Adjustment	+/-2mm	+/-2mm	+/-2mm
Fixing Type	For use with countersunk Euro screws	For use with Chipboard Screws	For use with Chipboard Screws
Finish	Nickle Plated	Nickle Plated	Nickle Plated
Spacing	0mm	0mm	9mm
Used wide angle hinges*	yes	yes	yes
Height	8.5	8.5	17.5
			

IN-FRAME

IN-FRAME AND 1909 IN-FRAME HINGES



- With integrated BLUMOTION
- Tool-free assembly and removal
- With closing spring mechanism

Order code IN-FRAME - UP TO 21MM THICK FRONTS

71B3750 CLIP-TOP BLUMOTION inset standard hinge 110° - screw-on.

71T6650 CLIP-TOP half overlay wide angle hinge 170° - screw-on. 973A6000 BLUMOTION soft-close mechanism for attachment to 170° can be used.

Order code 1909 IN-FRAME

71B9750 CLIP-TOP BLUMOTION inset profile door hinge 95° - screw-on.

CLIP MOUNTING PLATE




- 18mm
- Nickel plated
- Zinc material

Order code Product


175H9190.22 CLIP mounting plate

IN-FRAME DOOR INSTALLATION



- Horizontal section through face of cabinet

GREY NYLON 9MM CONNECTOR



- Nylon connector used in conjunction with the 175H9190.22 CLIP mounting plate when using the 71T6650 170° CLIP-TOP hinge/or 71B7650 155° CLIP-TOP hinge.

Order code Product

DB181.619 Grey nylon 9mm connector

IN-FRAME SPACER, FOR USE WITH LEGRABOX



- Nylon, injection moulded spacer for use with In-Frame kitchens.
- Colour matched to Blum Legrabox.
- 4 required per drawer box, packed quantities of 4.

Order code Product

IFSLEGRABOX IN-FRAME Spacer, for use with Legrabox.

IN-FRAME

IN-FRAME AND 1909 IN-FRAME HINGES



Fitting Pack 1 shown

OVERVIEW

Pre-bagged packs containing the common components required for fitting in-frame doors.

FITTING PACK 1 ORDER CODE INFP1

Suitable for IN-FRAME doors up to a height of 900mm

Includes: x5 euroscrews, x10 roundhead screws, x5 frame brackets, x2 door stops, x2 door buffers, x2 110° hinges, x2 base plates.

FITTING PACK 2 ORDER CODE INFP2

Suitable for in-frame doors between 900mm and 1600mm

Includes: x5 euroscrews, x10 roundhead screws, x5 frame brackets, x2 door stops, x2 door buffers, x3 110° hinges, x3 base plates

FITTING PACK 3 ORDER CODE INFP3

Suitable for in-frame-only options

Includes: x5 euroscrews, x10 roundhead screws, x5 frame brackets, x2 door stops, x2 door buffers

FITTING PACK 4 ORDER CODE INFP4


Suitable for corner solutions

Includes: x5 euroscrews, x10 roundhead screws, x5 frame brackets, x2 door stops, x2 door buffers, x2 110° hinges, x2 corner unit hinges, x4 base plates

1909 - In-frame fittings pack, see section 9.

TIP-ON ACCESSORIES

ADJUSTABLE TIP-ON SHORT PUSH LATCH



Order code	Product	Finish
956.1004	Piston and catch plates	Grey


- Handleless fronts open with a single touch, using the TIP-ON mechanical opening system by Blum.
- To close, simply press shut. TIP-ON is combined with the unsprung CLIP-TOP hinge to deliver optimum door motion.
- 4mm Gap adjustment
- Use in conjunction with unsprung hinges



ADAPTER PLATE

Order code	Product
956.1201	Inline adapter plate - short version

ADJUSTABLE TIP-ON EXTENDED PUSH LATCH FOR SPRUNG HINGES



- Fixing method: drilling, handle side
- Non-magnetic

Order code	Finish
956A1006	Grey



ADAPTER PLATE

Order code	Product
956A1201	Inline adapter plate - long version



AVENTOS HK-XS

FOR HANDLE
WEIGHTS VISIT
PWS.CO.UK



AVENTOS HK-XS is a compact lifter for wall cabinets. The **AVENTOS HK-XS** offers a high level of design freedom, due to its narrow style.

AVENTOS HK-XS proves itself with the familiar **AVENTOS** quality of motion. Stay lifts open and close with seemingly weightless movement. They close silently and effortlessly in combination with **CLIP-TOP BLUMOTION** hinges.

BLUMOTION

By Blum

AVENTOS HK-XS

- Specifically for small top wall cabinets or those with low internal depths
- Symmetrical lift mechanism, can be used on one or both sides for heavier frontals.
- Silent and effortless closing, thanks to BLUMOTION
- Stops at any opening position
- Easy assembly and adjustment

Order code Power factor

AVHKXS1000 200 - 1000

AVHKXS1800 800 - 1800

		Belsay	Broad oak	Ellerton	Fitzroy	Hunton	Lichfield	Milbourne	Mornington	Porter	Remo	Stanhope Classic	Stanhope Modern	Unity
Code	Dimension													
285	283x497mm	509	481	0	509	594	538	708	538	566	708	566	509	566
286	283x597mm	594	623	0	594	708	651	849	623	679	849	679	594	679
288	283x797mm	764	764	0	792	934	849	1104	821	934	1132	934	792	934
289	283x897mm	849	906	0	906	1047	962	1245	849	1047	1245	1047	906	1047
280	283x997mm	934	1019	0	991	1160	1075	1387	962	1160	1387	1160	991	1160
355	355x497mm	852	746	888	781	888	817	1101	781	888	1101	888	781	888
356	355x597mm	994	959	1101	959	1065	994	1314	923	1101	1349	1101	959	1101
358	355x797mm	1243	1207	1456	1243	1420	1314	1775	1172	1456	1811	1456	1243	1456
359	355x897mm	1385	1385	1633	1420	1598	1456	1988	1349	1633	1988	1633	1420	1633
350	355x997mm	1527	1491	1811	1562	1775	1633	2201	1385	1811	2237	1811	1562	1811
350FD	355x597mm	0	0	0	0	0	0	0	0	0	0	0	0	0
456	450x597mm	1440	1350	0	1530	1710	1530	1800	1260	1755	2160	1755	1530	1755
496	490x597mm	1617	1666	2058	1813	2009	1813	2156	1470	2058	2548	2058	1813	2058
575	570x497mm	1938	1824	0	1995	2280	2052	2394	1653	2337	2907	2337	1995	2457
576	570x597mm	2223	2280	0	2451	2679	2451	2907	1938	2793	3477	2793	2451	2793
716	715x597mm	2860	3504	4433	3790	4147	3790	4576	2860	4576	5649	4576	3790	4576



Power factor LF = cabinet height KH (mm) x door weight incl. double handle weight (kg)

Note: The power factor is doubled when used on two sides

Blum Technical Hotline: 0800 230 0898

5.54

JIGS AND TEMPLATES



Tried and tested in everyday applications, Blum template and assembly devices ensure that assembly is simple, efficient and straightforward.

They are a perfect combination of high precision and practical value, which is greatly appreciated both in workshops and directly on site. Ease of use and durability make them essential tools and guarantee top-quality assembly that inspires professionals.

Drilling and insertion machines

Blum's drilling and insertion machines are designed for the assembly of Blum products. They enable precision drilling and insertion of fittings.

MINIPRESS M



Drilling and insertion machines

Precision drilling and component insertion.

LEGRABOX ASSEMBLY DEVICE FOR DRAWERS



Assembly devices and machines

Fast and easy ways to assemble drawers and pull-outs.

JIGS AND TEMPLATES

FRONT GAP TEMPLATE



Assembly templates

Measurements are transferred precisely and with ease.

Assembly devices and machines

Blum assembly devices and machines help you assemble drawers and pull-outs. They ensure ease of use with quick set-up times. Available on a 5 day leadtime.



Assembly templates

Blum templates make it easy to transfer exact measurements to cabinets or frontals. They are easy to use and ensure precise assembly.

MINIPRESS P



The specialist tool

Order code

M53.1050.01MP

DRILL
BITS
PAGE 5.60

Description

Single phase 240V Blum MINIPRESS P machine c/w hold down clamps, laser centre marking, calibrated table, 2 rules & drill bits 35mm & 8mm dia. Requires compressed air supply.

MINIPRESS M



The mobile tool

Order code

M52.1050M

DRILL
BITS
PAGE 5.60

Description

Single phase 240V Blum MINIPRESS M machine. NOTE worktable is not supplied with this machine.

JIGS AND TEMPLATES

BASE ROUTER



For LEGRABOX

Order code
M35.7300

Description
Base router for LEGRABOX.

ECODRILL



Door Hinge Drilling

Order code
M31.1000

Description
Blum ECODRILL for on-site door drilling for hinges.

DRILLING TEMPLATES FOR BLUMOTION/TIP-ON



Order code
65.5010

Description
Drilling template for BLUMOTION/TIP-ON

FOR LEGRABOX BASE/BACK



Order code
ZML.7000

Description
Drilling template for LEGRABOX base/back.

JIGS AND TEMPLATES

DRILLING TEMPLATES FOR MOVENTO/TANDEM



Order code
T65.1000.02

Description
Drilling template for MOVENTO/TANDEM

FOR HINGES & MOUNTING PLATES



Order code
65.7500.03

Description
Drilling template for hinges & mounting plates
on 1000mm rail

FOR HINGES & MOUNTING PLATES



Order code
65.059A

Description
Drilling template for hinges & mounting plates

UNIVERSAL BRACKET TEMPLATE



Order code
ZML.0040.01

Description
Universal drilling template for front-fixing brackets etc



JIGS AND TEMPLATES

DRILLING TEMPLATES

UNIVERSAL ROD TEMPLATE

**Order code**

65.1000.01

Description

Universal rod template for runners.

UNIVERSAL INDIVIDUAL TEMPLATE

**Order code**

65.1051.02

Description

Template for mounting plates, runners and AVENTOS.

FRONT GAP TEMPLATE

**Order code**

65.5631

Description

Front gap template for LEGRABOX/MOVENTO for use with TIP-ON BLUMOTION.



JIGS AND TEMPLATES

ASSEMBLY DEVICES FOR DRAWERS

LEGRABOX



Order code
ZMM.0700L

Description
Assembly device for LEGRABOX drawers.

TANDEMBOX



Order code
ZMM.0350T

Description
Assembly device for TANDEMBOX drawers.

DRILL BITS

35mm



Order code M01.ZB35.02
Description RH Rotation on 10mm dia shank with flat, 57mm OAL

8mm



Order code M01.ZB08.03
Description LH Rotation on 10mm dia shank with flat, 57mm OAL

2.5mm



Order code M01.ZB02.D3
Description LH Rotation on 10mm dia shank with flat, 57mm OAL

NARROW SWIVEL STOPS

Left hand



Order code MZS.2000LI
Description Narrow swivel stop LH to suit Blum MINIPRESS

Right hand




Order code MZS.2000RE
Description Narrow swivel stop RH to suit Blum MINIPRESS



EASY ASSEMBLY APP


YOUR DIGITAL ASSEMBLY TOOL

You'd like to assemble and adjust Blum hinges, lift systems, pull-outs and other fittings systems quickly and efficiently? The EASY ASSEMBLY app for smartphones and tablets answers any questions you may have about the assembly and adjustment of Blum fittings. The app includes assembly instructions and assembly videos for all Blum products.




DOWNLOAD

Download the EASY ASSEMBLY app now free of charge from the **Apple App Store** (for iOS) or **Google Playstore** (for Android) onto your smartphone or tablet!




INTUITIVE APP

EASY ASSEMBLY includes an overview of all assembly and installation instructions, arranged by product group. The assembly app has been designed to be intuitive, making it easy to use.




ASSEMBLY INSTRUCTIONS

Up-to-date assembly and installation instructions at your fingertips. This saves time and ensures that furniture is assembled to the highest standard.




INTERACTIVE APPLICATIONS

Interactive applications clearly indicate the right drilling positions and show you how to adjust Blum fittings.




ASSEMBLY VIDEOS

Assembly videos demonstrate each individual work step and show adjustment options in detail.



LIVE SUPPORT

More questions about the assembly or adjustment of Blum fittings? We'd be glad to provide personal assistance. Our LIVE SUPPORT service offers a chat or video call feature.



blum