



OUR PHILOSOPHY

Kesseböhmer is the world's leading premium storage brand, making kitchens beautiful on the inside since 1963.

For generations, the name Kesseböhmer has stood for innovation and excellence in storage, backed by a strong heritage of design, functionality and quality.

Expertly engineered, Kesseböhmer products not only help end-users maximise their space, they give them easy access to food and kitchen cookware. Kitchen manufacturers and fitters also benefit from products that are very easy to assemble, fit and adjust.

In keeping with our own values, kitchen storage should be reliable, practical and attractive. Or as we like to say, beautiful on the inside.

4

KESSEBÖHMER STORAGE

Product selection guide	01
Pick your tray style	02
New for 2021	03

LARDER STORAGE

Larder pull-outs	05
Swing larders	09
Tandem larders	13
Convoy Centro	19
Convoy Premio	20

CORNER UNIT STORAGE

LeMans II	23
Moveboard	26
Magic Corner	27
Carousels	29
Revo 90	31

BASE UNIT STORAGE

150mm pull-out	33
300/400mm Base unit pull-out	35
Base unit pull-out add-ons	38
Pull-out trays	41

WALL UNIT STORAGE

iMove	43
Wall unit storage	45
Wine rack	48
Lifting systems	51

MISCELLANEOUS

Top flap stays & lifters	57
Worktop extenders	58
Drawer organiser	59
Pantry accessories	60
Helping you sell more	61



PRODUCT SELECTION GUIDE

	Cabinet Widths											Handed		Tray Style							
	150mm	300mm	400mm	450mm	500mm	600mm	700mm	800mm	900mm	1000mm	1200mm	Handed	Unhanded	Silver Classic	Silver Arena	Chrome Classic	Chrome Arena	Anthracite Style	Arena Pure	Chrome Style	Glass Sides
LARDER																					
In-Frame		•											•			•	•				
Studio Height		•											•			•	•	•		•	
Full Height		•	•		•								•	•		•	•	•	•	•	
Swing Larder		•											•				•			•	
TANDEM																					
Studio Height					•	•							•			•	•	•		•	
Full Height					•	•							•	•		•	•	•	•	•	
Tandem Solo					•	•							•		•		•	•	•		
Tandem Side Full Height					•	•							•		•			•	•		
Tandem Side Studio Height					•	•							•		•			•			
Tandem Side Base Height					•	•							•	•				•			
Convoy Premio						•						•									•
Convoy Premio & Konfigure						•						•						•			
Convoy Centro		•											•								•
CORNER STORAGE																					
LeMans								•	•	•	•	•			•		•	•	•	•	
LeMans Studio Height								•	•	•	•	•			•		•	•	•	•	
Moveboard								•		•		•			•						
Magic Corner									•	•		•		•		•	•			•	
Revo 90									•				•				•			•	
Half Carousel									•				•			•	•				
3/4 Carousel								•					•	•		•	•			•	
Full Carousel									•				•				•			•	
BASE UNIT PULL-OUT																					
150mm Classic 'Standard'	•												•	•		•		•	•	•	
150mm Towel	•												•	•		•		•		•	
150mm Baking Tray	•												•			•		•		•	
Dispensa Junior		•	•		•	•							•	•		•	•	•	•	•	
YouBoXx		•											•								
Cleaning Agent		•											•								
Adjustable Pull-Out tray					•	•							•			•					
Pull-Out chrome trays					•	•							•			•					
WALL UNIT STORAGE																					
150mm Wall Pull-Out	•				•								•			•					
Spice Rack		•			•								•			•					
Wine Rack	•	•											•			•					

PICK YOUR TRAY STYLE

SILVER CLASSIC



Powder coated wire tray

CHROME CLASSIC



Chrome plated wire tray

SILVER ARENA



Powder coated rail
No anti-slip surface

CHROME ARENA



Chrome plated rail
Anti-slip grey base

ANTHRACITE STYLE



Powder coated anthracite band
Anti-slip anthracite base

ARENA PURE



Anthracite powder coated profiles
Anti-slip anthracite base

CHROME STYLE



Chrome plated band
Anti-slip grey base



INTRODUCING ARENA PURE

Arena Pure is the latest modern, minimalistic tray style from Kesseböhmer. Perfectly fitting with the current trend for sleek and slimline kitchens, this new tray style is available in Larder, Tandem Larder, LeMans and Base Pull-out solutions so you can carry the style across all essential storage applications. Its contemporary, anthracite colour also closely matches Blum Legrabox drawer boxes, meaning you can design consistent internals throughout the kitchen.

UNIQUE
TO PWS



Available in our best-selling
LeMans corner solution
See page: 4.24



Choose from Larders and
Tandem Larders styles
See page: Larder 4.06,
Tandem Larder 4.14, Tandem Solo 4.17



Base Pull-outs
See page: 150mm 4.34,
300/400mm 4.36



Pair with Blum Legrabox
for a matching finish

LARDER STORAGE

The Pull-Out “Dispensa” Larder from Kesseböhmer allows for visibility and access to all areas of the cabinet in one smooth and effortless motion, with height adjustable trays available throughout the range.

EASY TO
ORDER

EASY TO
INSTALL

PERFECT
FOR TALL
& SLIM
CABINETS



blum



LARDER PULL-OUTS



FEATURES

Movement:

Tested to 60,000 cycles, the entire contents come all the way out in a single movement

Cabinet widths:

300mm, 400mm, 500mm

Tray styles:

Silver Classic, Chrome Classic, Chrome Arena, Anthracite Style, Arena Pure, Chrome Style

No. of trays:

5 (additional trays page 4.10)

Load capacity:

100kg

Height adjustable trays:

Yes

Soft-close:

Top and bottom runner

Soft-open:

Can be retro fitted - see below

MINIMUM INTERNAL CABINET DIMENSIONS

Height 1800-2200mm | **Depth** 500mm | **Width** 262/362/462mm

FOR
LARDER
ADD-ONS
SEE PAGE
4.07

SOFT-OPEN

- Easy opening
- Can be retro fitted
- For use with Classic and Arena



A soft close is a given. So why not incorporate a soft-open too – taking your larder to the next level!

Order code	Description
KTLSOFTOPEN	Soft open adapter for larders

CHOOSE FROM 6 TRAY STYLES

SILVER CLASSIC



WANT A
SOLID
TRAY BASE
SEE PAGE
4.08



Grey

- Powder coated wire tray
- Larder features soft-close on top runner only

	Order code	Cab width
Full height	KLF300FESILV	300mm

CHROME CLASSIC



WANT A
SOLID
TRAY BASE
SEE PAGE
4.08

- Chrome wire trays

	Order code	Cab width
In-frame full height	IFKLF300FESC	300mm
Studio height	KSLF300FESC*	300mm
	KLF300FESC	300mm
Full height	KLF400FESC	400mm
	KLF500FESC	500mm

CHROME ARENA



BEST
SELLER

- Chrome plated rail
- Anti-slip grey base

	Order code	Cab width
In-frame full height	IFKALF300FESC	300mm
Studio height	KSALF300FESC*	300mm
	KALF300SC	300mm
Full height	KALF400FESC	400mm
	KALF500FESC	500mm

ANTHRACITE STYLE



- Powder coated band
- Anti-slip anthracite base
- Integrated soft-open

	Order code	Cab width
Studio height	KSSALF300FEA*	300mm
	KSALF300FEA	300mm
Full height	KSALF400FEA	400mm
	KSALF500FEA	500mm

ARENA PURE



NEW

- Anthracite powder coated profiles
- Anti-slip anthracite base

	Order code	Cab width
Full height	KAPLF300FEA	300mm
	KAPLF400FEA	400mm

CHROME STYLE




- Chrome plated band
- Anti-slip grey base
- Integrated soft-open

	Order code	Cab width
Studio height	KSASLF300FESC*	300mm
	KASLF300FESC	300mm
Full height	KASLF400FESC	400mm
	KASLF500FESC	500mm

*Studio height larders are supplied with 4 trays and necessary fittings and fit an internal cabinet height of 1200-1600mm.

LARDER ADD-ONS

ELECTRONIC OPENING



**JUST PUSH THE DOOR
FOR SMOOTH AUTOMATIC OPENING**

Order code

ETOUCH

Description

Electronic touch opening

REVISED
PRICE

PUSH TO OPEN

Push to open, for complete handleless kitchen designs. Push to open can be used **with a variety of Kesseböhmer products** and can be retro fitted. Pistons can be used by screwing them into the side of the carcase or by using the housing clad on.

Order code	Description
KPTOPA	Type A - 17-23N
KPTOPB	Type B - 23-34N
KPTOPC	Type C - 26-48N
KPTOPHSG	Housing clad on

Type	Strength	Recommended product
Type A	17-23N	150mm pull-out, Freelight, FreeMini, Tandem Solo, Tandem Side
Type B	23-34N	Microwave Lifter, Convoy Premio, Base pull-outs, Topflex
Type C	26-48N	Base Pull-Out, Lifters, Tandem, Magic Corner, Larder



LARDER CONNECTOR STRIP



Order code

KLFGPGY (sold in singles)

Description

Strip to connect 2 doors - grey

KLFGPCA (sold in singles)

Strip to connect 2 doors - anthracite

EXTENSION CLIP

For adjustable larder frame to hook trays higher.



Order code

KBASFASC (sold in pairs)

Description

Extension clip

4.07

Your one-stop-shop - www.pws.co.uk

300mm LARDER ADD-ONS



KONFIGURE BY KESSEBÖHMER



Konfigure by Kesseböhmer is a stunning, contemporary, modular and customisable storage system, offering complete versatility and flexibility.

Manufactured in oak, Konfigure not only works in drawers (see Section 6) but also in larders; offering storage that is both modular and eye-catching.

Our Konfigure inserts add the finishing touch to your Kesseböhmer storage solution.

Box 3

Box 4

Box 5



Oak	Order code	Box size
Multipurpose box 3	TIMB211X236OA	211x236x110mm
Multipurpose box 4	TIMBOX211OA	211x236x49mm
Multipurpose box 5	TIMB211X117OA	211X117.5x90mm


YOUBOXX



Customise your Larder with the addition of a YouBoXX set. While large items, such as cereal boxes and bottles can be accommodated on trays, smaller items, like loose food stuffs and kitchen utensils can be accommodated in a YouBoXX. Trays and YouBoXX sets are fully compatible, allowing you to effortlessly swap them between your Larder and your Base Units.

	Order code	Description
Set 1	KUBOXX1	2 rails, 2x 1L box, 2x 2L box + slotted knife block, 1x 2.1L box, 2 lids

PLASTIC INSERT FOR 300MM CLASSIC TRAYS



Grey

	Order code
Plastic insert	KCTRAY300



SWING LARDERS



FEATURES

Movement:

Can be turned left or right (90°) for easy access to either side

Cabinet width:

300mm

Tray styles:

Chrome Arena, Chrome Style

No. of trays:

5 (additional trays page 4.14)

Load capacity:

70kg

Height adjustable trays:

Yes

Soft-close:

Top and bottom runner

Soft-open:

No

MINIMUM INTERNAL DIMENSIONS

Height 1800-2200mm | Depth 500mm | Width 262mm

CHOOSE FROM 2 TRAY STYLES

CHROME ARENA



- Chrome plated rail
- Anti-slip grey base

Order code

KALFS300OESC

Cab width

300mm

CHROME STYLE



- Chrome plated band
- Anti-slip grey base

Order code

KASLFS300OESC

Cab width

300mm

4.09

Your one-stop-shop - www.pws.co.uk

ADDITIONAL 300MM TRAYS

UNIVERSAL TRAYS FOR LARDERS, BASE UNITS & YOUNBOXX

SILVER CLASSIC



WANT A
SOLID
TRAY BASE
SEE PAGE
4.08

- Powder coated wire tray

	Order code	Cab width	HxDxW
Full height	KCATL300SILV	300mm	110x467x250mm

CHROME CLASSIC



WANT A
SOLID
TRAY BASE
SEE PAGE
4.08

- Chrome wire trays

	Order code	Cab width	HxDxW
In-frame	IFKCATL300C	300mm	110x467x200mm
Full extension	KCATL300C	300mm	110x467x250mm

CHROME ARENA



BEST
SELLER

- Chrome plated rail
- Anti-slip grey base

	Order code	Cab width	HxDxW
In-frame	IFKBAS300CM	300mm	106x462x200mm
Full extension	KABAS300CM	300mm	106x462x250mm

ANTHRACITE STYLE



- Powder coated band
- Anti-slip anthracite base

	Order code	Cab width	HxDxW
Full extension	KSATL300A	300mm	106x462x250mm

ARENA PURE



NEW

- Anthracite powder coated profiles
- Anti-slip anthracite base

	Order code	Cab width	HxDxW
Full height	KAPATL300	300mm	75x440x245mm

CHROME STYLE



- Chrome plated band
- Anti-slip grey base

	Order code	Cab width	HxDxW
Full extension	KSATL300C	300mm	106x462x250mm

Vertical extension clips available on page 4.07
Extension clips can slide on extended larder frames to hook onto additional baskets.



Kesseböhmer
CLEVER
STORAGE

LIEBLINGS
Käse
LIEBLINGS
Käse

SCHWARZE
NATU
SCHWARZE
NATU

BRANDEN
KUCHEN
BRANDEN
KUCHEN

SCHWARZE
NATU
SCHWARZE
NATU

BRANDEN
KUCHEN
BRANDEN
KUCHEN

SCHWARZE
NATU
SCHWARZE
NATU

BRANDEN
KUCHEN
BRANDEN
KUCHEN

SCHWARZE
NATU
SCHWARZE
NATU

BRANDEN
KUCHEN
BRANDEN
KUCHEN

SCHWARZE
NATU
SCHWARZE
NATU

BRANDEN
KUCHEN
BRANDEN
KUCHEN

TANDEM STORAGE

Our Tandem range provides easy to fit solutions for wide cabinets. They allow for instant visibility & accessibility to all areas in one smooth movement.

EASY
ACCESS

CENTRAL
FOOD
STORAGE

SIMPLE TO
ORDER &
INSTALL



blum



TANDEM LARDERS



MINIMUM INTERNAL DIMENSIONS

FULL: Height 1700mm | Depth 500mm | Width 462/562mm

STUDIO: Height 1100mm | Depth 500mm | Width 462/562mm

FURTHER INFORMATION

Standard 110° hinge

FEATURES

Movement:

The rear trays are automatically drawn forward when the door is opened

Cabinet widths:

500mm, 600mm – Studio & Full Height

Tray styles:

Silver Classic, Chrome Classic, Chrome Arena, Anthracite Style, Arena Pure, Chrome Style

No. of trays:

6 door trays, 6 internal trays

Load capacity:

Door trays: 20kg, internal trays: 50kg

Height adjustable trays:

Yes (internal shelves only)

Soft-close:

Bottom runner

Soft-open:


No

STUDIO HEIGHT



CHOOSE FROM 6 TRAY STYLES

SILVER CLASSIC



- Powder coated wire tray

	Order code	Cab width
Full height	KTLF600SILV	600mm

CHROME CLASSIC



- Chrome wire trays

	Order code	Cab width
Studio height	KSTLF500SC*	500mm
	KSTLF600SC*	600mm
Full height	KTLF500SC	500mm
	KTLF600SC	600mm

CHROME ARENA



**BEST
SELLER**

- Chrome plated rail
- Anti-slip grey base

	Order code	Cab width
Studio height	KSTLFA500SC*	500mm
	KSTLFA600SC*	600mm
Full height	KTLFA500SC	500mm
	KTLFA600SC	600mm

ANTHRACITE STYLE



- Powder coated band
- Anti-slip anthracite base

	Order code	Cab width
Studio height	KSSATLF500A*	500mm
	KSSATLF600A*	600mm
Full height	KSATLF500A	500mm
	KSATLF600A	600mm

ARENA PURE



NEW

- Anthracite powder coated profiles
- Anti-slip anthracite base
- Height adjustable door shelves

	Order code	Cab width
Full height	KAPTFLF500	500mm
	KAPTFLF600	600mm

CHROME STYLE



- Chrome plated band
- Anti-slip grey base

	Order code	Cab width
Studio height	KASSTLF500SC*	500mm
	KASSTLF600SC*	600mm
Full height	KASTLF500SC	500mm
	KASTLF600SC	600mm

*Studio height tandems are supplied with 4 trays and necessary fittings and fit an internal cabinet height of 1200-1600mm.



TANDEM SIDE



FEATURES

Cabinet widths:
500mm, 600mm

Tray styles:
Silver Arena (not anti-slip),
Anthracite Style, Arena Pure

No. of trays:
Base tandem = 3 trays
Studio tandem = 4 trays
Full height tandem = 6 trays

Load capacity:
4kg per tray

Height adjustable trays:
Yes

Shelf inserts to be shortened by:
Internal cabinet depth minus 175 mm



FULL HEIGHT TANDEM SIDE COMES WITH 6 TRAYS



Colour	Order code	Cabinet width	Height
Silver Arena	KTDFH500SILV	500mm	1700mm
	KTDFH600SILV	600mm	1700mm
Anthracite Style	KTDFH500A	500mm	1700mm
	KTDFH600A	600mm	1700mm
Arena Pure	KAPTDFH500A	500mm	1700mm
	KAPTDFH600A	600mm	1700mm



STUDIO TANDEM SIDE

COMES WITH 4 TRAYS

Anthracite Style shown



Unhanded

Colour	Order code	Cabinet width	Height
Silver Arena	KTDSH500SILV	500mm	1100mm
	KTDSH600SILV	600mm	1100mm
Anthracite Style	KTDSH500A	500mm	1100mm
	KTDSH600A	600mm	1100mm

BASE TANDEM SIDE

COMES WITH 3 TRAYS

Anthracite Style shown



Colour	Order code	Cabinet width	Height
Silver Arena	KTDBH500SILV	500mm	600mm
	KTDBH600SILV	600mm	600mm
Anthracite Style	KTDBH500A	500mm	600mm
	KTDBH600A	600mm	600mm

TANDEM SOLO

Anthracite Style shown



FEATURES

Movement:

Open the door and the full contents will move towards you

Cabinet widths:

500mm, 600mm

Tray styles:

Silver Arena, Chrome Arena, Anthracite Style, Arena Pure

No. of trays:

6

Load capacity:

80kg

Height adjustable trays:

Yes

Soft-close:

No

Soft-open:

Yes

GREAT
ALTERNATIVE
TO TANDEM

MINIMUM INTERNAL DIMENSIONS

Height 1800mm | Depth 495mm | Width 462/562mm

FURTHER INFORMATION

Standard 110° hinge

SILVER ARENA



- Powder coated rail
- No anti-slip tray

Order code

KTS500SILV

KTS600SILV

Cab width

500mm

600mm

CHROME ARENA



- Chrome coated rail
- Anti-slip tray

Order code

KATS500SC

KATS600SC

Cab width

500mm

600mm

ANTHRACITE STYLE



- Powder coated band
- Anti-slip tray

Order code

KTSFH500A

KTSFH600A

Cab width

500mm

600mm

ARENA PURE



- Anthracite powder coated profiles
- Anti-slip anthracite base

Order code

KAPTSFH500

KAPTSFH600

Cab width

500mm

600mm

NEW

CONVOY FAMILY

Convoy represents the very best of Kesseböhmer in one fantastic package.

CONVENIENCE

UNMATCHED
VISIBILITY

STANDOUT
PERFORMANCE



blum



CONVOY CENTRO



FEATURES

Movement:

Open the door and the entire contents come all the way out in a single movement

Cabinet width:

300mm

Tray styles:

Grey (non-shatter) glass-sided anti-slip trays

No. of trays:

5

Load capacity:

130kg

Height adjustable trays:

Yes - floating height adjustment

Soft-close:

Yes (bottom and top runner)

Soft-open:

Yes (bottom runner)

MINIMUM INTERNAL DIMENSIONS

Height 1900-1999mm | Depth 500mm | Width 268mm

FURTHER INFORMATION

Supporting shelf required

	Order code	Cab width
Full extension	KCONVOY300	300mm

Unhanded

CONVOY PREMIO



FEATURES

Movement:

Open the door and the full content moves towards you

Cabinet width:

600mm

Tray styles:

Grey (non-shatter) glass-sided anti-slip trays

No. of trays:

5

Load capacity:

130kg

Height adjustable trays:

Yes - floating height adjustment

Soft-close:

Yes (bottom and top runner)

Soft-open:

Yes (bottom runner)

MINIMUM INTERNAL DIMENSIONS

Height 1900-1999mm | Depth 500mm | Width 568mm

FURTHER INFORMATION

Minimum 150° hinge required

	Order code	Cab width
Full extension	KCONPREM600*	600mm

* PLEASE NOTE - UNITS ARE HANDED

Please insert order code with a L for left hand or R for right hand, replacing the asterisk e.g. left hand 600mm wide unit - KCONPREM600L

Product shown with white base trays but supplied with grey base trays.



For Shaker door installation please contact customer services to receive a different front bracket

CONVOY PREMIO ELECTRONIC TOUCH OPENING

ALSO
AVAILABLE
WITH LUXURY
ANTHRACITE
TRAYS
SEE PAGE
4.21

Order code	Description
ETOUCH	Electronic touch opening



CONVOY PREMIO

KONFIGURE FOR PREMIO

SAME
TECHNICAL
SPEC AS
PAGE
4.20



Right hand shown

Our luxury anthracite Convoy Premio comes with 5 trays. The top tray is a multipurpose detachable tray, while the 4 other trays come with an anthracite anti-slip base, drawer liner and oak frame.

Anti-slip drawer liner included. Pre-cut to size.



- Powder coated anthracite trays



For Shaker door installation please contact customer services to receive a different front bracket

Order code

KCONPREMA600*

Cab width

600mm

* PLEASE NOTE - UNITS ARE HANDED

Please insert order code with a L for left hand or R for right hand, replacing the asterix e.g. left hand unit - KCONPREMA600L

TRAY INSERTS

TRANSFORM YOUR PREMIO. Customise your anthracite oak Convoy Premio with our tray inserts, offering a number of options for storage and organisation.

SET 1 - BOTTLE HOLDER



Order code

KCONTRAYSET1

SET 3 - GLASS HOLDER



Order code

KCONTRAYSET3

SET 2 - INGREDIENTS HOLDER



Order code

KCONTRAYSET2

SET 4 - PLATE HOLDER



Order code

KCONTRAYSET4

PLEASE NOTE: Add on sets only include inner inserts, not the tray or wooden frame.

CORNER STORAGE

Transform the dead spaces in your kitchen. These best sellers transform dark corners into useable storage. Once hard-to-reach items are now brought to your fingertips.

EASY
ACCESS

MAKE USE
OF DEAD
SPACE

TRANSFORM
CORNERS



blum



LEMANS II



FEATURES

Movement:

Each tray swings out of the cabinet completely and independently

Door widths:

400mm, 450mm, 500mm, 600mm

Tray styles:

Silver Arena, Chrome Arena, Anthracite Style, Arena Pure, Chrome Style

No. of trays:

2

Load capacity:

25kg per tray

Height adjustable trays:

Yes

Soft-close:

Can be retro-fitted

MINIMUM INTERNAL DIMENSIONS

DOOR WIDTH:	400mm	450mm	500mm	600mm
CAB WIDTH:	>764mm	>800mm	>910mm	>960mm
CAB DEPTH:	≥495mm			
CAB HEIGHT:	≥650mm - 800mm			

FURTHER INFORMATION

Can be used below a drawer

Height adjustable axle: 650-800mm

SOFT CLOSE



- Can be retro fitted
- Sold in singles

Order code	Description
KLMSCML	Self-closing mechanism, left hand - grey
KLMSCMR	Self-closing mechanism, right hand - grey
KLMASCML	Self-closing mechanism, left hand - anthracite
KLMASCMR	Self-closing mechanism, right hand - anthracite

TRAVEL CLIP

Transport your pre-installed LeMans without the risk of damage



- Clip connects the tray to the arms of the LeMans so it doesn't move during transportation
- Sold in singles

Order code	Description
KLMTCT	Travel clip

CHOOSE FROM 5 TRAY STYLES

SILVER ARENA



- Power coated rail
- No anti-slip surface
- Fixed axle at 520mm

Order code	Door width
KLM450SILV*	450mm
KLM500SILV*	500mm
KLM600SILV*	600mm

CHROME ARENA



- Chrome plated rail
- Anti-slip grey base

Order code	Door width
K2LM400SC*	400mm
K2LM450SC*	450mm
K2LM500SC*	500mm
K2LM600SC*	600mm

ANTHRACITE STYLE



- Powder coated anthracite band
- Anti-slip anthracite base

Order code	Door width
KSA2LM400A*	400mm
KSA2LM450A*	450mm
KSA2LM500A*	500mm
KSA2LM600A*	600mm

ARENA PURE



- Anthracite powder coated profiles
- Anti-slip anthracite base

Available April 2021	
Order code	Door width
KAP2LM400A*	400mm
KAP2LM450A*	450mm
KAP2LM500A*	500mm
KAP2LM600A*	600mm

CHROME STYLE



- Chrome plated band
- Anti-slip grey base

Order code	Door width
KAS2LM450SC*	450mm
KAS2LM500SC*	500mm
KAS2LM600SC*	600mm

FURTHER INFORMATION

A 500mm wide LeMans can be used with a 600mm wide in-frame door. See the Clarendon inframe technical guide at www.pws.co.uk

*** PLEASE NOTE** - Units are handed - Please insert order code with a L for left hand or a R for right hand, replacing the asterix e.g. left hand 450mm wide unit - KAS2LM450SCL.



STUDIO HEIGHT LEMANS



TO MAKE A STUDIO HEIGHT LEMANS

- Order 2 base unit LeMans II
- Order separate studio height axle
- Minimum internal height of 1050mm is required

Order code	Description
KLMSTUDIO	Axle for studio height, 1050mm, not extendable
KLMHASTUDIO	Extendable axle, 1330-1575mm




MOVEBOARD

OUR ENTRY
LEVEL
CORNER
SOLUTION



Right hand shown



FEATURES

Movement:

Each tray swings out independently

Door widths:

400mm, 500mm

Tray styles:

Silver

No. of trays:

2

Load capacity:

20kg per tray

Height adjustable trays:

No

Soft-close:

No

MINIMUM INTERNAL DIMENSIONS

DOOR WIDTH:	400mm	500mm
CAB WIDTH:	>764mm	>910mm
CAB DEPTH:	≥500mm	
CAB HEIGHT:	≥535mm	

FURTHER INFORMATION

Can be used below a drawer

TRAY STYLE

SILVER



- Powder coated trays
- No anti-slip trays

Order code	Door width
KMB400SILV*	400mm
KMB500SILV*	500mm

* PLEASE NOTE - Units are handed - Please insert order code with a L for left hand or a R for right hand, replacing the asterix e.g. left hand 400mm wide unit - KMB400SILVL

MAGIC CORNER



FEATURES

Movement:

Attached to the back of the door, both trays slide simultaneously for full corner access

Cabinet widths:

900mm - 1000mm

Tray styles:

Silver Classic, Chrome Classic, Chrome Arena, Chrome Style

No. of trays:

2 door trays and 2 internal trays

Load capacity:

14 kg door trays, 18kg internal trays


Height adjustable trays:

Yes

Soft-close:

Yes

MINIMUM INTERNAL DIMENSIONS



FURTHER INFORMATION

Can be used below a drawer (product height 525mm)



blum



CHOOSE FROM 4 TRAY STYLES

SILVER CLASSIC



- Powder coated wire trays

Order code	Description
KMCUSILV*	Swings left/right


CHROME CLASSIC



- Chrome wire trays

Order code	Description
KMCUSC*	Swings left/right

CHROME ARENA



- Chrome plated rail
- Anti-slip

**BEST
SELLER**

Order code	Description
KAMCUSC*	Swings left/right

CHROME STYLE



- Chrome plated bands
- Anti-slip

Order code	Description
KASMCUSC*	Swings left/right

FURTHER INFORMATION


* **PLEASE NOTE** - Units are handed - Please insert order code with a L for left hand or a R for right hand, replacing the asterix e.g. left hand - KMCUSCL.

CORNER CAROUSELS

1/2 CAROUSEL



- 15kg load capacity
- Classic and Arena
- Axle height: 525mm




* Needs a 497mm door

3/4 CAROUSEL




- 20kg load capacity
- Classic, Arena and Style
- Axle height: 640mm



FULL CAROUSEL



- 25kg load capacity
- Arena and Style
- Axle height: 685-735mm



CHOOSE FROM 4 TRAY STYLES

SILVER CLASSIC



- Powder coated wire trays

	Order code	Description
3/4 carousel	KWC270SILV	tray set 700mmØ

CHROME CLASSIC



- Chrome wire trays

	Order code	Description
1/2 carousel	KWC180C	tray set 750mmØ
3/4 carousel	KWC270C	tray set 700mmØ

CHROME ARENA



- Chrome plated rail
- Anti-slip

	Order code	Description
1/2 carousel	KSH180GC*	tray set 750mmØ
3/4 carousel	KSH270GC	tray set 700mmØ
Full carousel	KSH360GC	tray set 700mmØ

FURTHER INFORMATION

*The KSH180GC is supplied with a distance bracket providing 5mm packing between the corner post and axle.

CHROME STYLE



- Chrome plated bands
- Anti-slip

	Order code	Description
3/4 carousel	KASSH270GC	tray set 700mmØ
Full carousel	KASSH360GC	tray set 700mmØ

PLEASE NOTE

KASSH270GC can be fitted to an internal curve application



REVO 90

CORNER CAROUSEL FOR FOLDING DOORS



FEATURES

Movement:

Centre mounted, revolving folding doors

Cabinet widths:

900mm x 900mm

Tray styles:

Chrome Arena, Chrome Style

No. of trays:

2

Load capacity:

25kg per tray


Height adjustable trays:

Yes

Soft-close:

Yes

MINIMUM INTERNAL DIMENSIONS



FURTHER INFORMATION

Plinth or carcass need to be lowered by 20mm (shown in image)

CHOOSE FROM 2 TRAY STYLES

CHROME ARENA



- Chrome plated rail
- Anti-slip grey base

Order code	Cab width
KAREVO90SC	900mm

CHROME STYLE



- Chrome plated band
- Anti-slip grey base

Order code	Cab width
KASREVO90SC	900mm

BASE UNIT PULL-OUTS

Our base unit products provide cost effective, simple to fit solutions for areas which are typically problematic to view and access.

AMAZING
OVERVIEW

TRANSFORM
NARROW
SPACES

EVERYTHING
COMES OUT
TO YOU



blum



150mm BASE UNIT PULL-OUTS

How to maintain our chrome products:

- Never leave cleaning products to work for longer than necessary.
- Use a soft cloth to wipe off drops of water after each use.
- Remove any remnants of cleaning products quickly to avoid any damage.

BASE



TRAY



TOWEL



FEATURES

Use:

Transforms narrow spaces, great for use on either side of your sink or oven

Cabinet widths:

150mm

Tray styles:

Silver Classic, Chrome Classic, Anthracite Style, Arena Pure, Chrome Style

No. of trays:

3 versions – 2 trays/baking tray/towel holder and tray

Load capacity:

Base 12kg per tray

Tray 6kg per tray

Towel 10kg per tray

Height adjustable trays:

No

Soft-close:

Yes

FURTHER INFORMATION

Right-hand fixing. Tool-less adjustment of height, width and door angle located under the bottom tray

A DESIGNER'S
FRIEND

FITTING VIDEO
SCAN HERE



FRONT PANEL ADJUSTMENT

Adjust the door in every direction to achieve a perfect fit. This can be done without using a screwdriver.

FURTHER INFORMATION

Toolless 3D adjustment of height, width and door angle

Side adjustment

Tilt adjustment

Height adjustment



CHOOSE FROM 5 TRAY STYLES

SILVER CLASSIC



- Powder coated rail
- No 3D adjustment

Order code	Description
KTBP150SILV	Base pull-out
KTRBP150SILV	Towel pull-out

MINIMUM INTERNAL DIMENSIONS

Height 540mm | **Depth** 481mm | **Width** 112mm

CHROME CLASSIC



- Chrome plated rail

**BEST
SELLER**

Order code	Description
KBP150CH	Base unit pull-out
KTBP150C	Tray pull-out
KTRBP150C	Towel pull-out

MINIMUM INTERNAL DIMENSIONS

Height 540mm | **Depth** 481mm | **Width** 112mm

ANTHRACITE STYLE




- Powder coated band

Order code	Description
KSABP150A	Base unit pull-out
KSATBP150A	Tray pull-out
KSATRBP150A	Towel pull-out

MINIMUM INTERNAL DIMENSIONS

Height 540mm | **Depth** 481mm | **Width** 112mm

ARENA PURE



- Powder coated solid trays in anthracite

NEW

Order code	Description
KAPBP150A	Base unit pull-out

MINIMUM INTERNAL DIMENSIONS

Height 540mm | **Depth** 481mm | **Width** 112mm

CHROME STYLE



- Chrome plated band

Order code	Description
KASBP150CH	Base unit pull-out
KASTBP150C	Tray pull-out
KASTRBP150C	Towel pull-out

MINIMUM INTERNAL DIMENSIONS

Height 540mm | **Depth** 481mm | **Width** 112mm



300mm/400mm BASE UNIT PULL-OUTS



FEATURES

Use:

Optimal access to narrow base units with this centre mounted pull-out

Cabinet widths:

300mm, 400mm

Tray styles:

Silver Classic, Chrome Classic, Chrome Arena, Anthracite Style, Arena Pure, Chrome Style

No. of trays:

2

Load capacity:

24kg

Height adjustable trays:

Yes

Soft-close:

Yes

Soft-open:

No

FOR
BASE UNIT
PULL-OUT
ADD-ONS
SEE PAGE
4.38

MINIMUM INTERNAL DIMENSIONS

300mm - Height 631mm | **Depth** 480mm | **Width** 260mm

400mm - Height 631mm | **Depth** 480mm | **Width** 360mm

FURTHER INFORMATION

Additional trays available see page 4.10

Base Unit Pull-out and Larder trays are now compatible
See page 4.10 for tray dimensions

Why not add YouBoxx to your
Base Unit Pull-out? See page 4.39



FOR
500/600MM
BASE UNIT
PULL-OUTS
SEE PAGE
4.37

CHOOSE FROM 6 TRAY STYLES

SILVER CLASSIC



- Powder coated wire tray

Order code	Cab width
KBP300SILV	300mm

CHROME CLASSIC



- Chrome wire trays

Order code	Cab width
KBP300SC	300mm
KBP400SC	400mm

CHROME ARENA



- Chrome plated rail
- Anti-slip grey base

Order code	Cab width
KABP300SC	300mm
KABP400SC	400mm

ANTHRACITE STYLE



- Powder coated band
- Anti-slip anthracite base

Order code	Cab width
KSABP300A	300mm
KSABP400A	400mm

ARENA PURE



- Anthracite powder coated profiles
- Anti-slip anthracite base

Order code	Cab width
KAPBP300A	300mm
KAPBP400A	400mm

CHROME STYLE



- Chrome plated band
- Anti-slip grey base

Order code	Cab width
KASBP300SC	300mm
KASBP400SC	400mm



500mm/600mm BASE UNIT PULL-OUT



FEATURES

Use:

Optimal access to wider base units

Cabinet widths:

500mm, 600mm

Tray styles:

Chrome Arena, Anthracite Style

No. of trays:

1x big tray, 2x small trays, 1/2 YouBoXx Set 1

Load capacity:

24KG

Height adjustable trays:

Yes

Soft-close:

Yes

Soft-open:

No

FOR
300/400MM
UNITS
SEE PAGE
4.36

MINIMUM INTERNAL DIMENSIONS

Height 631mm | **Depth** 480mm | **Width** 460/560mm

FURTHER INFORMATION

No additional trays available

CHOOSE FROM 2 TRAY STYLES

CHROME ARENA



- Chrome plated rail
- Anti-slip grey base
- White YouBoXx Set 1

Order code	Cab width
KABP500SC	500mm
KABP600SC	600mm

ANTHRACITE STYLE



- Powder coated band
- Anti-slip anthracite base
- Anthracite YouBoXx Set 1

Order code	Cab width
KSABP500A	500mm
KSABP600A	600mm

BASE UNIT PULL-OUT ADD-ONS

KONFIGURE FOR 300MM



Konfigure by Kesseböhmer is a stunning contemporary and customisable storage system, offering complete versatility and flexibility. Manufactured in oak, Konfigure not only works in drawers (see section 6) but also in Base Unit Pull-Outs; offering both practical and attractive storage.

Our Konfigure oak inserts, add the finishing touch to your Kesseböhmer storage solution. They offer the perfect place to store those items used on a daily basis such as sugar, biscuits, tea and coffee, or your loose bits and bobs.



MULTIPURPOSE
BOX 3

Order code

TIMB211X236OA 211x236x110mm



MULTIPURPOSE
BOX 4

Order code

TIMBOX211OA 211x236x49mm



MULTIPURPOSE
BOX 5

Order code

TIMB211X117OA 211x117.5x90mm

PLASTIC TRAY INSERT



- For 300mm Classic trays, grey

Order code

KCTRAY300

Cab width

300mm

PUSH TO OPEN



- For more information see page 4.07

Order code

KPTOBA / KPTOBB / KPTOBC



BASE UNIT PULL-OUT

YOUBOXX FOR 300mm



Personalise your 300mm base unit pull-out with our YouBoXX sets.

Simply order a 300mm frame and choose Set 1 or Set 2. Each YouBoXX set comes with a traverse rail that can simply be hooked on a 300mm base pull-out.

YouBoXX sets and trays are fully compatible, allowing you to effortlessly swap them between your larder and your base units.



Available in Anthracite





blum



YOUR ORDERING OPTIONS

OPTION 1: SET 1 + TRAY



- Perfect for your breakfast items such as cereal, oils and spices

	Order code	Description
Set 1 Boxes	KUBOXX1	2 rails, 2x 1L box, 2x 2L box + slotted knife block, 1x 2.1L box, 2 lids
300mm frame	KBP300FO	For base unit pull-out (grey)
Additional tray	See page 4.10	Choice of 5 styles

OPTION 2: SET 2 + TRAY



- Perfect for storing your bottles and tins for cooking and baking

	Order code	Description
Set 2 Bottle holder	KUBOXX2	2x 3.2L, 1 dish with bottle railing, 6 dividers, 2 holders
300mm frame	KBP300FO	For base unit pull-out (grey)
Additional tray	See page 4.10	Choice of 5 styles

OPTION 3: SET 1 + 2



- Perfect for storing your bottles, oils and spices for easy access next to your hob

	Order code	Description
Set 1 Boxes	KUBOXX1	2 rails, 2x 1L box, 2x 2L box + slotted knife block, 1x 2.1L box, 2 lids
Set 2 Bottle holder	KUBOXX2	2x 3.2L, 1 dish with bottle railing, 6 dividers, 2 holders
300mm frame	KBP300FO	For base unit pull-out (grey)

BASE UNIT PULL-OUT

CLEANING UTENSIL BASKET



FEATURES

Use: The perfect solution for keeping cleaning accessories in one place

Cabinet widths:
300mm + width of hinges

Tray styles: White plastic with chrome railing

Load capacity: 24KG

Height adjustable trays: No

Soft-close: Yes

MINIMUM INTERNAL DIMENSIONS

Height 510mm | **Depth** 468mm
Width 285mm

FURTHER INFORMATION

Supplied with - 1x system base, 1x portable basket with handle, 1x portable basket without handle, 1x swivel basket, 8x dividers

Order code	Description
------------	-------------

KCUP274C	285mm wide + width of hinges
----------	------------------------------

ADJUSTABLE PULL-OUT TRAYS



FEATURES

Cabinet widths: 500mm, 600mm

Tray style: Classic

No. of trays: Sold in singles

Load capacity: 15kg per tray

Soft-close: No

MINIMUM INTERNAL DIMENSIONS

Height 80mm | **Depth** 493mm
Width 428mm/530mm

FURTHER INFORMATION

Suitable for 15mm and 18mm carcass materials. Each tray is supplied with runners, 2x distance angle brackets and door protection clips in metallic grey

Order code	Cab width
KAPB500CH	500mm
KAPB600CH	600mm

PULL-OUT CHROME TRAYS



FEATURES

Cabinet widths: 500mm, 600mm

Tray style: Classic

No. of trays: Sold in singles

Load capacity: 30kg per tray

Soft-close: Yes

Soft-open: No

MINIMUM INTERNAL DIMENSIONS

Height 127mm | **Depth** 500mm
Width 420mm/520mm

	Order code	Cab width
Tray, runner & bracket	KPD500BFEC	500mm
	KPD600BFEC	600mm
Tray with runner	KPD500FEC	500mm
	KPD600FEC	600mm

WALL STORAGE

If you're struggling to reach the highest parts of your wall cabinets, then Kesseböhmer has a number of solutions. Cleverly designed wall storage brings your cupboard contents within easy reach, to make life that little bit easier.

AMAZING
OVERVIEW

EVERYTHING
COMES OUT
TO YOU

EASY
ACCESS

IMPROVED
ERGONOMICS



blum



PULL DOWN SYSTEM FOR WALL UNITS



FEATURES

Use:

Improves the ergonomics of a wall unit by bringing the top shelf into easy reach

Cabinet widths:

500mm, 600mm, 900mm

Tray styles:

Grey or Anthracite

No. of trays:

1 shelf (single) or 2 shelves (double)

Load capacity:

8kg

Soft-close:

Yes

Soft-open:

No – but locks in stop position

POSSIBLE INSTALLATION DIMENSIONS (MM)

The iMove can be used with a hinged door or lifter.

Please see table below for possible installation measurements if your hinge protrusion is under/over 25mm.

	Dimensions (mm)	Hinged door	Hinged door	Lifters
Dimensions for single and double tray iMove	Hinge protrusion	< 25	> 25	
	Installation height, hinge	65	65	
	Installation depth, iMove	57	57	82
	Installation height, iMove	25	80	25
	Clear inside depth, carcass	270	270	295
Single Tray*	Min cab height	470	580	650
Double Tray*	Min cab height	710	770	710

*Heights vary with the individual installation measurements



SINGLE SHELF iMOVE



FURTHER INFORMATION

For perfect movement the product should be propped (4kg)

Order code	Cab width	Colour
KIMOVE500SA	500mm	anthracite
KIMOVE600SA	600mm	anthracite
KIMOVE900SA	900mm	anthracite
KIMOVE500SG	500mm	grey
KIMOVE600SG	600mm	grey
KIMOVE900SG	900mm	grey

PRODUCT DIMENSIONS

500mm:

Height 380mm

Depth 267mm

Width 465mm

600mm:

Height 380mm

Depth 267mm

Width 565mm

900mm:

Height 380mm

Depth 267mm

Width 865mm

CABINET DIMENSIONS



DOUBLE SHELF iMOVE



PLEASE NOTE

270mm internal depth required

Order code	Cab width	Colour
KIMOVE500DA	500mm	anthracite
KIMOVE600DA	600mm	anthracite
KIMOVE500DG	500mm	grey
KIMOVE600DG	600mm	grey
KIMOVE500DOA	500mm	anthracite, oak base & back
KIMOVE600DOA	600mm	anthracite, oak base & back

PRODUCT DIMENSIONS

500mm:

Height 565mm

Depth 267mm

Width 465mm


600mm:

Height 565mm


Depth 267mm

Width 565mm

CABINET DIMENSIONS



IMOVE EXTENSION HANDLE



Make those wall units even more accessible with the addition of an extension handle.

Order code	Description
KIMOVEHDLXT	iMove extension handle, 300x124x15mm

WALL UNIT STORAGE




YouK



Our latest wall storage solution YouK, can be used throughout the house. It's linear appearance and powder coated black finish provides a contemporary feel to any room.

Bespoke solutions can be achieved through YouK's wide range of different sized shelves and thicknesses.

STANDARD TECHNICAL REQUIREMENTS




Floor installation
1 foot per frame to work
around skirting board

STEP 1


Design your shelving system

Choose from 5 heights and 2 depths listed below.

200mm
depth




YouK1




YouK2

Each bracket
can hold 15kg
(shelf included)


15kg



320mm
depth




YouK3




YouK4

Freestanding or wall hanging?




Floor installation
1 foot per frame to work around
skirting board.




Wall installation
Screw through the frame and conceal
with the cover caps provided.

320mm
depth



YouK5




YouK6

STEP 2

Choose your UNITY shelving

Create bespoke shelving using our Unity door range. Available in a choice of finishes, you'll find the perfect match for your design.

For
320 frame depth,
use
289 shelf depth.




For
200 frame depth,
use
169 shelf depth.

THICKNESS	18mm
SUBSTRATE	MFC
FINISH	Woodgrain Effect / Feature - Melamine foil (textured finish)
REVERSE	Matching matt melamine colour/foil
CERTIFICATION	Fira Gold

WOODGRAIN EFFECT



CONCRETE FINISHES



SHELVING SIZE PARAMETERS

FOR 200mm DEPTH SHELVING

Length	Length
Min - 100mm	Max - 1197mm

FOR 320mm DEPTH SHELVING

Length	Length
Min - 100mm	Max - 1197mm

HOW-TO-ORDER SHELVING

The easiest way to order is on www.pws.co.uk

To order bespoke sizes follow the following steps:

STEP 1. Input bespoke prefix code:

Code	Description
***BESPOKE	Bespoke size door

***should be replaced with pre-fix of chosen door finish

Prefix Woodgrain effect finish

UXA	Character Graphite
UXA	Reclaimed Oak
UXA	White Halifax Oak
UXA	Natural Davos Oak
UXA	Sepia Gladstone Oak
UXA	Black Ash

Prefix Concrete finish

UXC	Brunswick Concrete
UXA	Hayward Concrete
UXA	Trellick Concrete

STEP 2. Choose shelf (set depth 169/289mm x length) (see length parameters as shown above)



*For orders placed before 12 noon,
Wednesday cut-off.

Made-to-Order lead-times
The lead-times for Made-to-Order are for guidance purposes only and always subject to manufacturing capacity. An accurate lead-time, in the form of a delivery date, will be confirmed with each individual order acknowledgement

Please contact your representative if you require detailed internal dimensions

Order code

Description

YOUK1	YouK shelving midway unit (height 668 - depth 200 mm), 1 piece, single packaging
YOUK2	YouK shelving midway unit (height 905 - depth 200 mm), 1 piece, single packaging
YOUK3	YouK shelving unit (height 550 - depth 320 mm), 1 piece, single packaging
YOUK4	YouK shelving unit (height 905 - depth 320 mm), 1 piece, single packaging
YOUK5	YouK shelving larder unit (height 1500 - depth 320 mm), 1 piece, single packaging
YOUK6	YouK shelving larder unit (height 2210 - depth 320 mm), 1 piece, single packaging
YOUKFOOT	YouK foot 20x20x150mm, 1 piece, single packaging

WALL UNIT STORAGE

THE CLIMBER



PRODUCT FEATURES

- Product guarantee: 2 years
- Cabinet supplied (glass shelves included)
- Cabinet is 373mm deep
- Electronic opening
- Lead time: 6 weeks

PLEASE NOTE

Additional lead-time will apply to these items, please enquire at time of ordering.

Climbers are non stock products.
For more information please contact us on 01325 505599

WALL MOUNTED CLIMBER



Available cabinet heights

650mm, 720mm, 780mm, 910mm

Available cabinet widths

600mm, 800mm, 900mm, 1000mm

Available glass colours

Translucent, black, white, translucent black

Available cabinet colours

White, stainless steel finish, black

TOP MOUNTED CLIMBER



Available cabinet heights

1130mm, 1260mm, 1390mm

Available cabinet widths

600mm, 800mm, 900mm, 1000mm

Available glass colours

Translucent, black, white, translucent black

Available cabinet colours

White, stainless steel finish, black

Climbers are equipped
with UK plug/socket



SPICE RACK



FEATURES

4 tier storage in heavy gauge chrome

Order code	Cab width
------------	-----------

KSR30C	300mm
--------	-------

KSR50C	500mm
--------	-------

FURTHER INFORMATION

Height 425mm | **Depth** 66mm | **Width** 202mm

Screw fixes to the back of the door at 191mm centres

Height 395mm | **Depth** 66mm | **Width** 436mm

Screw fixes to the back of the door at 426mm centres

LINERO TOWEL RAIL



FEATURES

Supplied with necessary fixing brackets and end caps

Order code	Description
------------	-------------

KLTRSS	Linero towel rail, stainless steel
--------	------------------------------------

DIMENSIONS

450mm x 16mmØ

Rail projection 50mm

VERTICAL WINE RACK



- Heavy gauge chrome wire
- For base or wall units
- Holds 5 or 15 standard bottles

Order code	Cab dimension
------------	---------------

KWR150C	5 tier wine rack, 150mm wide
---------	------------------------------

KWR5TC	5 tier wine rack, 296mm wide
--------	------------------------------

MINIMUM INTERNAL DIMENSIONS

Height 616mm | **Depth** 195mm | **Width** 110mm

Height 624mm | **Depth** 184mm | **Width** 260mm

WALL UNIT STORAGE

150MM WALL PULL-OUT



FEATURES

Use: Can also be used in a kitchen island

Cabinet width: 150mm

Tray styles: Classic

No. of trays: 2

Load capacity: 6kg per tray

Soft-close: Yes

Soft-open: No

Order code	Description
KWP150C	Wall pull-out, 150mm

MINIMUM INTERNAL DIMENSIONS

Height 470mm | **Depth** 270mm | **Width** 112mm

MODULAR OPEN UNIT



Open framed modular units, for use on walls, base or midway systems and suitable to personalise with an 18mm board on the shelves and back panel. (Board not supplied, 558/758 x 278 x 18mm). Supplied in kit format with full installation guidance enclosed with the product.

Powder coated black finish. Maximum Weight Capacity of 50kg.

Order code	Description
MSU600MB*	Modular open unit 360mm (H), 600mm (W), 320mm (D)
MSU800MB*	Modular open unit 360mm (H), 800mm (W), 320mm (D)

*discount from Section 1 applies

LIFTING SYSTEMS

The FREE lift family delivers silky smooth opening and closing action for wall units with a wide range of flap sizes and weights. The easy and harmonious movements are noiseless and effortless - which adds up to striking user benefits.



blum



LIFTING SYSTEMS

PLEASE NOTE


You will need to add 2x the weight of the handle used to that of your door

See www.pws.co.uk for handle weights

DOOR WEIGHTS IN KILOGRAMS

			Stanhope												
			Belsay	Broad oak	Ellerton	Fitzroy	Hunton	Lichfield	Milbourne	Mornington	Porter	Remo	Unity	Meldon/Langley/Bolan	Acomb/Henshaw/Whitfield
Front height	Code	Dimensions													
283	285	283x497mm	1.8	1.7	-	1.8	2.1	1.9	2.5	1.9	2.0	2.5	2.0	2.0	1.8
283	286	283x597mm	2.1	2.2	-	2.1	2.5	2.3	3.0	2.2	2.4	3.0	2.4	2.4	2.1
283	288	283x797mm	2.7	2.7	-	2.8	3.3	3.0	3.9	2.9	3.3	4.0	3.3	3.3	2.8
283	289	283x897mm	3.0	3.2	-	3.2	3.7	3.4	4.4	3.0	3.7	4.4	3.7	3.7	3.2
283	280	283x997mm	3.3	3.6	-	3.5	4.1	3.8	4.9	3.4	4.1	4.9	4.1	4.1	3.5
355	355	355x497mm	2.4	2.1	2.5	2.2	2.5	2.3	3.1	2.2	2.5	3.1	2.5	2.5	2.2
355	356	355x597mm	2.8	2.7	3.1	2.7	3.0	2.8	3.7	2.6	3.1	3.8	3.1	3.1	2.7
355	358	355x797mm	3.5	3.4	4.1	3.5	4.0	3.7	5.0	3.3	4.1	5.1	4.1	4.1	3.5
355	359	355x897mm	3.9	3.9	4.6	4.0	4.5	4.1	5.6	3.8	4.6	5.6	4.6	4.6	4.0
355	350	355x997mm	4.3	4.2	5.1	4.4	5.0	4.6	6.2	3.9	5.1	6.3	5.1	5.1	4.4
355	350FD	355x597mm			-		-	-			N/A	N/A	7.2	N/A	
450	456	450x597mm	3.2	3.0	-	3.4	3.8	3.4	4.0	2.8	3.9	4.8	3.9	3.9	3.4
490	496	490x597mm	3.3	3.4	4.2	3.7	4.1	3.7	4.4	3.0	4.2	5.2	4.2	4.2	3.7
570	575	570x497mm	3.4	3.2	-	3.5	4.0	3.6	4.2	2.9	4.1	5.1	4.1	4.1	3.5
570	576	570x597mm	3.9	4.0	-	4.3	4.7	4.3	5.1	3.4	4.9	6.1	4.9	4.9	4.3
715	716	715x597mm	4.9	4.9	6.2	5.3	5.8	5.3	6.4	4.0	6.4	7.9	6.4	6.4	5.3

IN-FRAME INSTRUCTIONS



FURTHER INFORMATION

FREEMINI, FREESWING AND FREESLIDE CAN ALSO BE USED WITH IN-FRAME DOORS.

PLEASE NOTE: you will need to know the height and weight of the door and add the weight of the handle used. You will also need to use a packer to build up to the frame of the door.



FREEmini



IDEAL FOR
KITCHENS,
BATHROOMS
AND LIVING
AREAS

- Small door compact lifter
- Multi-position stop
- Soft close

Order code

FREE/MINI/A

FREE/MINI/B

FREE/MINI/C

Description

Lifting mechanism

Lifting mechanism

Lifting mechanism

* Refer to table below for A, B and C weights

FURTHER INFORMATION

Height 167mm | **Depth** 107mm | **Width** 34mm


Cabinet Height 200 to 450mm

Cabinet Width up to 1200mm

PLEASE NOTE

**YOU WILL NEED TO ADD 2X THE WEIGHT OF THE HANDLE
USED TO THE WEIGHT OF YOUR DOOR.**

See the handle section for handle weights



FOR PWS
DOOR
WEIGHTS
SEE PAGE
4.51

LIFT DOORS FROM
0.7 TO 14.7KG

Front height (mm)	Weights (Kg)					
	Free Mini - A		Free Mini - B		Free Mini - C	
	Min	Max	Min	Max	Min	Max
200	1.7	4.6	3.7	7.9	6.8	14.7
225	1.5	4.1	3.1	7.1	6	13.1
250	1.3	3.8	2.9	6.4	5.4	11.8
275	1.2	3.3	2.5	5.7	4.8	10.6
300	1.1	3.1	2.4	5.1	4.4	9.6
325	1	2.8	2.1	4.6	4	8.8
350	0.9	2.6	2	4.2	3.7	8.1
375	0.9	2.3	1.9	3.8	3.5	7.5
400	0.8	2.1	1.7	3.6	3.2	7
425	0.7	1.9	1.5	3.4	2.9	6.5
450	0.6	1.7	1.4	3.2	2.7	6.1

LIFTING SYSTEMS

FREEspace

IDEAL FOR
KITCHENS,
BATHROOMS
AND LIVING
AREAS



ORDERING GUIDE

Step 1 – Select your lifter type according to your door height and weight

Step 2 – Decide whether you would like a handle door or push to open mechanism

Step 3 – Select order code depending on lifter type you require

FOR PWS
DOOR
WEIGHTS
SEE PAGE
4.51

- FREEspace can lift all of our door weights
- Radically reduced product space
- Smallest mounting depth
- Only 3 screws for easy and quick installation
- Integrated opening angle limiter
- Over time FREEspace will replace FREEmini (page 4.52)

APPLICATION WITH HANDLE

- 1 x fitting left
- 1 x fitting right
- with Kesseböhmer branding
- 4 x front screw with clip

Type	Colour	Order code
B	Grey/nickel	SPACE1
C	Grey/nickel	SPACE2
D	Grey/nickel	SPACE3
E	Grey/nickel	SPACE4
F	Grey/nickel	SPACE5

APPLICATION WITH PUSH TO OPEN

- 1 x fitting left
- 1 x fitting right
- with Kesseböhmer branding
- 1 x Push to open
- 4 x front screw with clip

Type	Colour	Order code
B	Grey/nickel	SPACEPTO1
C	Grey/nickel	SPACEPTO2
D	Grey/nickel	SPACEPTO3
E	Grey/nickel	SPACEPTO4


Door Height mm	Weights (Kg)				
	Type B	Type C	Type D	Type E	Type F
225	2.3 - 4.3	3.8 - 7.1	6.4 - 9.3	9.2 - 13.4	13.4 - 19.1
250	1.9 - 3.9	3.4 - 6.4	5.8 - 9.1	8.3 - 12.6	12.1 - 17.2
275	1.9 - 3.5	3.1 - 5.8	5.3 - 8.2	7.5 - 12	11.0 - 15.6
300	1.7 - 3.2	2.8 - 5.3	4.8 - 7.5	6.9 - 11	10.1 - 14.3
325	1.6 - 3.0	2.6 - 4.9	4.4 - 7.0	6.4 - 10.2	9.3 - 13.2
350	1.5 - 2.8	2.4 - 4.6	4.1 - 6.5	5.9 - 9.5	8.6 - 12.3
375	1.3 - 2.6	2.2 - 4.3	3.8 - 6.0	5.5 - 8.8	8.1 - 11.4
400	1.2 - 2.4	2.1 - 4.0	3.6 - 5.6	5.2 - 8.3	7.6 - 10.7
425	1.1 - 2.3	2.0 - 3.8	3.4 - 5.3	4.9 - 7.8	7.1 - 10.1
450	1.1 - 2.0	1.9 - 3.5	3.2 - 5.0	4.6 - 7.3	6.7 - 9.5
475	1.0 - 2.0	1.8 - 3.4	3.0 - 4.7	4.3 - 7.0	6.4 - 9.0
500	0.9 - 1.9	1.7 - 3.2	2.9 - 4.5	4.1 - 6.6	6.0 - 8.6
525	0.9 - 1.8	1.6 - 3.0	2.7 - 4.3	3.9 - 6.3	5.7 - 8.2
550	0.8 - 1.7	1.5 - 2.9	2.6 - 4.1	3.7 - 6.0	5.5 - 7.8
575	0.8 - 1.7	1.4 - 2.8	2.5 - 3.9	3.6 - 5.7	5.2 - 7.4
600	0.8 - 1.6	1.4 - 2.7	2.4 - 3.7	3.4 - 5.5	5.0 - 7.1
625	0.7 - 1.5	1.3 - 2.5	2.3 - 3.6	3.3 - 5.3	4.8 - 6.8
650	0.7 - 1.5	1.3 - 2.4	2.2 - 3.5	3.2 - 5.1	4.6 - 6.6

FREEswing



A STABILISATION
BAR IS REQUIRED
FOR EACH
MECHANISM
**ORDER
SEPARATELY
BELOW**

- Up and over lifter
- Medium to large doors
- Tool-less adjustment
- Easy installation
- Integrated damping system



PWS Doors	Door Heights	Weights	PWS Order Codes
Acomb, Belsay, Bolam, Broadoak, Hunton, Fitzroy, Henshaw, Langley, Lichfield, Meldon, Milbourne, Mornington, Porter, Remo, Unity, Whitfield	450mm high 450x597mm	3.2 - 6.1 kg	SWING3
Acomb, Belsay, Bolam, Broadoak, Ellerton, Fitzroy, Henshaw, Langley, Lichfield, Meldon, Milbourne, Mornington, Porter, Remo, Unity, Whitfield	500mm high 490x597mm	3.2 - 6.1 kg	SWING3
Acomb, Belsay, Bolam, Broadoak, Hunton, Fitzroy, Henshaw, Langley, Lichfield, Meldon, Milbourne, Mornington, Porter, Remo, Unity, Whitfield	570mm high 570x497mm	2.5 - 5 kg	SWING1
Acomb, Belsay, Broadoak, Hunton, Fitzroy, Henshaw, Lichfield, Mornington, Porter, Whitfield	570mm high 570x597mm	2.5 - 5 kg	SWING1
Bolam, Langley, Meldon, Milbourne, Remo, Unity	570mm high 570x597mm	5 - 10 kg	SWING4
Acomb, Belsay, Broadoak, Hunton, Ellerton, Fitzroy, Henshaw, Lichfield, Mornington, Porter, Unity, Whitfield	715mm high 715x597mm	3.2 - 6.5 kg	SWING2
Bolam, Langley, Meldon, Milbourne, Remo	715mm high 715x597mm	6.5 - 11.30 kg	SWING5


STABILISATION BAR FOR FREEswing AND FREEslide

Order code	Description
FREEBAR600	For 600mm unit
FREEBAR800	For 800mm unit
FREEBAR900	For 900mm unit
FREEBAR1000	For 1000mm unit



LIFTING SYSTEMS

FREEfold




- Bi-fold lifter
- Ideal for tall units
- Integrated damping system
- Easy installation
- Door connecting hinges are supplied

PWS doors	Door heights 2x355mm	Weights	PWS order codes
Acomb, Broadoak, Fitzroy, Henshaw, Lichfield, Mornington, Whitfield	2x355x497mm	3.6 - 6.1 kg	FOLD1
Belsay, Bolam, Ellerton, Hunton, Langley, Meldon, Milbourne, Porter, Remo, Unity	2x355x497mm	5.2 - 9.9 kg	FOLD2
	2x355x597mm	3.6 - 6.1 kg	FOLD1
Acomb, Belsay, Bolam, Broadoak, Ellerton, Fitzroy, Henshaw, Langley, Lichfield, Meldon, Milbourne, Mornington, Porter, Remo, Unity, Whitfield	2x355x597mm	5.2 - 9.9 kg	FOLD2
Acomb, Belsay, Broadoak, Fitzroy, Henshaw, Lichfield, Mornington, Whitfield	2x355x797mm	5.2 - 9.9 kg	FOLD2
Bolam, Ellerton, Hunton, Langley, Meldon, Milbourne, Porter, Remo, Unity	2x355x797mm	7.6 - 14.5 kg	FOLD3
Belsay, Broadoak, Mornington	2x355x897mm	5.2 - 9.9 kg	FOLD2
Acomb, Bolam, Ellerton, Fitzroy, Henshaw, Langley, Lichfield, Meldon, Milbourne, Porter, Remo, Unity, Whitfield	2x355x897mm	7.6 - 14.5kg	FOLD3
Broadoak, Mornington	2x355x997mm	5.2 - 9.9 kg	FOLD2
Acomb, Bolam, Belsay, Ellerton, Fitzroy, Henshaw, Langley, Lichfield, Meldon, Milbourne, Porter, Remo, Unity, Whitfield	2x355x997mm	7.6 - 14.5 kg	FOLD3

FREEfold ELECTRONIC TOUCH OPENING



**JUST PUSH THE DOOR
FOR SMOOTH AUTOMATIC OPENING**



Order code	Description
EFOLD	Electronic touch opening

- Can be retro-fitted
- Safety stop
- Operating voltage 24V



blum



FREEslide

FOR PWS
DOOR
WEIGHTS
SEE PAGE
4.51



- Can be used as a Microwave lifter
- Door will stop securely in any position
- Can lift doors 2.60 - 5.50 kg
- Useable cabinet heights: 430 - 600mm
- Lifts the door 470mm

Order code	Description
SLIDE	Out and up lifter

FURTHER INFORMATION

Freeslide requires a stabilisation bar for each mechanism
Order separately FROM PAGE 4.54

DUO



- Flap stay
- Slide down gently
- Easy clip-on fitting
- Non-handed

Order code	Description
FSU	Universal flap stay

FREElight



- Left or right side
- Easy installation
- One lifter required
- Kitchens, bathrooms and living areas

Order code	Description
FREELIGHT	Freelight B

GREAT VALUE AT AN
ATTRACTIVE PRICE

	90° Opening Angle		110° Opening Angle	
	Weights (kg)		Weights (kg)	
Front Height (mm)	Min	Max	Min	Max
275	3,5	6,0	2,6	4,3
300	3,5	6,0	2,6	4,3
350	3,5	6,0	2,6	4,3
400	3,5	6,0	2,6	4,3
450	3,5	6,0	2,6	4,3
500	3,5	6,0	2,6	4,3
550	3,5	6,0	2,6	4,3
600	3,5	6,0	2,6	4,3

PLEASE NOTE: you can use 2 mechanisms to double the weight capacity

TOP FLAP STAYS AND LIFTERS

MICROWAVE DOOR HINGE KIT



- Opens upwards
- 2 gas operated springs
- Max door weight 4kg

FURTHER INFORMATION

Useable cabinet width

= Internal width - 2x fitting width (BW)

Useable cabinet height

= Internal height - fitting height (BH)

PLEASE NOTE When applying the hinge to a wall cabinet, note that the internal depth required is 220mm minimum. Standard cabinet hanging brackets may be unsuitable. When the door is opened the finishing height is 370mm above its original position.

Order code

Spring mechanism

KMHS

Microwave door hinge, 2 gas springs
450-600mm units


KMHPISTON

Microwave Hinge - Piston

	Dimensions for installation, inside the cabinet			Space requirement for fitting	
	Width	Min depth	Min height	Width (BW)	Height (BH)
KMHS	411-570mm	220mm	320mm	35mm	40mm

WORKTOP EXTENDERS

MIXER LIFT (WORKTOP EXTENDER)



FEATURES

Use: A versatile system to support appliances on a horizontal surface

Internal carcass width: 410-570mm

Load capacity: 12kg

FURTHER INFORMATION

Useable height 290mm

PLEASE NOTE

Timber top not supplied

Order code	Description
KMLW	Mixer lift

PULL-OUT TABLE



- Extra working space
- Extends to 810mm flush
- Minimum cab depth 500mm

FEATURES

Movement: Table extends to 810mm and the sections sit flush

Load capacity: 30kg

Minimum cabinet depth: 500mm

Cabinet width: 600mm when ordering TTFTM

Possible cabinet widths: 450-900mm (KTFTM)

Table top TTFTM

Dimensions: 545mm wide | 844mm long

FURTHER INFORMATION

- Grey surface with PVC edges
- Other materials and various widths can be used for the table top
- Surface thickness 15-19mm

Order code	Description
KTFTM	Mechanism for pull-out table
TTFTM	Table top, 600mm unit, grey

DRAWER ORGANISER

SpaceFlexx


For those who are forever losing their tupperware lids.
Organise tupperware with our latest flexible storage solution - SpaceFlexx.



Available to use in
any drawer from
600mm width



A drawer without the
use of SpaceFlexx



A drawer with the
use of SpaceFlexx



Order code	Description
SPACEFLEXX	SpaceFlexx, kitchen utensil organiser (drawer width from 600mm)

MINIMUM INTERNAL DIMENSIONS
Height 130mm | Depth 422 | Width 472/520mm

4.59 Your one-stop-shop - www.pws.co.uk

PANTRY ACCESSORIES


BUTLER'S PANTRY DOOR RACK



Door rack available in natural or washed oak finish. The rack has 5 shelves each with a wooden rail to prevent items falling from the shelf when the pantry door is opened.

DIMENSIONS

We recommend using 4 hinges per door.
Sold singularly.




Order code	Description
DRBP	Butler's pantry rack, natural oak, 1050mm (H) x 353mm (W) x 106mm (D)
DRBP/W	Butler's pantry rack, washed oak, 1050mm (H) x 353mm (W) x 106mm (D)

PANTRY TRAIN



Pantry train designed for use inside a 1000mm pantry and when moved across the cabinet it allows easy access to the rear of the pantry.



Order code	Description
SHSLT1000	In-frame Shaker sliding train for 1000mm cabinet, oak

*discount from Section 1 applies

Online support: support.kesseboehmer.world/en/

E: sales-support@pws.co.uk T: 01325 505599

4.60



HELPING YOU SELL MORE

END CONSUMER STORAGE MAGAZINE




Our new Beautiful On The Inside consumer magazine showcases the very best internal solutions to your customers. Full of handy hints and tips, this easy to read magazine shows consumers the real benefits of investing in storage solutions when designing their kitchen.

Order code

STORAGEBRO20


KONFIGURE BY KESSEBÖHMER POINT OF SALE



These printed drawer inserts allow consumers to visualise how Konfigure would look and work in their kitchen. Illustrating 600, 800, 900 & 1000mm shallow drawer sets, they fit 450mm deep Blum Legrabox and Tandembbox drawers.

Order code	Description
INSERTDS600	600mm wide drawer
INSERTDS800	800mm wide drawer
INSERTDS900	900mm wide drawer
INSERTDS1000	1000mm wide drawer

“OPEN ME” BEAUTIFUL ON THE INSIDE SHOWROOM STICKERS



Available in black and white designs to complement your displays, these stickers are a subtle but effective way of highlighting where internals are situated in your showroom.

6 x white and 6 x black stickers with 1 x USB pen

Order code

KESSESTICKERS

PROMOTIONAL PACK



Want to order them all? Order our complete Kesseböhmer storage promotional pack that includes the following:

- 20 x Beautiful On The Inside end consumer storage magazines
- 5 x Kesseböhmer specification and price guides
- 5 x Konfigure printed shallow drawer inserts - 600, 800, 900 & 1000mm wide
- 1 x pack of showroom stickers
- 1 x Kesseböhmer USB stick featuring consumer storage videos for your showroom

Order code

STORAGEPOS



blum



PROMOTIONAL DISPLAY RAILS



- Effective display of door samples
- Chrome finished rails
- Packs of 10
- Left and right hand versions

Order code	Description
KDRLH	Left hand, pack of 10
KDRRH	Right hand, pack of 10

KESSEBÖHMER STORAGE TINS

SET 1



SET 2



Order code	Description
KMTIN/24	A box contains 24 tins in two designs

Order code	Description
KMTIN/12	A box contains 12 tins in two designs

Kesseböhmer Support Homepage

- Fitting videos/instructions
- Technical data sheets
- Technical drawings

<https://support.kesseboehmer.world/en/>

How to maintain our chrome products:

- Never leave cleaning products to work for longer than necessary.
- Use a soft cloth to wipe off drops of water after each use.
- Remove any remnants of cleaning products quickly to avoid any damage.