













LIGHTING & ELECTRICAL ACCESSORIES

The importance of lighting	01
Smart Drivers	03
Drivers and accessories	04
Series 1	05
Cabinet lighting	09
Under cabinet strip lighting	15
Flexible strip lighting	16
Aluminium profile	21
Plinth lighting	23
Drawer & shelf lighting	25
Pendant lighting	28
Remotes, sensors & dimmers	29

ELECTRICAL ACCESSORIES

SensioPods	31
Evoline socket ports	32
Evoline backflip	33

KEY TO ICONS USED

									
Cool/ Natural/ Warm LED Colour	Dimmer	110°	1.5 metres	2 per m	Bedroom light can be fitted after installation.	Prismatic LED technology™	Built-in IR sensor switch	3-in-1 colour TrioTone™ light	RGB colour light



CCT – A seamless cycle through the full spectrum of temperatures from cool to natural white, then from natural to warm white. Mimic outside lighting conditions - scientifically proven to have a positive impact on our health.

For more information on all Sensio products visit:
www.sensio.co.uk



SENSIO PRODUCTS FOR EVERY AREA OF THE KITCHEN...



- A Under cabinet spot lighting
- B Under cabinet strip lighting
- C Interior cabinet lighting
- D Flexible strip lighting
- E Plinth lighting

- F Drawer/shelf lighting
- G SensioPods
- H Sensors and controllers
- I Smart home



THE IMPORTANCE OF KITCHEN LIGHTING

Lighting is no longer just a kitchen accessory, it's a necessity. Transform your kitchen designs by incorporating a lighting scheme in the initial design stages.

TITAN SMART DRIVER

Compatible with Alexa and Google Assistant smart technology software



Key Features

- Compatible with Amazon Alexa and Google Assistant enabling voice-controlled activation
- Use in conjunction with the Link Sensio Smart Phone App (download for free on both iOS and Android smart devices)
- Inconspicuous, slimline design - 16mm depth
- Slim enough to fit in the void behind kitchen wall cabinets or hidden on top
- Integrated JB4 ports
- Protection from short circuiting, overloading and electrical surge
- Available in both 15W and 30W kits
- Mains voltage - 198-264V
- 2m mains lead cable

Code	Description
SE405581.1	15w Smart Driver Single colour 5 channel
SE405582.1	15w Smart Driver CCT 3 channel
SE405591.1	30w Smart Driver Single colour 5 channel
SE405592.1	30w Smart Driver CCT 3 channel



DRIVERS AND ACCESSORIES

In order to power Sensio light fittings the following drivers are required. Each driver's main cable length is 1.5m. It is important to note that our drivers have a limited number of ports to connect your lights to. For example a driver with 6 ports is limited to a maximum of 6 lights.

Each driver can run a number of lights. Simply divide the wattage of the driver by the wattage of a single light and this will tell you exactly how many lights can be run by the driver.

Example: 15W driver with 3W lights, $15 / 3 = 5$ lights

HD LED
LINK Cable, 2.5m



Code	Description
SE9009	HD LED Link Cable

TITAN 6W/24V
Low Profile Driver



Code	Power	Description
SE490950	6W	Driver with 4 ports

TITAN 15W/24V
Low Profile Driver



Code	Power	Description
SE491950	15W	Driver with 6 ports

TITAN 30W/24V
Low Profile Driver



Code	Power	Description
SE492950	30W	Driver with 6 ports

TITAN 60W / 24V
DIMMABLE DRIVER



Code	Description
SE40699	60W Driver with 10 port JB4 distributor

SERIES 1

SENSIO SERIES 1


is simplicity without the compromise.

- It's a range of simple, high quality lights.
- One LED colour available - Natural White.
- One finish available for each light.
- One pack size.

1 Velos | 2 Treos | 3 Plaza | 4 Axis | 5 Dart | 6 Iris | 7 Zeta

SERIES 1 COLLECTION INCLUDES...

VELOS Under Cabinet LED Spot Light



- LED technology for long service life
- Energy saving (good lumens per watt ratio)
- Ideal for under cabinet lighting
- Can be used with a range of Sensio switches and dimmers
- High light output
- Elongated design allows for vast spread of light across worktop
- Magnetic mounting plate, no visible screws
- Brushed Aluminium finish
- Plug and driver included in packs only



	Code	Wattage	Voltage	Qty	Driver	LED Colour
SINGLE	SE11092N0	5W	24V	1	Required	Natural White
PACK	SE11092N3	15W	24V	3	15W included	Natural White

ACCESSORIES

Code	Description
SE9009	HD LED Link Cable - 2.5m - Extends the cable on fitting. This extension cable can be used with all products which are run via a driver

Code	Description
SE490950	6W Driver with 4 ports
SE491950	15W Driver with 6 ports
SE492950	30W Driver with 6 ports
SE40699	60W Driver with 10 ports



AXIS 240V Under Cabinet LED Strip Light



- LED technology for long life
- Energy saving (good lumens per watt ratio)
- Ideal for under cabinet lighting
- On/off switch
- Alternative to T5 (fluorescent) with no visible LED's
- No driver required




	Code	Description	Wattage	Voltage	Qty	LED Colour
SINGLE	SE10099N0	623mm Axis	16W	240V	1	Natural White
SINGLE	SE10079N0	524mm Axis	8W	240V	1	Natural White
SINGLE	SE10029N0	343mm Axis	5W	240V	1	Natural White
SINGLE	SE10019N0	222mm Axis	3W	240V	1	Natural White

ACCESSORIES

Code	Description
SE9009	HD LED Link Cable - 2.5m - Extends the cable on fitting. This extension cable can be used with all products which are run via a driver
SE101290	Axis connecting cable 500mm
SE101190	Axis connecting cable 250mm

PLAZA Square Prismatic™ LED light



- Easy to use and install
- Ideal for under cabinet lighting
- LED technology for long life
- Energy saving (good lumens per watt ratio)
- Diffused light (no visible dots)
- Bright output
- Aluminum finish
- Dimmable
- Magnetic bezel hides fixings
- Plug and driver included in packs only



	Code	Wattage	Voltage	Qty	Driver	LED Colour
SINGLE	SE11090N0	3.6W	24V	1	Required	Natural White
PACK	SE11090N3	10.8W	24V	3	15W included	Natural White


ACCESSORIES

Code	Description
SE9009	HD LED Link Cable - 2.5m - Extends the cable on fitting. This extension cable can be used with all products which are run via a driver



SERIES 1

IRIS LED Plinth Light



- Easy to use and install
- Ideal for use on kitchen plinth or bathroom (zone2)
- LED technology for long life
- Energy Saving (good lumens per watt ratio)
- Fittings can be daisy chained for simple installation
- Available individually or as a pack of 4 including Sensio's Titan low profile driver and 3pin plug
- Chrome finish
- Plug and driver included in packs only




	Code	Wattage	Voltage	Qty	Driver	LED Colour
SINGLE	SE15990N0	0.32W	24V	1	Required	Natural White
PACK	SE15990N4	1.28W	24V	4	6W included	Natural White

ACCESSORIES

Code	Description
SE9009	HD LED Link Cable - 2.5m - Extends the cable on fitting. This extension cable can be used with all products which are run via a driver

DART 5m LED Flexible Strip



- LED Technology for long life
- Energy Saving (good lumens per watt ratio)
- Easy to install
- Ideal for any kitchen design
- Dimmable
- Self Adhesive VHB Tape (Very High Bond)
- High Lumens per watts
- Cuttable at every 100mm & reusable
- 5m length
- Sensio Plug and Play system eliminates the possibility of wrongly connecting the strip.
- Plug and driver included in packs only



	Code	Wattage	Voltage	Qty	Driver	LED Colour
SINGLE	SE10355N0	3.6W per meter	24V	1	Required	Natural White
PACK	SE10355N1	3.6W per meter	24V	1	30W included	Natural White


ACCESSORIES

Code	Description
SE9009	HD LED Link Cable - 2.5M - Extends the cable on fitting. This extension cable can be used with all products which are run via a driver
SE101080*	Driver Connection Cable - 2.5M. *Required to run the Dart LED Flexible Strip

Code	Description
SE490950	6W Driver with 4 ports
SE491950	15W Driver with 6 ports
SE492950	30W Driver with 6 ports
SE40699	60W Driver with 10 ports



TREOS Triangle LED Under Cabinet Light



- Easy to use and install
- LED technology for long life
- Energy saving (good lumens per watt ratio)
- Diffused light (no visible dots)
- Plug and Play (Quick release connector)
- Stainless steel finish



	Code	Wattage	Voltage	Qty	Driver	LED Colour
SINGLE	SE11290N0	2W	24V	1	Required	Natural White
PACK	SE11290N3	6W	24V	3	6W included	Natural White

ACCESSORIES

Code	Description
SE9009	HD LED Link Cable - 2.5m - Extends the cable on fitting. This extension cable can be used with all products which are run via a driver

ZETA LED Surfaced/Recessed Under Cabinet Light



Recessed shown


- Easy to use and install
- LED Technology for long life
- Energy saving (superb lumens per watt ratio)
- Diffused light (no visible dots)
- Fitting supplied with collar for surface mounting
- Plug and Play (Quick release connector)
- Stainless steel finish
- Plug and driver included in packs only



	Code	Wattage	Voltage	Qty	Driver	LED Colour
SINGLE	SE11190N0	2W	24V	1	Required	Natural White
PACK	SE11190N3	6W	24V	3	6W included	Natural White


ACCESSORIES

Code	Description
SE9009	HD LED Link Cable - 2.5m - Extends the cable on fitting. This extension cable can be used with all products which are run via a driver



CABINET LIGHTING

BERMUDA TRIOTONE LED Triangle Light



- 1 light - 3 colour temperatures with easy access switch
- Cable can be unplugged from the back of the fitting via quick-release connector
- Diffused Light
- Luminous efficacy of 79-91 lm/W
- Stainless Steel finish




	Code	Wattage	Voltage	Qty	Driver	LED Colour
SINGLE	SE21000	2W	24V	1	Required	Cool/Natural/Warm
PACK	SE21000K3	6W	24V	3	6W included	Cool/Natural/Warm

ACCESSORIES

Code Description

SE9009 HD LED Link Cable - 2.5m - Extends the cable on fitting. This extension cable can be used with all products which are run via a driver

BERMUDA LED Triangle Light



- Traditional look, modern solution
- Stainless steel fitting great for both contemporary and traditional kitchens
- Luminous efficacy of 80 lm/W
- Can be used with a range of Sensio switches and dimmers



	Code	Wattage	Voltage	Qty	Driver	LED Colour
SINGLE	SE90010C0	2W	24V	1	Required	Cool White
SINGLE	SE90010W0	2W	24V	1	Required	Warm White
PACK	SE90010C3	6W	24V	3	6W included	Cool White
PACK	SE90010W3	6W	24V	3	6W included	Warm White


ACCESSORIES

Code Description

SE9009 HD LED Link Cable - 2.5m - Extends the cable on fitting. This extension cable can be used with all products which are run via a driver

Code	Description
SE490950	6W Driver with 4 ports
SE491950	15W Driver with 6 ports
SE492950	30W Driver with 6 ports
SE40699	60W Driver with 10 ports

HYPE TRIOTONE - LED Surface/Recessed Light



- 1 light - 3 colour temperatures
- Cable can be unplugged from the back of the fitting via quick-release connector
- Easy to use, simply move the switch on the back of the fitting to desired temperature
- Diffused light
- Luminous efficacy of 79-91 lm/W




	Code	Wattage	Voltage	Qty	Driver	Led Colour
SINGLE	SE21100	2W	24V	1	Required	Cool/Natural/Warm
PACK	SE21100K3	6W	24V	3	6W included	Cool/Natural/Warm

ACCESSORIES

Code	Description
SE9009	HD LED Link Cable - 2.5m - Extends the cable on fitting. This extension cable can be used with all products which are run via a driver

HYPE - LED Surface/Recessed Light



- Stainless steel fitting great for both contemporary and traditional kitchens
- Luminous efficacy of 80 lm/W
- Using as task lighting or illuminate cabinet interiors with glass fronted wall units
- Can be used with a range of Sensio switches and dimmers




	Code	Wattage	Voltage	Qty	Driver	LED Colour
SINGLE	SE90050C0	2W	24V	1	Required	Cool White
SINGLE	SE90050W0	2W	24V	1	Required	Warm White
PACK	SE90050C3	6W	24V	3	6W included	Cool White
PACK	SE90050W3	6W	24V	3	6W included	Warm White

ACCESSORIES

Code	Description
SE9009	HD LED Link Cable - 2.5m - Extends the cable on fitting. This extension cable can be used with all products which are run via a driver

CABINET LIGHTING

NEXUS TRIOTONE -LED Triangle Light



- Stylish stainless steel triangular design
- Stainless steel finish
- Ideal for under cabinet lighting
- TrioTone™ technology allows you to select cool white, natural white or warm white with a flick of the switch on the back fitting
- Fully diffused - no visible dots
- Simple to install
- Dimmable



	Code	Wattage	Voltage	Qty	Driver	LED colour
SINGLE	SE11090T0	2W	24V	1	Required	Cool/Natural/Warm White
PACK	SE11090T3	6W	24V	3	6W included	Cool/Natural/Warm White

ACCESSORIES

Code Description

SE9009 HD LED Link Cable - 2.5m - Extends the cable on fitting. This extension cable can be used with all products which are run via a driver

MAGNUM - Rechargeable Battery Light



- Quick and simple to install. No wiring required
- Magnet mounted with a mini USB port to make charging as simple as possible
- Diffuser conceals all visible LED points
- Very versatile light suitable for installation in a variety of locations
- PIR motion sensor switch to control light
- Comes with USB charging lead



	Finish	Code	Wattage	Voltage	Qty	LED Colour
SINGLE	Chrome	SE3301N0	0.4W	5V	1	Cool White
SINGLE	Stainless Steel	SE3300N0	0.4W	5V	1	Cool White

Code	Description
SE490950	6W Driver with 4 ports
SE491950	15W Driver with 6 ports
SE492950	30W Driver with 6 ports
SE40699	60W Driver with 10 ports

PINTO - LED Flat Disc Light



- Discreet fitting, only 6mm deep
- Can be used under kitchen cabinets as a task light or inside glass fronted wall units as mood lighting
- 16 integrated LEDs
- Each fitting runs at only 1.5W so 4 fittings can be run from a single 6W driver
- Simple to install, surface mount using 2 screws




	Code	Wattage	Voltage	Qty	Driver	LED Colour
SINGLE	SE10138WW.24	1.5W	24V	1	Required	Warm White
PACK	S10138WWK3.24	4.5W	24V	3	6W included	Warm White

ACCESSORIES

Code	Description
SE9009	HD LED Link Cable - 2.5m - Extends the cable on fitting. This extension cable can be used with all products which are run via a driver

ARK - LED Under Cabinet Light



- An elongated design offers a vast spread of light across worktops
- Fully diffused lens - no visible dots
- Removable front bezel provides simple installation, hidden fixings and a sleek finish
- High number of LEDs for bright light output
- Easy installation using daisy chaining to fit multiple lights into one area
- Stainless steel finish
- Dimmable




	Code	Wattage	Voltage	Qty	Driver	LED Colour
SINGLE	SE11192CO	2.5W	24V	1	Required	Cool White
SINGLE	SE11192WO	2.5W	24V	1	Required	Warm White

ACCESSORIES

Code	Description
SE9009	HD LED Link Cable

CABINET LIGHTING

ARCADE - LED Spot Light with Interchangeable Bezels Light



- A contemporary, slimline, under cabinet spot light
- Adapts to suit multiple kitchen designs with the three coloured bezels supplied - black, white and stainless steel - to easily select and change the look of the fitting
- Removable, magnetic bezel conceals fixings for a sleek finish
- Innovative etched design completely diffuses light - no visible dots
- Superb lumen output for a flood of light
- Dimmable




	Code	Wattage	Voltage	Qty	Driver	LED Colour
SINGLE	SE11095C0	3.6W	24V	1	Required	Cool White
SINGLE	SE11095W0	3.6W	24V	1	Required	Warm White
PACK	SE11095C3	10.8W	24V	3	15W included	Cool White
PACK	SE11095W3	10.8W	24V	3	15W included	Warm White

ACCESSORIES

Code	Description
SE9009	HD LED Link Cable - 2.5m - Extends the cable on fitting. This extension cable can be used with all products which are run via a driver

NEO - LED Under Cabinet Light



- An elongated light panel to create a wide spread of light across the worktop
- Contains an innovative diffuser with an etched design to completely diffuse the light
- No visible diodes reflect off the worktop
- Superb, bright light output - CRI:90
- Dimmable
- Removable, magnetic front bezel simplifies installation and hides fixings
- Plug & Play connection
- Slim depth of just 10mm



	Code	Wattage	Voltage	Qty	Driver	LED Colour
SINGLE	SE11590C0	4.8W	24V	1	Required	Cool White
SINGLE	SE11590W0	4.8W	24V	1	Required	Warm White
PACK	SE11590C3	14.4W	24V	3	15W included	Cool White
PACK	SE11590W3	14.4W	24V	3	15W included	Warm White


ACCESSORIES

Code	Description
SE9009	HD LED Link Cable - 2.5m - Extends the cable on fitting. This extension cable can be used with all products which are run via a driver

DRIVERS REQUIRED	Code	Description
More information Page 8.04	SE490950	6W Driver with 4 ports
	SE491950	15W Driver with 6 ports
	SE492950	30W Driver with 6 ports
	SE40699	60W Driver with 10 ports



ARK TRIOTONE - LED Under Cabinet Light



- An elongated design offers a vast spread of light across worktop
- TrioTone™ technology allows you to select cool white, natural white or warm white with a flick of the switch on the back fitting
- Removable front bezel provides simple installation, hidden fixings and a sleek finish
- Fully diffused lens - no visible dots
- High number of LEDs for bright light output - CRI : 90
- Easy installation using daisy chaining to fit multiple lights into one area
- Dimmable



	Code	Wattage	Voltage	Qty	Driver
SINGLE	SE11192T0	2.5W	24V	1	Required
PACK	SE11192T3	7.5W	24V	3	15W included

ACCESSORIES

Code	Description
SE9009	HD LED Link Cable - 2.5m - Extends the cable on fitting. This extension cable can be used with all products which are run via a driver




blum



CABINET LIGHTING

ASTRO TRIOTONE - LED Under Cabinet Light



- Super slimline design
- Brushed aluminium
- Magnetic mounting plate conceals fixings for a clean finish
- Ideal for under cabinet lighting
- TrioTone™ technology allows you to select cool white, natural white or warm white with a flick of the switch on the back fitting
- Elongated design allows for vast spread of light across the worktop
- Suberb light output - CRI : 90
- Wide, 120° beam angle eliminates dark areas
- Simple to install
- Dimmable



	Code	Wattage	Voltage	Qty	Driver	LED Colour
SINGLE (S)	SE11190T0	4.8W	24V	1	Required	Cool/Natural/Warm White

ACCESSORIES



Code	Description
SE9009	HD LED Link Cable - 2.5m - Extends the cable on fitting. This extension cable can be used with all products which are run via a driver

UNDER CABINET STRIP LIGHTING

CONNEX TRIOTONE - Colour Changeable LED Strip Light



- The colour changeable alternative to the LED with no visible diodes
- Easily interchangeable between warm, natural and cool white
- Extremely high light output for effective task lighting
- Mains fitting for simple installation



	Code	Wattage	Voltage	Qty	Length	LED Colour
SINGLE	SE100390	3W	240V	1	222mm	Cool/Natural/Warm White
SINGLE	SE100490	5W	240V	1	343mm	Cool/Natural/Warm White
SINGLE	SE100590	9W	240V	1	524mm	Cool/Natural/Warm White
SINGLE	SE100690	12W	240V	1	623mm	Cool/Natural/Warm White

ACCESSORIES


Code	Description
SE101290	Connex connecting cable 500mm
SE101190	Connex connecting cable 250mm

FLEXIBLE STRIP LIGHTING

**DRIVERS
REQUIRED**
More
information
Page 8.04

Code	Description
SE490950	6W Driver with 4 ports
SE491950	15W Driver with 6 ports
SE492950	30W Driver with 6 ports
SE40699	60W Driver with 10 ports

ION 8 CCT - LED Flexible Strip Light



- Successor to the popular DuoFlex flexible strip, Ion 8 is the new and improved CCT flexible strip
- Over four times the number of LEDs per metre than its predecessor, Ion 8 greatly reduces the appearance of visible LEDs providing a premium light output
- Correlated Colour Temperature (CCT) allows the perfect light temperature selection and transition from warm to cool white temperatures
- Can be cut to length (every 50mm) and the whole reel can be utilised with the Ion Joining Clips (sold separately)
- Supplied with pre-soldered, 1.5m driver connection cables with a JB4 connectors at each end of the strip
- Compatible with Sensio CCT receiver and Universal Remote Control to control and dim the lights




- VHB (Very High Bond) adhesive tape backing for secure installation
- Supplied in a 5m reel

	Code	Wattage	Voltage	Qty	Length	Driver	LED Colour
SINGLE	SE10855PO	30W	24V	1	5m	Required	Correlated Colour Temperature (CCT)
PACK	SE10855P1	30W	24V	1	5m	✓30W driver, CCT Receiver & Remote Control included	Correlated Colour Temperature (CCT)
PACK	SE10855PS1	30W	24V	1	5m	✓30W Smart Driver included	Correlated Colour Temperature (CCT)

ACCESSORIES

Code	Description
SE111990	ION8 Joining clip
SE106990	50mm ION8 corner connector
SE106790	1.5m interconnecting lead
SE770390	Universal remote Control
SE771990	CCT Receiver
SE113990	2.5m Driver Connection cable

UNIVERSAL REMOTE CONTROL



- The remote can control single colour lighting (dimming), CCT (tunable white) and RGB (colour changing) lights
- Offers a multitude of functions including the ability to set up channels and zone lighting
- Wall mounting bracket provided to keep the remote safe and secure when not in use
- Requires 2x AAA batteries (not included)
- Use in conjunction with the appropriate receiver for the chosen lights.


Code	Qty	Power
SE770390	1	Requires 2x AAA batteries (not included)

Compatible receivers

Code	Description
SE772990	White light (single colour) receiver
SE770990	Adjustable RGB colour receiver
SE771990	CCT Receiver

FLEXIBLE STRIP LIGHTING

VIVA 3 - LED Flexible Strip Light



- A versatile flexible strip light which can be used in multiple areas of the kitchen or bedroom including under cabinet, plinths or inside wardrobes
- Strip can be cut once and the cut off section used with a cut joining connector
- Can be cut to length every 50mm
- Male and female ends for simple installation
- Supplied with 3M VHB (Very High Bond) adhesive tape backing for secure installation
- IP54 rated - limited ingress of dust and protected against sprays from any angle
- Supplied in a 1m, 2m or 5m reel



	Code	Wattage	Voltage	Qty	Length	Driver	LED Colour
SINGLE	SE10715C0	4W	24V	1	1m	Required	Cool White
SINGLE	SE10715W0	4W	24V	1	1m	Required	Warm White
SINGLE	SE10725C0	8W	24V	1	2m	Required	Cool White
SINGLE	SE10725W0	8W	24V	1	2m	Required	Warm White
PACK	SE10715C1	4W	24V	1	1m	6W included	Cool White
PACK	SE10715W1	4W	24V	1	1m	6W included	Warm White
PACK	SE10725C1	8W	24V	1	2m	15W included	Cool White
PACK	SE10725W1	8W	24V	1	2m	15W included	Warm White

ACCESSORIES

Code	Description
SE9009	HD LED Link Cable - 2.5m - Extends the cable on fitting. This extension cable can be used with all products which are run via a driver
SE10314*	LED Flexible strip driver. Connection lead - 2500mm. *Required to run the Viva LED Flexible Strip
SE10316	LED Flexible strip corner Connection lead - 50mm
SE10317	LED Flexible strip inter-Connecting lead - 1500mm
SE10318MCC	LED Flexible strip cut. Joining connector


* 2.5m Driver Connection Cable (SE10314) is required to run the Viva 3 (sold separately if not bought as part of a kit)

Code	Description
SE490950	6W Driver with 4 ports
SE491950	15W Driver with 6 ports
SE492950	30W Driver with 6 ports
SE40699	60W Driver with 10 ports

DRIVERS REQUIRED
More information
Page 8.04



PRIMO 2 - LED Flexible Strip



- Can be cut and re-used up to 50 times
- Illuminate several areas of a room with one strip
- Self-adhesive 3M tape on the back of the fitting for installation
- Supplied as a 5M reel
- Can be cut to length (every 100mm)
- Suitable for multiple areas-including plinth, over/under cabinet




	Code	Wattage	Voltage	Qty	Length	Driver	LED Colour
SINGLE	SE10755CO	18W	24V	1	5m	Required	Cool White
SINGLE	SE10755W0	18W	24V	1	5m	Required	Warm White
PACK	SE10755C1	18W	24V	1	5m	30W included	Cool White
PACK	SE10755W1	18W	24V	1	5m	30W included	Warm White

ACCESSORIES

Code	Description
SE101080*	Driver Connection Cable - 2.5M. *Required to run the Primo LED Flexible Strip
SE100050	End cap/Interconnecting clip
SE101050	Corner Connector
SE9009	HD LED Link Cable - 2.5M - Extends the cable on fitting. This extension cable can be used with all products which are run via a driver

FLEXIBLE STRIP LIGHTING

SIGMA 2 - Bendable Flexible Strip



- An innovative bendable flexible strip that handles corners with ease
- A unique PCB board cut in a 'zig-zag' shape provides superb flexibility allowing you to bend the light around a corner
- Can be bent around 90 degree corners without the need for corner cables or starting a new run of strip
- The entire reel can be used with cut marks indicated every 50mm avoiding wastage
- Cut sections can be re-utilised with the joining clips and leads (sold separately)
- Dimmable
- Supplied with 3M VHB (Very High Bond) adhesive tape backing for secure installation
- Supplied in a 5m reel



	Code	Wattage	Voltage	Qty	Length	Driver	LED Colour
SINGLE	SE10855CO	24W	24V	1	5m	Required	Cool White
SINGLE	SE10855W0	24W	24V	1	5m	Required	Warm White
PACK	SE10855C1	24W	24V	1	5m	30W included	Cool White
PACK	SE10855W1	24W	24V	1	5m	30W included	Warm White


ACCESSORIES

Code	Description
SE101080*	Driver connection cable - 2.5M. *Required to run the Sigma LED Flexible Strip
SE100050	End cap/interconnecting clip
SE101050	Corner Connector
SE9009	HD LED Link Cable - 2.5M - Extends the cable on fitting. This extension cable can be used with all products which are run via a driver

Code	Description
SE490950	6W Driver with 4 ports
SE491950	15W Driver with 6 ports
SE492950	30W Driver with 6 ports
SE40699	60W Driver with 10 ports



FLUX RGB WW- LED Flexible Strip



- A fully customisable, flexible strip light to suit any style, mood or atmosphere
- A combination of RGB and CCT provides the ultimate colour changing solution enabling colours to be mixed and matched to create millions of combinations
- Features 24 pre-set RGB colours and 11 shades of white (CCT)
- Colours can be set individually or RGB colours can be mixed with the CCT colours to create a multitude of different shades
- Each colour can also be dimmed to achieve further customisation
- A high number of LEDs per metre significantly reduces the appearance of individual LEDs
- Compatible with Sensio CCT receiver and Universal Remote Control to control, zone and dim the lights



- Cut marks are indicated every 142.5mm on the back of the strip
- Supplied with 3M VHB (Very High Bond) adhesive tape backing for secure installation
- Supplied with driver lead attached to both ends

	Code	Wattage	Voltage	Qty	Length	Driver	LED Colour
SINGLE	SE10625R0	18W	24V	1	2m	Required	RGB CCT
PACK	SE10655R1	30W	24V	1	5m	30W included	RGB CCT


Includes the driver, driver lead, receiver and 3-IN-1 remote control

ACCESSORIES

Code Description

- SE113990* Driver connection lead - 2.5m. *Required to run the RGB LED Flexible Strip
- SE106790 LED RGB Flexible Strip Corner. Connection Lead - 50mm
- SE770990 RGB receiver is required per run of RGB strips (1 receiver to each driver used)
- SE770390 Universal Remote Control - for more information see page 8.29

UNIVERSAL REMOTE CONTROL



- The remote can control single colour lighting (dimming), CCT (tunable white) and RGB (colour changing) lights
- Offers a multitude of functions including the ability to set up channels and zone lighting
- Wall mounting bracket provided to keep the remote safe and secure when not in use
- Use in conjunction with the appropriate receiver for the chosen lights.

Code	Voltage	Qty	Power
SE770390	12V and 24V	1	Requires 2x AAA batteries (not included)


Compatible receivers

Code	Description
SE772990	White light (single colour) receiver
SE770990	Adjustable RGB colour receiver
SE771990	CCT Receiver




ALUMINIUM PROFILE

FINO - Surface Mounted Aluminium Profile



- Houses all Sensio flexible strips
- End caps and mounting brackets supplied with each profile (2 with the 1M, 4 with the 2M)
- Can be cut to length
- Perfect for use inside cabinets, larders or wardrobes




	Code	Qty	Length
SINGLE	SE981120	1	1m
SINGLE	SE981220	1	2m


ACCESSORIES

Code	Description
1 SE982050	2 X End Caps For Surface Mounted Profile
2 SE981050	2 X Mounting Brackets For Surface. Mounted/ Recessed Profile

CONTOUR - Under Worktop Profile for Handleless Kitchens



- The profile has been designed specifically to accommodate our full range of flexible strips
- Slides under rail, fixes to worktop
- The design of the profile fully diffuses the individual diodes, to provide flawless mood light
- The profile can be cut to any required length and corner
- Connectors are available for any kitchen style



	Code	Qty	Length	
SINGLE	SE98210	1	1.5m	(End caps not included)
SINGLE	SE98220	1	2.5m	(End caps not included)

ACCESSORIES

Code	Description
SE97990	External corner connectors kit (1 Top & 1 Base)
SE97890	Internal corner connectors kit (1 Top & 1 Base)
SE97790	1 Left End Cap + 1 x Right End Cap


Code	Description
SE490950	6W Driver with 4 ports
SE491950	15W Driver with 6 ports
SE492950	30W Driver with 6 ports
SE40699	60W Driver with 10 ports



BEAM - Angled Aluminium Profile



- Can be surface mounted or used inside tall housing units or wardrobes
- Use with the Compact, Viva or Primo flexible strip
- Opal diffuser creates completely diffused LED points
- Flexible strip can be cut to length



	Code	Qty	Length
SINGLE	SE982120	1	1m
SINGLE	SE982220	1	2.2m



ACCESSORIES

Code	Description
SE983050.1	Beam - additional end cap set for angled aluminium profile

LINIA - Recessed Aluminium Profile



- Houses all Sensio flexible strips
- End caps and mounting brackets supplied with each profile (2 with the 1M, 4 with the 2.2M)
- Perfect for use under cabinets, inside larders or inside wardrobes





	Code	Qty	Length
SINGLE	SE980120	1	1m
SINGLE	SE980220	1	2.2m

ACCESSORIES

Code	Description
1 SE980920	2 x End caps for recessed profile
SE981050	2 x Mounting brackets for surface mounted/recessed profile

PLINTH LIGHTING

LUCE - SLS LED Square Plinth Light




- No visible LED points
- Light sits flush to plinth
- Fittings can be daisy chained together
- Can be used with a range of Sensio switches and dimmers



	Code	Wattage	Voltage	Qty	Driver	LED Colour
PACK	SE15090C4	2.4W	24V	4	6W included	Cool White
PACK	SE15090W4	2.4W	24V	4	6W included	Warm White

PURO - LED Round Plinth Light



- 2 x 1M cables per fitting
- Fitting can be daisy chained together
- Can be used with a range of Sensio switches and dimmers




	Code	Wattage	Voltage	Qty	Driver	LED Colour
PACK	SE15094C4	0.96W	24V	4	6W included	Cool White
PACK	SE15094W4	0.96W	24V	4	6W included	Warm White

Code	Description
SE490950	6W Driver with 4 ports
SE491950	15W Driver with 6 ports
SE492950	30W Driver with 6 ports
SE40699	60W Driver with 10 ports



SPECTO - LED Round Plinth Light




- Fitting can be daisy chained together
- Can be used with a range of Sensio switches and dimmers



	Code	Wattage	Qty	Driver	LED Colour
PACK	SE15091C4	1.28W	4	6W included	Cool White
PACK	SE15091W4	1.28W	4	6W included	Warm White

HALO TRIOTONE - Colour Temperature Switchable Plinth Light



- Stylish, discreet & recessed kitchen plinth light
- Choose from warm white (3000K) to natural white (4000k) to cool white (5000k) by simply using the button on the underside of the fitting
- Plug & Play Technology - multiple fittings can be daisy chained together
- IP44 rated
- Diffused cover, no visible LED's



	Code	Wattage	Voltage	Qty	Driver	LED Colour
SINGLE	SE150000	0.5W	24V	1	Required	Warm/Natural/Cool
PACK	SE150004	2W	24V	4	Required	Warm/Natural/Cool

DRAWER & SHELF LIGHTING

DURA PLUS - LED Battery Light with PIR Sensor




- LED Technology
- Cost effective solution (no electrical installation required)
- Ideal for wardrobes & kitchen cabinets/drawers
- PIR Sensor with timer control switch (different settings available)
- Uses 4x AAA Alkaline batteries



	Code	Voltage	Qty	Length	Driver	LED Colour
SINGLE	SE16097CO	6V	1	300mm	Not Required	Cool White

VERSO - LED Drawer Light



- High definition LED for optimum light output
- When drawer is closed light turns off - saves energy
- Low wattage - a full drawer pack can be powered from a single driver
- Brackets and cable tidy supplied
- Fitting is suitable for use in both the kitchen and bedroom



	Code	Wattage	Voltage	Qty	Length	Driver	LED Colour
SINGLE	SE7305HDCW.24	3.3W	24V	1	562mm	Required	Cool White
SINGLE	SE7315HDCW.24	5.4W	24V	1	862mm	Required	Cool White
SINGLE	SE7320HDCW.24	6W	24V	1	962mm	Required	Cool White


ACCESSORIES

Code	Description
SE9009	HD LED Link Cable - 2.5m - Extends the cable on fitting. This extension cable can be used with all products which are run via a driver

Code	Description
SE490950	6W Driver with 4 ports
SE491950	15W Driver with 6 ports
SE492950	30W Driver with 6 ports
SE40699	60W Driver with 10 ports



GENOA - Integrated LED Shelf Profile




- Transform a normal shelf into an illuminated shelf
- U-shape profile for easy and simple installation on 18mm thick shelves
- Available in 3 different lengths
- Compatible with any Sensio 24V driver
- Integrated diffuser



	Code	Wattage	Voltage	Qty	Driver	LED Colour	Dimensions
SINGLE	SE18592C0	8.9W	24V	1	Required	Natural White	563 (L) x 20mm (H) x 22 (W)


TORINO - Integrated LED Shelf



- A sleek and stylish LED shelf with cool white LEDs embedded within the frame.
- Available in 4 lengths
- Available in black and silver
- Compatible with Sensio LED drivers
- Aluminium frame and tempered glass shelf
- Supports up to 10kg weight



	Code	Wattage	Voltage	Qty	Driver	LED Colour	Colour	Length
SINGLE	SE17232C0	5.4W	24V	1	Required	Natural White	SE17232C0 Silver	600x200x200
SINGLE	SE17262C0	8.4W	24V	1	Required	Natural White	SE17262C0 Silver	900x200x200
SINGLE	SE17238C0	5.4W	24V	1	Required	Natural White	SE17238C0 Black	600x200x200
SINGLE	SE17268C0	8.4W	24V	1	Required	Natural White	SE17268C0 Black	900x200x200




PENDANT LIGHTING

WARNING

All light fittings must be fitted by a qualified electrician. Care must be taken where lights are enclosed in a cabinet, ensuring there is adequate ventilation. Light fittings should not be fitted in the vicinity of flammable surfaces.



ZIRCONIA - Crystal Cone Pendant Light



- Stylish chrome finish
- Clear base laced with floating crystals
- LED light reflects from each crystal giving sparkling effect
- 24 integrated LEDs
- 920mm stainless steel cable is adjustable


	Code	Wattage	Voltage	Qty	LED Colour
SINGLE	SE32101W0	4.8W	240V	1	Warm White

THE POWER OF LIGHTING



REMOTES, SENSORS & DIMMERS

UNIVERSAL REMOTE CONTROL



- The remote can control single colour lighting (dimming), CCT (tunable white) and RGB (colour changing) lights
- Offers a multitude of functions including the ability to set up channels and zone lighting
- Wall mounting bracket provided to keep the remote safe and secure when not in use
- Requires 2x AAA batteries (not included)
- Use in conjunction with the appropriate receiver for the chosen lights.

Code	Voltage	Qty	Power
SE770390	12V and 24V	1	Requires 2x AAA batteries (not included)

Compatible receivers

Code	Description
SE772990	White light (single colour) receiver
SE770990	Adjustable RGB colour receiver
SE771990	CCT Receiver

IN-CABINET PIR SENSOR SWITCH



- Discreet in-cabinet motion sensor switch
- Works as on/off switch for lighting installed inside cabinets or wardrobes
- Mount in a side panel or back panel of an internal unit
- Dial on front of sensor allows you to select how long the lights will stay on for (from 10 seconds to 3 minutes)
- Detection range - 0.5m-2.5m
- 80° detection angle
- Discreet fitting
- Does not require a JB4 connector
- Compatible with 12V, 24V & 240V products

Code	
SE40515	250W motion sensor switch

CANNON CABINET/SWIPE SENSOR SWITCH



Wattage: 24W/48W, Use with: 12V or 24V products (with an LED connector), Cut-out: 14mm, Cable length: 1.5m with 6 port JB4 connector, Detection Range: 5cm

Designed for mounting on the underside of a cabinet, or recessed into the pelmet to act as an on/off switch by simply swiping your hand past the sensor. Also suitable for use as a cabinet sensor, where cabinet lights are used. Lights illuminate when the door is opened and turn off when the door is closed. This switch also has a dimming solution.

Code	Wattage	Qty	Driver
SE40516.1	24W or 48W*	1	Required

*Maximum 24W=12V, 48W+24V

REMOTES, SENSORS & DIMMERS

**DRIVERS
REQUIRED**
More
information
Page 8.04

Code	Description
SE490950	6W Driver with 4 ports
SE491950	15W Driver with 6 ports
SE492950	30W Driver with 6 ports
SE40699	60W Driver with 10 ports

MODA HD LED DIMMING SWITCH



Wattage: 15W or 30W, Use with: 12V or 24V products, Cable length: 1.5M cable from sensor to JB4 plug and 1.5M from the sensor to the 6 port JB4 distribution block, Detection Range: 5cm

- Activates and dims lights with motion
- Mount inside a cabinet - open door to activate light
- Mount under cabinet

Code	Wattage	Qty	Driver
SE40520C	15W or 30W*	1	Required

*Maximum 15W = 12V, 30W = 24V, *Comes in coloured packaging.

CABINET SENSOR SWITCH



Wattage: 250W, Use with: 12V, 24V or 240V products, CUT-OUT: 13M, Cable length: 2M, Detection Range: 5-10cm

Recess into the front of an interior shelf inside the cabinet. On opening the door the connected internal lights will switch on, when the door is closed the lights will switch off.

Code	Wattage	Qty	Driver
SE40518	250W*	1	Required

*Maximum

LINK S - Receiver, Magnet and Reed Switch




Image shows how this product is wired to a driver

The Link S Receiver, Magnet and Reed Switch is a cleverly designed solution to control lighting wirelessly through the opening and closing of doors.

The magnet and reed switch are suitable for mounting on any door and frame, and upon opening will send a signal to the receiver to trigger the lighting.

The Link S Receiver can control multiple lights within a kitchen, which means no more fumbling for switches in the dark, and no more wasted energy when you forget to turn the light off.


- Battery life > 3 years
- Compatible with Sensio Drivers
- > 8M range
- Low power consumption
- One receiver can support up to 5 Magnets + Reid switches
- One Reid switch + Magnet can support up to 5 receivers
- IP20 Rating

	Code	Wattage	Voltage	Qty	Driver
PACK	SE79095	72W	24V Receiver, 3V Magnet	1	Required
SINGLE	SE79295		3V Magnet	1	Required

SENSIOPOD E PULL-UP SOCKET



- Versatile extension that can deliver power to many different electrical items
- Features three power sockets and two USB ports
- The locking ring ensures quick and easy installation
- Can be retrofitted into wooden surfaces
- Slim stainless-steel handle sits almost flush with the worktop for a seamless finish
- Spring mounted handle
- IP20 rated



Code	Connection	Power Supply	Qty	Colour
SE894920	13A plug*	Sockets: 3 x power & 2 x USB	1	Aluminium Effect
SE894930	13A plug*	Sockets: 3 x power & 2 x USB	1	Black
SE891900	13A plug*	Sockets: 3 x power & 2 x USB	1	Stainless Steel Effect

*Included.

Please note: if charging a Smart device with a high mA requirement, please only charge one item at a time.

EVOLINE SOCKET PORTS

EVOLine®
ePlace Design


schulte invented and made by
elektrotechnik Schulte Elektrotechnik,
Lüdenscheid, Germany


3 SOCKETS + 2 USB - Supplied with 3m cable, 13A plug attached



EVOLINE PORT

- Ideal solution for worktop, island or even inverted application, i.e. underside of a wall cabinet
- Plug n' play solution, quick and easy to install into ANY type of surface, from 10-50mm
- Designed and engineered to counteract against spillages and liquid ingress
- Patented 'rocking' cover allows appliances to be plugged in and Port fully retracted into surface whilst still in use
- Aesthetically pleasing, small and discreet footprint
- Anodised aluminium profile and solid brushed Stainless Steel cover
- Multiple international award-winner, long-standing market leader
- Designed and made in Germany
- EVOLine best seller



 Brushed solid stainless steel
PC3SSUSB

All ports can be mounted in different ways into a 102mm diameter hole in a surface (worksurface or base of a wall unit) with a maximum thickness of 50mm.



EVOLINE BACKFLIP

EVOLine®
ePlace Design

schulte invent and made by
elektrotechnik Schulte Elektrotechnik,
Lüdenscheid, Germany

The Evoline BackFlip sits nearly flush on the worksurface. At a touch of a finger, it turns 180 degrees to reveal two power sockets and a USB charger.

With a total installation height of just 53mm, the BackFlip can be fitted above most drawers, including a cutlery drawer.



EVOLINE BACKFLIP

- Ideal solution for horizontal, vertical or even inverted position, i.e. underside of a wall cabinet
- Plug n' play solution, quick and easy to install into ANY type of surface, from 10-40mm
- Only 53mm total depth from underside of cover
- Designed and engineered to counteract against spillages and liquid ingress
- Aesthetically pleasing, provides a contemporary, innovative and compact solution
- Slick push-to-open function, spins 180° to reveal Sockets and USB Charger
- Versatile solution for around the home
- Alternative solution if looking to omit wall sockets, i.e. within glass splashbacks
- Multiple international award-winner, market leader
- Designed and made in Germany
- EVOLine best seller



1 European socket is shown for display purposes only. This product will come with a UK socket.

AVAILABLE FINISHES



Code	Colour
BF2BK	Black Glass (Gloss)



Code	Colour
BF2SS	Stainless Steel



Code	Colour
BF2WH	White Glass (Gloss)



blum

